

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP031422\
 Data File : PP044644.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 14 Mar 2022 10:51
 Operator : YP\AJ
 Sample : N1848-06
 Misc :
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 ECD_P
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Mar 15 09:37:05 2022
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP030222.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Thu Mar 03 02:21:53 2022
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.909	3.166	40624144	37821279	19.606	21.619
2)	SA Decachlor...	10.038	8.525	20052327	22887327	14.569	14.920
Target Compounds							
3)	L1 AR-1016-1	5.166	4.298	233306	90753	3.436	1.632 #
4)	L1 AR-1016-2	5.188	4.328	683681	225887	6.751	2.915 #
5)	L1 AR-1016-3	5.265	4.512	734492	297977	11.710	6.946 #
6)	L1 AR-1016-4	5.363	4.579	163203	445978	3.144	13.232 #
7)	L1 AR-1016-5	5.678	4.790	109460	323435	2.173	7.776 #
8)	L2 AR-1221-1	4.128	0.000	4561057	0	184.586	N.D. #
9)	L2 AR-1221-2	4.231	3.458f	899316	4246677	47.932	245.869 #
10)	L2 AR-1221-3	4.315	3.545f	156568	136502	2.798	2.745
11)	L3 AR-1232-1	4.315	3.545f	156568	136502	3.412	3.285
12)	L3 AR-1232-2	4.889	4.328	35790	225887	1.590	6.541 #
13)	L3 AR-1232-3	5.188	4.512	683681	297977	15.800	15.971
14)	L3 AR-1232-4	5.363	4.609	163203	172622	8.128	10.469 #
15)	L3 AR-1232-5	5.460	4.790	161483	323435	10.644	17.867 #
16)	L4 AR-1242-1	5.166	4.298	233306	90753	4.286	1.979 #
17)	L4 AR-1242-2	5.188	4.328	683681	225887	8.585	3.574 #
18)	L4 AR-1242-3	5.265	4.512	734492	297977	15.554	8.342 #
19)	L4 AR-1242-4	5.363	4.609	163203	172622	4.217	4.990
20)	L4 AR-1242-5	6.157	5.183f	400490	836684	9.393	19.809 #
21)	L5 AR-1248-1	5.166	4.298	233306	90753	5.644	2.559 #
22)	L5 AR-1248-2	5.460	4.579	161483	445978	2.879	9.477 #
23)	L5 AR-1248-3	5.678	4.609	109460	172622	1.603	3.503 #
24)	L5 AR-1248-4	6.126	4.790	228035	323435	3.127	5.723 #
25)	L5 AR-1248-5	6.157	5.216	400490	449207	5.453	8.009 #
26)	L6 AR-1254-1	6.097	5.183f	159084	836684	2.121	10.120 #
27)	L6 AR-1254-2	6.332	5.322	166024	454433	1.478	6.317 #
28)	L6 AR-1254-3	6.732	5.756	465818	364335	3.981	3.162
29)	L6 AR-1254-4	7.043	5.981f	111874	863368	1.391	11.468 #
30)	L6 AR-1254-5	7.516	6.460	83364	897540	0.958	8.236 #
31)	L7 AR-1260-1	6.906	5.894	116997	208088	1.331	2.594 #
32)	L7 AR-1260-2	7.191	6.102	261459	160085	2.722	1.625 #
33)	L7 AR-1260-3	7.604	6.271	302889	73328	4.668	0.791 #
34)	L7 AR-1260-4	7.826	6.793	696478	15364	8.930	0.215 #
35)	L7 AR-1260-5	8.181	7.040	524465	485257	3.742	2.939
36)	L8 AR-1262-1	7.604	6.505	302889	99616	2.997	0.960 #
37)	L8 AR-1262-2	8.181	6.793	524465	15364	3.159	0.161 #
38)	L8 AR-1262-3	8.518	7.353	70914	14180	0.634	0.180 #
39)	L8 AR-1262-4	8.600	7.431	97826	17341	1.971	0.120 #
40)	L8 AR-1262-5	9.291	7.959	5673	76185	0.099	1.064 #
41)	L9 AR-1268-1	8.518	7.353	70914	14180	0.363	0.062 #

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP031422\
 Data File : PP044644.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 14 Mar 2022 10:51
 Operator : YP\AJ
 Sample : N1848-06
 Misc :
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 ECD_P
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Mar 15 09:37:05 2022
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP030222.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Thu Mar 03 02:21:53 2022
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml
42) L9	AR-1268-2	8.609	7.431	111183	17341	0.610	0.085 #
43) L9	AR-1268-3	8.848	7.652	94452	9713	0.612	0.056 #
44) L9	AR-1268-4	9.291	7.959	5673	76185	0.091	0.939 #
45) L9	AR-1268-5	9.723	8.265	55110	192047	0.117	0.356 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP031422\
 Data File : PP044644.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 14 Mar 2022 10:51
 Operator : YP\AJ
 Sample : N1848-06
 Misc :
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 ECD_P
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Mar 15 09:37:05 2022
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP030222.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Thu Mar 03 02:21:53 2022
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 3.909 min
Delta R.T.: -0.003 min
Response: 40624144
Conc: 19.61 ng/ml

Instrument :
ECD_P
ClientSampleId :




#1 Tetrachloro-m-xylene

R.T.: 3.166 min
Delta R.T.: 0.000 min
Response: 37821279
Conc: 21.62 ng/ml




#2 Decachlorobiphenyl

R.T.: 10.038 min
Delta R.T.: -0.014 min
Response: 20052327
Conc: 14.57 ng/ml



#2 Decachlorobiphenyl


R.T.: 8.525 min
Delta R.T.: -0.011 min
Response: 22887327
Conc: 14.92 ng/ml



#3 AR-1016-1


R.T.: 5.166 min
Delta R.T.: 0.000 min
Response: 233306
Conc: 3.44 ng/ml

Instrument :
ECD_P
ClientSampleId :




#3 AR-1016-1

R.T.: 4.298 min
Delta R.T.: -0.015 min
Response: 90753
Conc: 1.63 ng/ml




#4 AR-1016-2

R.T.: 5.188 min
Delta R.T.: 0.000 min
Response: 683681
Conc: 6.75 ng/ml



#4 AR-1016-2


R.T.: 4.328 min
Delta R.T.: -0.003 min
Response: 225887
Conc: 2.92 ng/ml



#5 AR-1016-3


R.T.: 5.265 min
Delta R.T.: 0.010 min
Response: 734492
Conc: 11.71 ng/ml

Instrument :
ECD_P
ClientSampleId :




#5 AR-1016-3

R.T.: 4.512 min
Delta R.T.: -0.004 min
Response: 297977
Conc: 6.95 ng/ml




#6 AR-1016-4

R.T.: 5.363 min
Delta R.T.: 0.003 min
Response: 163203
Conc: 3.14 ng/ml



#6 AR-1016-4


R.T.: 4.579 min
Delta R.T.: 0.013 min
Response: 445978
Conc: 13.23 ng/ml



#7 AR-1016-5


R.T.: 5.678 min
Delta R.T.: -0.002 min
Response: 109460
Conc: 2.17 ng/ml

Instrument :
ECD_P
ClientSampleId :




#7 AR-1016-5

R.T.: 4.790 min
Delta R.T.: 0.000 min
Response: 323435
Conc: 7.78 ng/ml




#8 AR-1221-1

R.T.: 4.128 min
Delta R.T.: -0.011 min
Response: 4561057
Conc: 184.59 ng/ml



#8 AR-1221-1


R.T.: 0.000 min
Exp R.T. : 3.395 min
Response: 0
Conc: N.D.



#9 AR-1221-2


R.T.: 4.231 min
Delta R.T.: 0.000 min
Response: 899316
Conc: 47.93 ng/ml

Instrument :
ECD_P
ClientSampleId :




#9 AR-1221-2

R.T.: 3.458 min
Delta R.T.: -0.026 min
Response: 4246677
Conc: 245.87 ng/ml




#10 AR-1221-3

R.T.: 4.315 min
Delta R.T.: 0.005 min
Response: 156568
Conc: 2.80 ng/ml



#10 AR-1221-3


R.T.: 3.545 min
Delta R.T.: -0.018 min
Response: 136502
Conc: 2.75 ng/ml



#11 AR-1232-1


R.T.: 4.315 min
Delta R.T.: 0.004 min
Response: 156568
Conc: 3.41 ng/ml

Instrument :
ECD_P
ClientSampleId :




#11 AR-1232-1

R.T.: 3.545 min
Delta R.T.: -0.018 min
Response: 136502
Conc: 3.28 ng/ml




#12 AR-1232-2

R.T.: 4.889 min
Delta R.T.: 0.013 min
Response: 35790
Conc: 1.59 ng/ml



#12 AR-1232-2


R.T.: 4.328 min
Delta R.T.: -0.002 min
Response: 225887
Conc: 6.54 ng/ml



#13 AR-1232-3


R.T.: 5.188 min
Delta R.T.: 0.000 min
Response: 683681
Conc: 15.80 ng/ml

Instrument :
ECD_P
ClientSampleId :




#13 AR-1232-3

R.T.: 4.512 min
Delta R.T.: -0.004 min
Response: 297977
Conc: 15.97 ng/ml




#14 AR-1232-4

R.T.: 5.363 min
Delta R.T.: 0.002 min
Response: 163203
Conc: 8.13 ng/ml



#14 AR-1232-4


R.T.: 4.609 min
Delta R.T.: 0.002 min
Response: 172622
Conc: 10.47 ng/ml



#15 AR-1232-5


R.T.: 5.460 min
Delta R.T.: -0.004 min
Response: 161483
Conc: 10.64 ng/ml

Instrument :
ECD_P
ClientSampleId :




#15 AR-1232-5

R.T.: 4.790 min
Delta R.T.: 0.000 min
Response: 323435
Conc: 17.87 ng/ml




#16 AR-1242-1

R.T.: 5.166 min
Delta R.T.: 0.000 min
Response: 233306
Conc: 4.29 ng/ml



#16 AR-1242-1


R.T.: 4.298 min
Delta R.T.: -0.014 min
Response: 90753
Conc: 1.98 ng/ml



#17 AR-1242-2


R.T.: 5.188 min
Delta R.T.: 0.000 min
Response: 683681
Conc: 8.59 ng/ml

Instrument :
ECD_P
ClientSampleId :




#17 AR-1242-2

R.T.: 4.328 min
Delta R.T.: -0.003 min
Response: 225887
Conc: 3.57 ng/ml




#18 AR-1242-3

R.T.: 5.265 min
Delta R.T.: 0.010 min
Response: 734492
Conc: 15.55 ng/ml



#18 AR-1242-3


R.T.: 4.512 min
Delta R.T.: -0.004 min
Response: 297977
Conc: 8.34 ng/ml



#19 AR-1242-4


R.T.: 5.363 min
Delta R.T.: 0.002 min
Response: 163203
Conc: 4.22 ng/ml

Instrument :
ECD_P
ClientSampleId :




#19 AR-1242-4

R.T.: 4.609 min
Delta R.T.: 0.001 min
Response: 172622
Conc: 4.99 ng/ml




#20 AR-1242-5

R.T.: 6.157 min
Delta R.T.: -0.004 min
Response: 400490
Conc: 9.39 ng/ml



#20 AR-1242-5


R.T.: 5.183 min
Delta R.T.: 0.016 min
Response: 836684
Conc: 19.81 ng/ml



#21 AR-1248-1


R.T.: 5.166 min
Delta R.T.: 0.000 min
Response: 233306
Conc: 5.64 ng/ml

Instrument :
ECD_P
ClientSampleId :




#21 AR-1248-1

R.T.: 4.298 min
Delta R.T.: -0.014 min
Response: 90753
Conc: 2.56 ng/ml




#22 AR-1248-2

R.T.: 5.460 min
Delta R.T.: -0.003 min
Response: 161483
Conc: 2.88 ng/ml



#22 AR-1248-2


R.T.: 4.579 min
Delta R.T.: 0.014 min
Response: 445978
Conc: 9.48 ng/ml



#23 AR-1248-3


R.T.: 5.678 min
Delta R.T.: -0.002 min
Response: 109460
Conc: 1.60 ng/ml

Instrument :
ECD_P
ClientSampleId :




#23 AR-1248-3

R.T.: 4.609 min
Delta R.T.: 0.002 min
Response: 172622
Conc: 3.50 ng/ml




#24 AR-1248-4

R.T.: 6.126 min
Delta R.T.: 0.006 min
Response: 228035
Conc: 3.13 ng/ml



#24 AR-1248-4


R.T.: 4.790 min
Delta R.T.: 0.000 min
Response: 323435
Conc: 5.72 ng/ml



#25 AR-1248-5


R.T.: 6.157 min
Delta R.T.: -0.004 min
Response: 400490
Conc: 5.45 ng/ml

Instrument :
ECD_P
ClientSampleId :




#25 AR-1248-5

R.T.: 5.216 min
Delta R.T.: 0.006 min
Response: 449207
Conc: 8.01 ng/ml




#26 AR-1254-1

R.T.: 6.097 min
Delta R.T.: 0.006 min
Response: 159084
Conc: 2.12 ng/ml



#26 AR-1254-1


R.T.: 5.183 min
Delta R.T.: 0.016 min
Response: 836684
Conc: 10.12 ng/ml



#27 AR-1254-2


R.T.: 6.332 min
Delta R.T.: 0.000 min
Response: 166024
Conc: 1.48 ng/ml

Instrument :
ECD_P
ClientSampleId :




#27 AR-1254-2

R.T.: 5.322 min
Delta R.T.: -0.006 min
Response: 454433
Conc: 6.32 ng/ml




#28 AR-1254-3

R.T.: 6.732 min
Delta R.T.: 0.002 min
Response: 465818
Conc: 3.98 ng/ml



#28 AR-1254-3


R.T.: 5.756 min
Delta R.T.: -0.002 min
Response: 364335
Conc: 3.16 ng/ml



#29 AR-1254-4


R.T.: 7.043 min
Delta R.T.: -0.001 min
Response: 111874
Conc: 1.39 ng/ml

Instrument :
ECD_P
ClientSampleId :




#29 AR-1254-4

R.T.: 5.981 min
Delta R.T.: -0.027 min
Response: 863368
Conc: 11.47 ng/ml




#30 AR-1254-5

R.T.: 7.516 min
Delta R.T.: 0.010 min
Response: 83364
Conc: 0.96 ng/ml



#30 AR-1254-5


R.T.: 6.460 min
Delta R.T.: 0.000 min
Response: 897540
Conc: 8.24 ng/ml



#31 AR-1260-1


R.T.: 6.906 min
Delta R.T.: -0.005 min
Response: 116997
Conc: 1.33 ng/ml

Instrument :
ECD_P
ClientSampleId :




#31 AR-1260-1

R.T.: 5.894 min
Delta R.T.: -0.006 min
Response: 208088
Conc: 2.59 ng/ml




#32 AR-1260-2

R.T.: 7.191 min
Delta R.T.: -0.004 min
Response: 261459
Conc: 2.72 ng/ml



#32 AR-1260-2


R.T.: 6.102 min
Delta R.T.: -0.004 min
Response: 160085
Conc: 1.63 ng/ml



#33 AR-1260-3


R.T.: 7.604 min
Delta R.T.: 0.014 min
Response: 302889
Conc: 4.67 ng/ml

Instrument :
ECD_P
ClientSampleId :




#33 AR-1260-3

R.T.: 6.271 min
Delta R.T.: 0.002 min
Response: 73328
Conc: 0.79 ng/ml




#34 AR-1260-4

R.T.: 7.826 min
Delta R.T.: -0.011 min
Response: 696478
Conc: 8.93 ng/ml



#34 AR-1260-4


R.T.: 6.793 min
Delta R.T.: 0.011 min
Response: 15364
Conc: 0.22 ng/ml



#35 AR-1260-5


R.T.: 8.181 min
Delta R.T.: 0.000 min
Response: 524465
Conc: 3.74 ng/ml

Instrument :
ECD_P
ClientSampleId :




#35 AR-1260-5

R.T.: 7.040 min
Delta R.T.: -0.010 min
Response: 485257
Conc: 2.94 ng/ml




#36 AR-1262-1

R.T.: 7.604 min
Delta R.T.: 0.013 min
Response: 302889
Conc: 3.00 ng/ml



#36 AR-1262-1


R.T.: 6.505 min
Delta R.T.: 0.003 min
Response: 99616
Conc: 0.96 ng/ml



#37 AR-1262-2


R.T.: 8.181 min
Delta R.T.: 0.000 min
Response: 524465
Conc: 3.16 ng/ml

Instrument :
ECD_P
ClientSampleId :




#37 AR-1262-2

R.T.: 6.793 min
Delta R.T.: 0.012 min
Response: 15364
Conc: 0.16 ng/ml




#38 AR-1262-3

R.T.: 8.518 min
Delta R.T.: 0.006 min
Response: 70914
Conc: 0.63 ng/ml



#38 AR-1262-3


R.T.: 7.353 min
Delta R.T.: -0.003 min
Response: 14180
Conc: 0.18 ng/ml



#39 AR-1262-4


R.T.: 8.600 min
Delta R.T.: -0.005 min
Response: 97826
Conc: 1.97 ng/ml

Instrument :
ECD_P
ClientSampleId :




#39 AR-1262-4

R.T.: 7.431 min
Delta R.T.: 0.004 min
Response: 17341
Conc: 0.12 ng/ml




#40 AR-1262-5

R.T.: 9.291 min
Delta R.T.: 0.004 min
Response: 5673
Conc: 0.10 ng/ml



#40 AR-1262-5


R.T.: 7.959 min
Delta R.T.: -0.010 min
Response: 76185
Conc: 1.06 ng/ml



#41 AR-1268-1


R.T.: 8.518 min
Delta R.T.: 0.009 min
Response: 70914
Conc: 0.36 ng/ml

Instrument :
ECD_P
ClientSampleId :




#41 AR-1268-1

R.T.: 7.353 min
Delta R.T.: -0.004 min
Response: 14180
Conc: 0.06 ng/ml




#42 AR-1268-2

R.T.: 8.609 min
Delta R.T.: 0.001 min
Response: 111183
Conc: 0.61 ng/ml



#42 AR-1268-2


R.T.: 7.431 min
Delta R.T.: 0.003 min
Response: 17341
Conc: 0.08 ng/ml



#43 AR-1268-3


R.T.: 8.848 min
Delta R.T.: 0.004 min
Response: 94452
Conc: 0.61 ng/ml

Instrument :
ECD_P
ClientSampleId :




#43 AR-1268-3

R.T.: 7.652 min
Delta R.T.: 0.003 min
Response: 9713
Conc: 0.06 ng/ml




#44 AR-1268-4

R.T.: 9.291 min
Delta R.T.: 0.005 min
Response: 5673
Conc: 0.09 ng/ml



#44 AR-1268-4


R.T.: 7.959 min
Delta R.T.: -0.010 min
Response: 76185
Conc: 0.94 ng/ml



#45 AR-1268-5

R.T.: 9.723 min
Delta R.T.: 0.012 min
Response: 55110
Conc: 0.12 ng/ml

Instrument :
ECD_P
ClientSampleId :



#45 AR-1268-5

R.T.: 8.265 min
Delta R.T.: -0.009 min
Response: 192047
Conc: 0.36 ng/ml