

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP031422\
 Data File : PP044646.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 14 Mar 2022 11:21
 Operator : YP\AJ
 Sample : N1893-02 10X
 Misc :
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 ECD_P
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Mar 15 09:37:38 2022
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP030222.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Thu Mar 03 02:21:53 2022
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.910	3.166	2655091	3248447	1.281	1.857 #
2)	SA Decachlor...	10.040	8.526	3576238	2596061	2.598	1.692 #
Target Compounds							
3)	L1 AR-1016-1	5.159	4.317	120378	984614	1.773	17.709 #
4)	L1 AR-1016-2	5.178	4.317	98245	984614	0.970	12.707 #
5)	L1 AR-1016-3	5.249	4.510	131041	413547	2.089	9.641 #
6)	L1 AR-1016-4	5.354	4.563	68607	652721	1.322	19.365 #
7)	L1 AR-1016-5	5.687	4.797	450758	7164	8.950	0.172 #
8)	L2 AR-1221-1	4.132	3.384	189823	23059	7.682	1.004 #
9)	L2 AR-1221-2	4.234	3.459f	62211	1515054	3.316	87.717 #
10)	L2 AR-1221-3	4.310	3.566	73949	15149	1.322	0.305 #
11)	L3 AR-1232-1	4.310	3.566	73949	15149	1.611	0.365 #
12)	L3 AR-1232-2	4.871	4.317	10165	984614	0.452	28.509 #
13)	L3 AR-1232-3	5.178	4.510	98245	413547	2.271	22.166 #
14)	L3 AR-1232-4	5.354	4.598	68607	25495	3.417	1.546 #
15)	L3 AR-1232-5	5.460	4.797	334457	7164	22.045	0.396 #
16)	L4 AR-1242-1	5.171	4.317	50482	984614	0.927	21.471 #
17)	L4 AR-1242-2	5.178	4.317	98245	984614	1.234	15.580 #
18)	L4 AR-1242-3	5.249	4.510	131041	413547	2.775	11.578 #
19)	L4 AR-1242-4	5.354	4.598	68607	25495	1.773	0.737 #
20)	L4 AR-1242-5	6.163	5.163	171102	748366	4.013	17.718 #
21)	L5 AR-1248-1	5.171	4.317	50482	984614	1.221	27.760 #
22)	L5 AR-1248-2	5.460	4.563	334457	652721	5.962	13.870 #
23)	L5 AR-1248-3	5.687	4.598	450758	25495	6.600	0.517 #
24)	L5 AR-1248-4	6.117	4.797	415127	7164	5.693	0.127 #
25)	L5 AR-1248-5	6.163	5.203	171102	774167	2.330	13.802 #
26)	L6 AR-1254-1	6.095	5.163	161783	748366	2.157	9.052 #
27)	L6 AR-1254-2	6.322	5.321	335055	551755	2.982	7.670 #
28)	L6 AR-1254-3	6.731	5.785f	367122	2311452	3.137	20.062 #
29)	L6 AR-1254-4	7.044	6.021	43537	569784	0.541	7.569 #
30)	L6 AR-1254-5	7.496	6.451	1012953	1174896	11.637	10.781
31)	L7 AR-1260-1	6.903	5.891	405559	1578730	4.615	19.681 #
32)	L7 AR-1260-2	7.193	6.100	1353491	1159758	14.090	11.774
33)	L7 AR-1260-3	7.563f	6.277	411424	1985822	6.341	21.411 #
34)	L7 AR-1260-4	7.836	6.773	2245272	1288286	28.787	18.068 #
35)	L7 AR-1260-5	8.173	7.041	3082305	1308599	21.992	7.925 #
36)	L8 AR-1262-1	7.563f	6.493	411424	598624	4.071	5.768 #
37)	L8 AR-1262-2	8.173	6.773	3082305	1288286	18.564	13.460 #
38)	L8 AR-1262-3	8.493f	7.374f	89025	914026	0.795	11.586 #
39)	L8 AR-1262-4	0.000	7.425	0	1147364	N.D.	7.944 #
40)	L8 AR-1262-5	9.299	7.961	62202	1230709	1.090	17.190 #
41)	L9 AR-1268-1	8.493f	7.374f	89025	914026	0.456	4.019 #

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP031422\
 Data File : PP044646.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 14 Mar 2022 11:21
 Operator : YP\AJ
 Sample : N1893-02 10X
 Misc :
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 ECD_P
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Mar 15 09:37:38 2022
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP030222.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Thu Mar 03 02:21:53 2022
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml
42) L9	AR-1268-2	0.000	7.425	0	1147364	N.D.	5.601 #
43) L9	AR-1268-3	8.852	7.643	562354	-164326	3.644	N.D. #
44) L9	AR-1268-4	9.299	7.961	62202	1230709	0.994	15.166 #
45) L9	AR-1268-5	9.708	8.265	139204	97214	0.296	0.180 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP031422\
Data File : PP044646.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 14 Mar 2022 11:21
Operator : YP\AJ
Sample : N1893-02 10X
Misc :
ALS Vial : 10 Sample Multiplier: 1

Instrument :
ECD_P
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Mar 15 09:37:38 2022
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP030222.M
Quant Title : GC EXTRACTABLES
QLast Update : Thu Mar 03 02:21:53 2022
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 3.910 min
Delta R.T.: -0.002 min
Response: 2655091
Conc: 1.28 ng/ml

Instrument :
ECD_P
ClientSampleId :




#1 Tetrachloro-m-xylene

R.T.: 3.166 min
Delta R.T.: 0.000 min
Response: 3248447
Conc: 1.86 ng/ml




#2 Decachlorobiphenyl

R.T.: 10.040 min
Delta R.T.: -0.012 min
Response: 3576238
Conc: 2.60 ng/ml



#2 Decachlorobiphenyl


R.T.: 8.526 min
Delta R.T.: -0.011 min
Response: 2596061
Conc: 1.69 ng/ml



#3 AR-1016-1


R.T.: 5.159 min
Delta R.T.: -0.006 min
Response: 120378
Conc: 1.77 ng/ml

Instrument :
ECD_P
ClientSampleId :




#3 AR-1016-1

R.T.: 4.317 min
Delta R.T.: 0.004 min
Response: 984614
Conc: 17.71 ng/ml




#4 AR-1016-2

R.T.: 5.178 min
Delta R.T.: -0.010 min
Response: 98245
Conc: 0.97 ng/ml



#4 AR-1016-2


R.T.: 4.317 min
Delta R.T.: -0.014 min
Response: 984614
Conc: 12.71 ng/ml



#5 AR-1016-3


R.T.: 5.249 min
Delta R.T.: -0.006 min
Response: 131041
Conc: 2.09 ng/ml

Instrument :
ECD_P
ClientSampleId :




#5 AR-1016-3

R.T.: 4.510 min
Delta R.T.: -0.006 min
Response: 413547
Conc: 9.64 ng/ml




#6 AR-1016-4

R.T.: 5.354 min
Delta R.T.: -0.006 min
Response: 68607
Conc: 1.32 ng/ml



#6 AR-1016-4


R.T.: 4.563 min
Delta R.T.: -0.002 min
Response: 652721
Conc: 19.37 ng/ml



#7 AR-1016-5


R.T.: 5.687 min
Delta R.T.: 0.006 min
Response: 450758
Conc: 8.95 ng/ml

Instrument :
ECD_P
ClientSampleId :




#7 AR-1016-5

R.T.: 4.797 min
Delta R.T.: 0.007 min
Response: 7164
Conc: 0.17 ng/ml




#8 AR-1221-1

R.T.: 4.132 min
Delta R.T.: -0.007 min
Response: 189823
Conc: 7.68 ng/ml



#8 AR-1221-1


R.T.: 3.384 min
Delta R.T.: -0.011 min
Response: 23059
Conc: 1.00 ng/ml



#9 AR-1221-2


R.T.: 4.234 min
Delta R.T.: 0.004 min
Response: 62211
Conc: 3.32 ng/ml

Instrument :
ECD_P
ClientSampleId :




#9 AR-1221-2

R.T.: 3.459 min
Delta R.T.: -0.025 min
Response: 1515054
Conc: 87.72 ng/ml




#10 AR-1221-3

R.T.: 4.310 min
Delta R.T.: 0.000 min
Response: 73949
Conc: 1.32 ng/ml



#10 AR-1221-3


R.T.: 3.566 min
Delta R.T.: 0.003 min
Response: 15149
Conc: 0.30 ng/ml



#11 AR-1232-1


R.T.: 4.310 min
Delta R.T.: -0.002 min
Response: 73949
Conc: 1.61 ng/ml

Instrument :
ECD_P
ClientSampleId :




#11 AR-1232-1

R.T.: 3.566 min
Delta R.T.: 0.003 min
Response: 15149
Conc: 0.36 ng/ml




#12 AR-1232-2

R.T.: 4.871 min
Delta R.T.: -0.004 min
Response: 10165
Conc: 0.45 ng/ml



#12 AR-1232-2


R.T.: 4.317 min
Delta R.T.: -0.014 min
Response: 984614
Conc: 28.51 ng/ml



#13 AR-1232-3


R.T.: 5.178 min
Delta R.T.: -0.011 min
Response: 98245
Conc: 2.27 ng/ml

Instrument :
ECD_P
ClientSampleId :




#13 AR-1232-3

R.T.: 4.510 min
Delta R.T.: -0.006 min
Response: 413547
Conc: 22.17 ng/ml




#14 AR-1232-4

R.T.: 5.354 min
Delta R.T.: -0.008 min
Response: 68607
Conc: 3.42 ng/ml



#14 AR-1232-4


R.T.: 4.598 min
Delta R.T.: -0.010 min
Response: 25495
Conc: 1.55 ng/ml



#15 AR-1232-5


R.T.: 5.460 min
Delta R.T.: -0.004 min
Response: 334457
Conc: 22.04 ng/ml

Instrument :
ECD_P
ClientSampleId :




#15 AR-1232-5

R.T.: 4.797 min
Delta R.T.: 0.007 min
Response: 7164
Conc: 0.40 ng/ml




#16 AR-1242-1

R.T.: 5.171 min
Delta R.T.: 0.006 min
Response: 50482
Conc: 0.93 ng/ml



#16 AR-1242-1


R.T.: 4.317 min
Delta R.T.: 0.005 min
Response: 984614
Conc: 21.47 ng/ml



#17 AR-1242-2


R.T.: 5.178 min
Delta R.T.: -0.010 min
Response: 98245
Conc: 1.23 ng/ml

Instrument :
ECD_P
ClientSampleId :




#17 AR-1242-2

R.T.: 4.317 min
Delta R.T.: -0.014 min
Response: 984614
Conc: 15.58 ng/ml




#18 AR-1242-3

R.T.: 5.249 min
Delta R.T.: -0.007 min
Response: 131041
Conc: 2.77 ng/ml



#18 AR-1242-3


R.T.: 4.510 min
Delta R.T.: -0.006 min
Response: 413547
Conc: 11.58 ng/ml



#19 AR-1242-4


R.T.: 5.354 min
Delta R.T.: -0.007 min
Response: 68607
Conc: 1.77 ng/ml

Instrument :
ECD_P
ClientSampleId :




#19 AR-1242-4

R.T.: 4.598 min
Delta R.T.: -0.010 min
Response: 25495
Conc: 0.74 ng/ml




#20 AR-1242-5

R.T.: 6.163 min
Delta R.T.: 0.002 min
Response: 171102
Conc: 4.01 ng/ml



#20 AR-1242-5


R.T.: 5.163 min
Delta R.T.: -0.003 min
Response: 748366
Conc: 17.72 ng/ml



#21 AR-1248-1


R.T.: 5.171 min
Delta R.T.: 0.006 min
Response: 50482
Conc: 1.22 ng/ml

Instrument :
ECD_P
ClientSampleId :




#21 AR-1248-1

R.T.: 4.317 min
Delta R.T.: 0.004 min
Response: 984614
Conc: 27.76 ng/ml




#22 AR-1248-2

R.T.: 5.460 min
Delta R.T.: -0.003 min
Response: 334457
Conc: 5.96 ng/ml



#22 AR-1248-2


R.T.: 4.563 min
Delta R.T.: -0.002 min
Response: 652721
Conc: 13.87 ng/ml



#23 AR-1248-3


R.T.: 5.687 min
Delta R.T.: 0.006 min
Response: 450758
Conc: 6.60 ng/ml

Instrument :
ECD_P
ClientSampleId :




#23 AR-1248-3

R.T.: 4.598 min
Delta R.T.: -0.010 min
Response: 25495
Conc: 0.52 ng/ml




#24 AR-1248-4

R.T.: 6.117 min
Delta R.T.: -0.003 min
Response: 415127
Conc: 5.69 ng/ml



#24 AR-1248-4


R.T.: 4.797 min
Delta R.T.: 0.007 min
Response: 7164
Conc: 0.13 ng/ml



#25 AR-1248-5


R.T.: 6.163 min
Delta R.T.: 0.002 min
Response: 171102
Conc: 2.33 ng/ml

Instrument :
ECD_P
ClientSampleId :




#25 AR-1248-5

R.T.: 5.203 min
Delta R.T.: -0.007 min
Response: 774167
Conc: 13.80 ng/ml




#26 AR-1254-1

R.T.: 6.095 min
Delta R.T.: 0.004 min
Response: 161783
Conc: 2.16 ng/ml



#26 AR-1254-1


R.T.: 5.163 min
Delta R.T.: -0.003 min
Response: 748366
Conc: 9.05 ng/ml



#27 AR-1254-2


R.T.: 6.322 min
Delta R.T.: -0.009 min
Response: 335055
Conc: 2.98 ng/ml

Instrument :
ECD_P
ClientSampleId :




#27 AR-1254-2

R.T.: 5.321 min
Delta R.T.: -0.006 min
Response: 551755
Conc: 7.67 ng/ml




#28 AR-1254-3

R.T.: 6.731 min
Delta R.T.: 0.000 min
Response: 367122
Conc: 3.14 ng/ml



#28 AR-1254-3


R.T.: 5.785 min
Delta R.T.: 0.026 min
Response: 2311452
Conc: 20.06 ng/ml



#29 AR-1254-4


R.T.: 7.044 min
Delta R.T.: 0.000 min
Response: 43537
Conc: 0.54 ng/ml

Instrument :
ECD_P
ClientSampleId :




#29 AR-1254-4

R.T.: 6.021 min
Delta R.T.: 0.013 min
Response: 569784
Conc: 7.57 ng/ml




#30 AR-1254-5

R.T.: 7.496 min
Delta R.T.: -0.010 min
Response: 1012953
Conc: 11.64 ng/ml



#30 AR-1254-5


R.T.: 6.451 min
Delta R.T.: -0.009 min
Response: 1174896
Conc: 10.78 ng/ml



#31 AR-1260-1


R.T.: 6.903 min
Delta R.T.: -0.008 min
Response: 405559
Conc: 4.61 ng/ml

Instrument :
ECD_P
ClientSampleId :




#31 AR-1260-1

R.T.: 5.891 min
Delta R.T.: -0.009 min
Response: 1578730
Conc: 19.68 ng/ml




#32 AR-1260-2

R.T.: 7.193 min
Delta R.T.: -0.001 min
Response: 1353491
Conc: 14.09 ng/ml



#32 AR-1260-2


R.T.: 6.100 min
Delta R.T.: -0.006 min
Response: 1159758
Conc: 11.77 ng/ml



#33 AR-1260-3


R.T.: 7.563 min
Delta R.T.: -0.027 min
Response: 411424
Conc: 6.34 ng/ml

Instrument :
ECD_P
ClientSampleId :




#33 AR-1260-3

R.T.: 6.277 min
Delta R.T.: 0.008 min
Response: 1985822
Conc: 21.41 ng/ml




#34 AR-1260-4

R.T.: 7.836 min
Delta R.T.: 0.000 min
Response: 2245272
Conc: 28.79 ng/ml



#34 AR-1260-4


R.T.: 6.773 min
Delta R.T.: -0.010 min
Response: 1288286
Conc: 18.07 ng/ml



#35 AR-1260-5


R.T.: 8.173 min
Delta R.T.: -0.007 min
Response: 3082305
Conc: 21.99 ng/ml

Instrument :
ECD_P
ClientSampleId :




#35 AR-1260-5

R.T.: 7.041 min
Delta R.T.: -0.009 min
Response: 1308599
Conc: 7.93 ng/ml




#36 AR-1262-1

R.T.: 7.563 min
Delta R.T.: -0.028 min
Response: 411424
Conc: 4.07 ng/ml



#36 AR-1262-1


R.T.: 6.493 min
Delta R.T.: -0.009 min
Response: 598624
Conc: 5.77 ng/ml



#37 AR-1262-2


R.T.: 8.173 min
Delta R.T.: -0.007 min
Response: 3082305
Conc: 18.56 ng/ml

Instrument :
ECD_P
ClientSampleId :




#37 AR-1262-2

R.T.: 6.773 min
Delta R.T.: -0.009 min
Response: 1288286
Conc: 13.46 ng/ml




#38 AR-1262-3

R.T.: 8.493 min
Delta R.T.: -0.019 min
Response: 89025
Conc: 0.80 ng/ml



#38 AR-1262-3


R.T.: 7.374 min
Delta R.T.: 0.018 min
Response: 914026
Conc: 11.59 ng/ml



#39 AR-1262-4


R.T.: 0.000 min
Exp R.T.: 8.605 min
Response: 0
Conc: N.D.

Instrument :
ECD_P
ClientSampleId :




#39 AR-1262-4

R.T.: 7.425 min
Delta R.T.: -0.002 min
Response: 1147364
Conc: 7.94 ng/ml




#40 AR-1262-5

R.T.: 9.299 min
Delta R.T.: 0.012 min
Response: 62202
Conc: 1.09 ng/ml



#40 AR-1262-5


R.T.: 7.961 min
Delta R.T.: -0.008 min
Response: 1230709
Conc: 17.19 ng/ml



#41 AR-1268-1


R.T.: 8.493 min
Delta R.T.: -0.016 min
Response: 89025
Conc: 0.46 ng/ml

Instrument :
ECD_P
ClientSampleId :




#41 AR-1268-1

R.T.: 7.374 min
Delta R.T.: 0.017 min
Response: 914026
Conc: 4.02 ng/ml




#42 AR-1268-2

R.T.: 0.000 min
Exp R.T. : 8.608 min
Response: 0
Conc: N.D.



#42 AR-1268-2


R.T.: 7.425 min
Delta R.T.: -0.003 min
Response: 1147364
Conc: 5.60 ng/ml



#43 AR-1268-3


R.T.: 8.852 min
Delta R.T.: 0.007 min
Response: 562354
Conc: 3.64 ng/ml

Instrument :
ECD_P
ClientSampleId :




#43 AR-1268-3

R.T.: 7.643 min
Delta R.T.: -0.006 min
Response: -164326
Conc: N.D.




#44 AR-1268-4

R.T.: 9.299 min
Delta R.T.: 0.013 min
Response: 62202
Conc: 0.99 ng/ml



#44 AR-1268-4


R.T.: 7.961 min
Delta R.T.: -0.009 min
Response: 1230709
Conc: 15.17 ng/ml



#45 AR-1268-5

R.T.: 9.708 min
Delta R.T.: -0.003 min
Response: 139204
Conc: 0.30 ng/ml

Instrument :
ECD_P
ClientSampleId :



#45 AR-1268-5

R.T.: 8.265 min
Delta R.T.: -0.009 min
Response: 97214
Conc: 0.18 ng/ml