

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP031422\
 Data File : PP044673.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 14 Mar 2022 21:03
 Operator : YP\AJ
 Sample : PB143308BS
 Misc :
 ALS Vial : 25 Sample Multiplier: 1

Instrument :
 ECD_P
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Mar 15 09:44:06 2022
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP030222.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Thu Mar 03 02:21:53 2022
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.907	3.164	41137797	33077634	19.854	18.908
2)	SA Decachlor...	10.036f	8.523	26488927	30172788	19.246	19.670
Target Compounds							
3)	L1 AR-1016-1	5.158	4.305	26029705	21159177	383.324	380.555
4)	L1 AR-1016-2	5.181	4.324	37834938	30328970	373.603	391.425
5)	L1 AR-1016-3	5.247	4.509	22894064	16735220	365.000	390.130
6)	L1 AR-1016-4	5.353	4.557	18717016	13223850	360.540	392.333
7)	L1 AR-1016-5	5.672	4.781	18788993	16720962	373.051	401.988
8)	L2 AR-1221-1	4.127	3.388	5937698	2485793	240.299	108.283 #
9)	L2 AR-1221-2	4.225	3.479	3399669	3737748	181.198	216.403
10)	L2 AR-1221-3	4.305	3.558	14780837	13358786	264.156	268.652
11)	L3 AR-1232-1	4.305	3.558	14780837	13358786	322.096	321.468
12)	L3 AR-1232-2	4.869	4.324	20099460	30328970	893.149	878.170
13)	L3 AR-1232-3	5.181	4.509	37834938	16735220	874.394	896.991
14)	L3 AR-1232-4	5.353	4.600	18717016	16237951	932.212	984.776
15)	L3 AR-1232-5	5.455	4.781	15158969	16720962	999.167	923.675
16)	L4 AR-1242-1	5.158	4.305	26029705	21159177	478.200	461.414
17)	L4 AR-1242-2	5.181	4.324	37834938	30328970	475.100	479.921
18)	L4 AR-1242-3	5.247	4.509	22894064	16735220	484.807	468.531
19)	L4 AR-1242-4	5.353	4.600	18717016	16237951	483.595	469.360
20)	L4 AR-1242-5	6.153	5.157	2475168	13399354	58.055	317.235 #
21)	L5 AR-1248-1	5.158	4.305	26029705	21159177	629.661	596.555
22)	L5 AR-1248-2	5.455	4.557	15158969	13223850	270.223	280.991
23)	L5 AR-1248-3	5.672	4.600	18788993	16237951	275.101	329.482
24)	L5 AR-1248-4	6.112	4.781	2727098	16720962	37.396	295.846 #
25)	L5 AR-1248-5	6.153	5.200	2475168	2645565	33.700	47.166 #
26)	L6 AR-1254-1	6.083	5.157	14225310	13399354	189.676	162.075
27)	L6 AR-1254-2	6.322	5.318	15135998	13096437	134.705	182.050 #
28)	L6 AR-1254-3	6.722	5.766	8150970	22947229	69.657	199.173 #
29)	L6 AR-1254-4	7.034	5.998	5034829	2605982	62.621	34.616 #
30)	L6 AR-1254-5	7.495	6.449	44634837	46085161	512.776	422.875
31)	L7 AR-1260-1	6.902	5.889	33319872	32159014	379.152	400.899
32)	L7 AR-1260-2	7.186	6.096	36999683	38924646	385.174	395.157
33)	L7 AR-1260-3	7.581	6.259	24308053	36709355	374.661	395.793
34)	L7 AR-1260-4	7.827	6.771	29960895	27739591	384.133	389.035
35)	L7 AR-1260-5	8.170	7.038	53163502	63542907	379.317	384.831
36)	L8 AR-1262-1	7.581	6.491	24308053	29275252	240.508	282.095
37)	L8 AR-1262-2	8.170	6.771	53163502	27739591	320.188	289.823
38)	L8 AR-1262-3	8.513	7.345	33067681	12839469	295.459	162.755 #
39)	L8 AR-1262-4	8.594	7.414	7315206	47375264	147.365	328.032 #
40)	L8 AR-1262-5	9.273	7.957	10296882	15563568	180.407	217.383
41)	L9 AR-1268-1	8.513	7.345	33067681	12839469	169.299	56.455 #

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP031422\
 Data File : PP044673.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 14 Mar 2022 21:03
 Operator : YP\AJ
 Sample : PB143308BS
 Misc :
 ALS Vial : 25 Sample Multiplier: 1

Instrument :
 ECD_P
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Mar 15 09:44:06 2022
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP030222.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Thu Mar 03 02:21:53 2022
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml
42) L9	AR-1268-2	8.594	7.414	7315206	47375264	40.161	231.256 #
43) L9	AR-1268-3	8.833	7.637	1090320	1010221	7.064	5.780
44) L9	AR-1268-4	9.273	7.957	10296882	15563568	164.572	191.792
45) L9	AR-1268-5	9.695f	8.262	3982719	5263152	8.482	9.764



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP031422\
Data File : PP044673.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 14 Mar 2022 21:03
Operator : YP\AJ
Sample : PB143308BS
Misc :
ALS Vial : 25 Sample Multiplier: 1

Instrument :
ECD_P
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Mar 15 09:44:06 2022
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP030222.M
Quant Title : GC EXTRACTABLES
QLast Update : Thu Mar 03 02:21:53 2022
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 3.907 min
Delta R.T.: -0.005 min
Response: 41137797
Conc: 19.85 ng/ml

Instrument :
ECD_P
ClientSampleId :




#1 Tetrachloro-m-xylene

R.T.: 3.164 min
Delta R.T.: -0.003 min
Response: 33077634
Conc: 18.91 ng/ml




#2 Decachlorobiphenyl

R.T.: 10.036 min
Delta R.T.: -0.015 min
Response: 26488927
Conc: 19.25 ng/ml



#2 Decachlorobiphenyl


R.T.: 8.523 min
Delta R.T.: -0.014 min
Response: 30172788
Conc: 19.67 ng/ml



#3 AR-1016-1


R.T.: 5.158 min
Delta R.T.: -0.007 min
Response: 26029705
Conc: 383.32 ng/ml

Instrument :
ECD_P
ClientSampleId :




#3 AR-1016-1

R.T.: 4.305 min
Delta R.T.: -0.007 min
Response: 21159177
Conc: 380.56 ng/ml




#4 AR-1016-2

R.T.: 5.181 min
Delta R.T.: -0.007 min
Response: 37834938
Conc: 373.60 ng/ml



#4 AR-1016-2


R.T.: 4.324 min
Delta R.T.: -0.007 min
Response: 30328970
Conc: 391.43 ng/ml



#5 AR-1016-3


R.T.: 5.247 min
Delta R.T.: -0.008 min
Response: 22894064
Conc: 365.00 ng/ml

Instrument :
ECD_P
ClientSampleId :




#5 AR-1016-3

R.T.: 4.509 min
Delta R.T.: -0.007 min
Response: 16735220
Conc: 390.13 ng/ml




#6 AR-1016-4

R.T.: 5.353 min
Delta R.T.: -0.007 min
Response: 18717016
Conc: 360.54 ng/ml



#6 AR-1016-4


R.T.: 4.557 min
Delta R.T.: -0.008 min
Response: 13223850
Conc: 392.33 ng/ml



#7 AR-1016-5


R.T.: 5.672 min
Delta R.T.: -0.008 min
Response: 18788993
Conc: 373.05 ng/ml

Instrument :
ECD_P
ClientSampleId :




#7 AR-1016-5

R.T.: 4.781 min
Delta R.T.: -0.009 min
Response: 16720962
Conc: 401.99 ng/ml




#8 AR-1221-1

R.T.: 4.127 min
Delta R.T.: -0.012 min
Response: 5937698
Conc: 240.30 ng/ml



#8 AR-1221-1


R.T.: 3.388 min
Delta R.T.: -0.006 min
Response: 2485793
Conc: 108.28 ng/ml



#9 AR-1221-2


R.T.: 4.225 min
Delta R.T.: -0.006 min
Response: 3399669
Conc: 181.20 ng/ml

Instrument :
ECD_P
ClientSampleId :




#9 AR-1221-2

R.T.: 3.479 min
Delta R.T.: -0.005 min
Response: 3737748
Conc: 216.40 ng/ml




#10 AR-1221-3

R.T.: 4.305 min
Delta R.T.: -0.006 min
Response: 14780837
Conc: 264.16 ng/ml



#10 AR-1221-3


R.T.: 3.558 min
Delta R.T.: -0.006 min
Response: 13358786
Conc: 268.65 ng/ml



#11 AR-1232-1


R.T.: 4.305 min
Delta R.T.: -0.006 min
Response: 14780837
Conc: 322.10 ng/ml

Instrument :
ECD_P
ClientSampleId :




#11 AR-1232-1

R.T.: 3.558 min
Delta R.T.: -0.005 min
Response: 13358786
Conc: 321.47 ng/ml




#12 AR-1232-2

R.T.: 4.869 min
Delta R.T.: -0.007 min
Response: 20099460
Conc: 893.15 ng/ml



#12 AR-1232-2


R.T.: 4.324 min
Delta R.T.: -0.007 min
Response: 30328970
Conc: 878.17 ng/ml



#13 AR-1232-3


R.T.: 5.181 min
Delta R.T.: -0.008 min
Response: 37834938
Conc: 874.39 ng/ml

Instrument :
ECD_P
ClientSampleId :




#13 AR-1232-3

R.T.: 4.509 min
Delta R.T.: -0.007 min
Response: 16735220
Conc: 896.99 ng/ml




#14 AR-1232-4

R.T.: 5.353 min
Delta R.T.: -0.008 min
Response: 18717016
Conc: 932.21 ng/ml



#14 AR-1232-4


R.T.: 4.600 min
Delta R.T.: -0.008 min
Response: 16237951
Conc: 984.78 ng/ml



#15 AR-1232-5


R.T.: 5.455 min
Delta R.T.: -0.008 min
Response: 15158969
Conc: 999.17 ng/ml

Instrument :
ECD_P
ClientSampleId :




#15 AR-1232-5

R.T.: 4.781 min
Delta R.T.: -0.008 min
Response: 16720962
Conc: 923.68 ng/ml




#16 AR-1242-1

R.T.: 5.158 min
Delta R.T.: -0.008 min
Response: 26029705
Conc: 478.20 ng/ml



#16 AR-1242-1


R.T.: 4.305 min
Delta R.T.: -0.007 min
Response: 21159177
Conc: 461.41 ng/ml



#17 AR-1242-2


R.T.: 5.181 min
Delta R.T.: -0.008 min
Response: 37834938
Conc: 475.10 ng/ml

Instrument :
ECD_P
ClientSampleId :




#17 AR-1242-2

R.T.: 4.324 min
Delta R.T.: -0.007 min
Response: 30328970
Conc: 479.92 ng/ml




#18 AR-1242-3

R.T.: 5.247 min
Delta R.T.: -0.008 min
Response: 22894064
Conc: 484.81 ng/ml



#18 AR-1242-3


R.T.: 4.509 min
Delta R.T.: -0.007 min
Response: 16735220
Conc: 468.53 ng/ml



#19 AR-1242-4


R.T.: 5.353 min
Delta R.T.: -0.008 min
Response: 18717016
Conc: 483.60 ng/ml

Instrument :
ECD_P
ClientSampleId :




#19 AR-1242-4

R.T.: 4.600 min
Delta R.T.: -0.008 min
Response: 16237951
Conc: 469.36 ng/ml




#20 AR-1242-5

R.T.: 6.153 min
Delta R.T.: -0.008 min
Response: 2475168
Conc: 58.05 ng/ml



#20 AR-1242-5


R.T.: 5.157 min
Delta R.T.: -0.010 min
Response: 13399354
Conc: 317.23 ng/ml



#21 AR-1248-1


R.T.: 5.158 min
Delta R.T.: -0.008 min
Response: 26029705
Conc: 629.66 ng/ml

Instrument :
ECD_P
ClientSampleId :




#21 AR-1248-1

R.T.: 4.305 min
Delta R.T.: -0.007 min
Response: 21159177
Conc: 596.56 ng/ml




#22 AR-1248-2

R.T.: 5.455 min
Delta R.T.: -0.007 min
Response: 15158969
Conc: 270.22 ng/ml



#22 AR-1248-2


R.T.: 4.557 min
Delta R.T.: -0.008 min
Response: 13223850
Conc: 280.99 ng/ml



#23 AR-1248-3


R.T.: 5.672 min
Delta R.T.: -0.008 min
Response: 18788993
Conc: 275.10 ng/ml

Instrument :
ECD_P
ClientSampleId :




#23 AR-1248-3

R.T.: 4.600 min
Delta R.T.: -0.008 min
Response: 16237951
Conc: 329.48 ng/ml




#24 AR-1248-4

R.T.: 6.112 min
Delta R.T.: -0.008 min
Response: 2727098
Conc: 37.40 ng/ml



#24 AR-1248-4


R.T.: 4.781 min
Delta R.T.: -0.009 min
Response: 16720962
Conc: 295.85 ng/ml



#25 AR-1248-5


R.T.: 6.153 min
Delta R.T.: -0.008 min
Response: 2475168
Conc: 33.70 ng/ml

Instrument :
ECD_P
ClientSampleId :




#25 AR-1248-5

R.T.: 5.200 min
Delta R.T.: -0.010 min
Response: 2645565
Conc: 47.17 ng/ml




#26 AR-1254-1

R.T.: 6.083 min
Delta R.T.: -0.009 min
Response: 14225310
Conc: 189.68 ng/ml



#26 AR-1254-1


R.T.: 5.157 min
Delta R.T.: -0.010 min
Response: 13399354
Conc: 162.08 ng/ml



#27 AR-1254-2


R.T.: 6.322 min
Delta R.T.: -0.009 min
Response: 15135998
Conc: 134.71 ng/ml

Instrument :
ECD_P
ClientSampleId :




#27 AR-1254-2

R.T.: 5.318 min
Delta R.T.: -0.010 min
Response: 13096437
Conc: 182.05 ng/ml




#28 AR-1254-3

R.T.: 6.722 min
Delta R.T.: -0.009 min
Response: 8150970
Conc: 69.66 ng/ml



#28 AR-1254-3


R.T.: 5.766 min
Delta R.T.: 0.007 min
Response: 22947229
Conc: 199.17 ng/ml



#29 AR-1254-4


R.T.: 7.034 min
Delta R.T.: -0.010 min
Response: 5034829
Conc: 62.62 ng/ml

Instrument :
ECD_P
ClientSampleId :




#29 AR-1254-4

R.T.: 5.998 min
Delta R.T.: -0.010 min
Response: 2605982
Conc: 34.62 ng/ml




#30 AR-1254-5

R.T.: 7.495 min
Delta R.T.: -0.011 min
Response: 44634837
Conc: 512.78 ng/ml



#30 AR-1254-5


R.T.: 6.449 min
Delta R.T.: -0.012 min
Response: 46085161
Conc: 422.88 ng/ml



#31 AR-1260-1


R.T.: 6.902 min
Delta R.T.: -0.009 min
Response: 33319872
Conc: 379.15 ng/ml

Instrument :
ECD_P
ClientSampleId :




#31 AR-1260-1

R.T.: 5.889 min
Delta R.T.: -0.011 min
Response: 32159014
Conc: 400.90 ng/ml




#32 AR-1260-2

R.T.: 7.186 min
Delta R.T.: -0.009 min
Response: 36999683
Conc: 385.17 ng/ml



#32 AR-1260-2


R.T.: 6.096 min
Delta R.T.: -0.011 min
Response: 38924646
Conc: 395.16 ng/ml



#33 AR-1260-3


R.T.: 7.581 min
Delta R.T.: -0.009 min
Response: 24308053
Conc: 374.66 ng/ml

Instrument :
ECD_P
ClientSampleId :




#33 AR-1260-3

R.T.: 6.259 min
Delta R.T.: -0.011 min
Response: 36709355
Conc: 395.79 ng/ml




#34 AR-1260-4

R.T.: 7.827 min
Delta R.T.: -0.009 min
Response: 29960895
Conc: 384.13 ng/ml



#34 AR-1260-4


R.T.: 6.771 min
Delta R.T.: -0.011 min
Response: 27739591
Conc: 389.03 ng/ml



#35 AR-1260-5


R.T.: 8.170 min
Delta R.T.: -0.011 min
Response: 53163502
Conc: 379.32 ng/ml

Instrument :
ECD_P
ClientSampleId :




#35 AR-1260-5

R.T.: 7.038 min
Delta R.T.: -0.012 min
Response: 63542907
Conc: 384.83 ng/ml




#36 AR-1262-1

R.T.: 7.581 min
Delta R.T.: -0.010 min
Response: 24308053
Conc: 240.51 ng/ml



#36 AR-1262-1


R.T.: 6.491 min
Delta R.T.: -0.011 min
Response: 29275252
Conc: 282.10 ng/ml



#37 AR-1262-2


R.T.: 8.170 min
Delta R.T.: -0.011 min
Response: 53163502
Conc: 320.19 ng/ml

Instrument :
ECD_P
ClientSampleId :




#37 AR-1262-2

R.T.: 6.771 min
Delta R.T.: -0.010 min
Response: 27739591
Conc: 289.82 ng/ml




#38 AR-1262-3

R.T.: 8.513 min
Delta R.T.: 0.001 min
Response: 33067681
Conc: 295.46 ng/ml



#38 AR-1262-3


R.T.: 7.345 min
Delta R.T.: -0.011 min
Response: 12839469
Conc: 162.76 ng/ml



#39 AR-1262-4


R.T.: 8.594 min
Delta R.T.: -0.011 min
Response: 7315206
Conc: 147.37 ng/ml

Instrument :
ECD_P
ClientSampleId :




#39 AR-1262-4

R.T.: 7.414 min
Delta R.T.: -0.012 min
Response: 47375264
Conc: 328.03 ng/ml




#40 AR-1262-5

R.T.: 9.273 min
Delta R.T.: -0.014 min
Response: 10296882
Conc: 180.41 ng/ml



#40 AR-1262-5


R.T.: 7.957 min
Delta R.T.: -0.011 min
Response: 15563568
Conc: 217.38 ng/ml



#41 AR-1268-1


R.T.: 8.513 min
Delta R.T.: 0.004 min
Response: 33067681
Conc: 169.30 ng/ml

Instrument :
ECD_P
ClientSampleId :




#41 AR-1268-1

R.T.: 7.345 min
Delta R.T.: -0.012 min
Response: 12839469
Conc: 56.45 ng/ml




#42 AR-1268-2

R.T.: 8.594 min
Delta R.T.: -0.015 min
Response: 7315206
Conc: 40.16 ng/ml



#42 AR-1268-2


R.T.: 7.414 min
Delta R.T.: -0.013 min
Response: 47375264
Conc: 231.26 ng/ml



#43 AR-1268-3


R.T.: 8.833 min
Delta R.T.: -0.012 min
Response: 1090320
Conc: 7.06 ng/ml

Instrument :
ECD_P
ClientSampleId :




#43 AR-1268-3

R.T.: 7.637 min
Delta R.T.: -0.012 min
Response: 1010221
Conc: 5.78 ng/ml




#44 AR-1268-4

R.T.: 9.273 min
Delta R.T.: -0.013 min
Response: 10296882
Conc: 164.57 ng/ml



#44 AR-1268-4


R.T.: 7.957 min
Delta R.T.: -0.012 min
Response: 15563568
Conc: 191.79 ng/ml



#45 AR-1268-5

R.T.: 9.695 min
Delta R.T.: -0.015 min
Response: 3982719
Conc: 8.48 ng/ml

Instrument :
ECD_P
ClientSampleId :



#45 AR-1268-5

R.T.: 8.262 min
Delta R.T.: -0.012 min
Response: 5263152
Conc: 9.76 ng/ml