

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP031422\
 Data File : PP044711.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 15 Mar 2022 08:08
 Operator : YP\AJ
 Sample : I.BLK
 Misc :
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 ECD_P
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Mar 15 09:54:15 2022
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP030222.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Thu Mar 03 02:21:53 2022
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.907	3.163	44715664	37684731	21.581	21.541
2)	SA Decachlor...	10.036f	8.522f	26586621	29537301	19.317	19.255
Target Compounds							
3)	L1 AR-1016-1	5.167	4.312	130544	24927	1.922	0.448 #
4)	L1 AR-1016-2	5.196	4.330	25972	79816	0.256	1.030 #
5)	L1 AR-1016-3	5.251	4.516	44923	172812	0.716	4.029 #
6)	L1 AR-1016-4	5.366	4.563	64165	190144	1.236	5.641 #
7)	L1 AR-1016-5	5.663f	4.801	102539	1168416	2.036	28.090 #
8)	L2 AR-1221-1	4.144	3.392	48655	9968	1.969	0.434 #
9)	L2 AR-1221-2	4.230	3.475	703570	610850	37.499	35.366
10)	L2 AR-1221-3	4.311	3.562	56890	21631	1.017	0.435 #
11)	L3 AR-1232-1	4.311	3.562	56890	21631	1.240	0.521 #
12)	L3 AR-1232-2	4.887	4.330	101153	79816	4.495	2.311 #
13)	L3 AR-1232-3	5.196	4.516	25972	172812	0.600	9.263 #
14)	L3 AR-1232-4	5.366	4.609	64165	135851	3.196	8.239 #
15)	L3 AR-1232-5	5.461	4.801	28599	1168416	1.885	64.544 #
16)	L4 AR-1242-1	5.167	4.312	130544	24927	2.398	0.544 #
17)	L4 AR-1242-2	5.196	4.330	25972	79816	0.326	1.263 #
18)	L4 AR-1242-3	5.251	4.516	44923	172812	0.951	4.838 #
19)	L4 AR-1242-4	5.366	4.609	64165	135851	1.658	3.927 #
20)	L4 AR-1242-5	6.162	5.157	188765	692782	4.427	16.402 #
21)	L5 AR-1248-1	5.167	4.312	130544	24927	3.158	0.703 #
22)	L5 AR-1248-2	5.461	4.563	28599	190144	0.510	4.040 #
23)	L5 AR-1248-3	5.663f	4.609	102539	135851	1.501	2.757 #
24)	L5 AR-1248-4	6.124	4.801	89641	1168416	1.229	20.673 #
25)	L5 AR-1248-5	6.162	5.213	188765	279761	2.570	4.988 #
26)	L6 AR-1254-1	6.078	5.157	312165	692782	4.162	8.380 #
27)	L6 AR-1254-2	6.319	5.326	176520	384547	1.571	5.345 #
28)	L6 AR-1254-3	6.728	5.760	1165677	431955	9.962	3.749 #
29)	L6 AR-1254-4	7.037	6.012	432595	170235	5.380	2.261 #
30)	L6 AR-1254-5	7.494	6.460	25747	77135	0.296	0.708 #
31)	L7 AR-1260-1	6.910	5.899	431623	169279	4.912	2.110 #
32)	L7 AR-1260-2	7.199	6.106	48845	68992	0.508	0.700 #
33)	L7 AR-1260-3	7.587	6.264	37845	97419	0.583	1.050 #
34)	L7 AR-1260-4	7.845	6.783	321098	23421	4.117	0.328 #
35)	L7 AR-1260-5	8.172	7.045	152531	15502	1.088	0.094 #
36)	L8 AR-1262-1	7.587	6.495	37845	190418	0.374	1.835 #
37)	L8 AR-1262-2	8.172	6.783	152531	23421	0.919	0.245 #
38)	L8 AR-1262-3	8.516	7.351	29936	76532	0.267	0.970 #
39)	L8 AR-1262-4	8.611	7.422	58951	66694	1.188	0.462 #
40)	L8 AR-1262-5	9.286	7.965	163	95779	0.003	1.338 #
41)	L9 AR-1268-1	8.506	7.351	39407	76532	0.202	0.337 #

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP031422\
Data File : PP044711.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 15 Mar 2022 08:08
Operator : YP\AJ
Sample : I.BLK
Misc :
ALS Vial : 2 Sample Multiplier: 1

Instrument :
ECD_P
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Mar 15 09:54:15 2022
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP030222.M
Quant Title : GC EXTRACTABLES
QLast Update : Thu Mar 03 02:21:53 2022
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml
42)	L9 AR-1268-2	8.611	7.422	58951	66694	0.324	0.326
43)	L9 AR-1268-3	8.846	7.646	54415	25024	0.353	0.143 #
44)	L9 AR-1268-4	9.286	7.965	163	95779	0.003	1.180 #
45)	L9 AR-1268-5	9.695f	8.285	597140	21619	1.272	0.040 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP031422\
Data File : PP044711.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 15 Mar 2022 08:08
Operator : YP\AJ
Sample : I.BLK
Misc :
ALS Vial : 2 Sample Multiplier: 1

Instrument :
ECD_P
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Mar 15 09:54:15 2022
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP030222.M
Quant Title : GC EXTRACTABLES
QLast Update : Thu Mar 03 02:21:53 2022
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 3.907 min
Delta R.T.: -0.005 min
Response: 44715664
Conc: 21.58 ng/ml

Instrument :
ECD_P
ClientSampleId :




#1 Tetrachloro-m-xylene

R.T.: 3.163 min
Delta R.T.: -0.004 min
Response: 37684731
Conc: 21.54 ng/ml




#2 Decachlorobiphenyl

R.T.: 10.036 min
Delta R.T.: -0.015 min
Response: 26586621
Conc: 19.32 ng/ml



#2 Decachlorobiphenyl


R.T.: 8.522 min
Delta R.T.: -0.015 min
Response: 29537301
Conc: 19.26 ng/ml



#3 AR-1016-1


R.T.: 5.167 min
Delta R.T.: 0.002 min
Response: 130544
Conc: 1.92 ng/ml

Instrument :
ECD_P
ClientSampleId :




#3 AR-1016-1

R.T.: 4.312 min
Delta R.T.: 0.000 min
Response: 24927
Conc: 0.45 ng/ml




#4 AR-1016-2

R.T.: 5.196 min
Delta R.T.: 0.007 min
Response: 25972
Conc: 0.26 ng/ml



#4 AR-1016-2


R.T.: 4.330 min
Delta R.T.: -0.001 min
Response: 79816
Conc: 1.03 ng/ml



#5 AR-1016-3


R.T.: 5.251 min
Delta R.T.: -0.004 min
Response: 44923
Conc: 0.72 ng/ml

Instrument :
ECD_P
ClientSampleId :




#5 AR-1016-3

R.T.: 4.516 min
Delta R.T.: 0.000 min
Response: 172812
Conc: 4.03 ng/ml




#6 AR-1016-4

R.T.: 5.366 min
Delta R.T.: 0.006 min
Response: 64165
Conc: 1.24 ng/ml



#6 AR-1016-4


R.T.: 4.563 min
Delta R.T.: -0.003 min
Response: 190144
Conc: 5.64 ng/ml



#7 AR-1016-5


R.T.: 5.663 min
Delta R.T.: -0.018 min
Response: 102539
Conc: 2.04 ng/ml

Instrument :
ECD_P
ClientSampleId :




#7 AR-1016-5

R.T.: 4.801 min
Delta R.T.: 0.011 min
Response: 1168416
Conc: 28.09 ng/ml




#8 AR-1221-1

R.T.: 4.144 min
Delta R.T.: 0.005 min
Response: 48655
Conc: 1.97 ng/ml



#8 AR-1221-1


R.T.: 3.392 min
Delta R.T.: -0.002 min
Response: 9968
Conc: 0.43 ng/ml



#9 AR-1221-2


R.T.: 4.230 min
Delta R.T.: -0.001 min
Response: 703570
Conc: 37.50 ng/ml

Instrument :
ECD_P
ClientSampleId :




#9 AR-1221-2

R.T.: 3.475 min
Delta R.T.: -0.008 min
Response: 610850
Conc: 35.37 ng/ml




#10 AR-1221-3

R.T.: 4.311 min
Delta R.T.: 0.000 min
Response: 56890
Conc: 1.02 ng/ml



#10 AR-1221-3


R.T.: 3.562 min
Delta R.T.: -0.001 min
Response: 21631
Conc: 0.44 ng/ml



#11 AR-1232-1


R.T.: 4.311 min
Delta R.T.: 0.000 min
Response: 56890
Conc: 1.24 ng/ml

Instrument :
ECD_P
ClientSampleId :




#11 AR-1232-1

R.T.: 3.562 min
Delta R.T.: 0.000 min
Response: 21631
Conc: 0.52 ng/ml




#12 AR-1232-2

R.T.: 4.887 min
Delta R.T.: 0.012 min
Response: 101153
Conc: 4.49 ng/ml



#12 AR-1232-2


R.T.: 4.330 min
Delta R.T.: 0.000 min
Response: 79816
Conc: 2.31 ng/ml



#13 AR-1232-3


R.T.: 5.196 min
Delta R.T.: 0.007 min
Response: 25972
Conc: 0.60 ng/ml

Instrument :
ECD_P
ClientSampleId :




#13 AR-1232-3

R.T.: 4.516 min
Delta R.T.: 0.000 min
Response: 172812
Conc: 9.26 ng/ml




#14 AR-1232-4

R.T.: 5.366 min
Delta R.T.: 0.005 min
Response: 64165
Conc: 3.20 ng/ml



#14 AR-1232-4


R.T.: 4.609 min
Delta R.T.: 0.002 min
Response: 135851
Conc: 8.24 ng/ml



#15 AR-1232-5


R.T.: 5.461 min
Delta R.T.: -0.002 min
Response: 28599
Conc: 1.89 ng/ml

Instrument :
ECD_P
ClientSampleId :




#15 AR-1232-5

R.T.: 4.801 min
Delta R.T.: 0.012 min
Response: 1168416
Conc: 64.54 ng/ml




#16 AR-1242-1

R.T.: 5.167 min
Delta R.T.: 0.001 min
Response: 130544
Conc: 2.40 ng/ml



#16 AR-1242-1


R.T.: 4.312 min
Delta R.T.: 0.000 min
Response: 24927
Conc: 0.54 ng/ml



#17 AR-1242-2


R.T.: 5.196 min
Delta R.T.: 0.007 min
Response: 25972
Conc: 0.33 ng/ml

Instrument :
ECD_P
ClientSampleId :




#17 AR-1242-2

R.T.: 4.330 min
Delta R.T.: -0.001 min
Response: 79816
Conc: 1.26 ng/ml




#18 AR-1242-3

R.T.: 5.251 min
Delta R.T.: -0.004 min
Response: 44923
Conc: 0.95 ng/ml



#18 AR-1242-3


R.T.: 4.516 min
Delta R.T.: 0.000 min
Response: 172812
Conc: 4.84 ng/ml



#19 AR-1242-4


R.T.: 5.366 min
Delta R.T.: 0.005 min
Response: 64165
Conc: 1.66 ng/ml

Instrument :
ECD_P
ClientSampleId :




#19 AR-1242-4

R.T.: 4.609 min
Delta R.T.: 0.001 min
Response: 135851
Conc: 3.93 ng/ml




#20 AR-1242-5

R.T.: 6.162 min
Delta R.T.: 0.000 min
Response: 188765
Conc: 4.43 ng/ml



#20 AR-1242-5


R.T.: 5.157 min
Delta R.T.: -0.010 min
Response: 692782
Conc: 16.40 ng/ml



#21 AR-1248-1


R.T.: 5.167 min
Delta R.T.: 0.001 min
Response: 130544
Conc: 3.16 ng/ml

Instrument :
ECD_P
ClientSampleId :




#21 AR-1248-1

R.T.: 4.312 min
Delta R.T.: 0.000 min
Response: 24927
Conc: 0.70 ng/ml




#22 AR-1248-2

R.T.: 5.461 min
Delta R.T.: -0.001 min
Response: 28599
Conc: 0.51 ng/ml



#22 AR-1248-2


R.T.: 4.563 min
Delta R.T.: -0.002 min
Response: 190144
Conc: 4.04 ng/ml



#23 AR-1248-3


R.T.: 5.663 min
Delta R.T.: -0.018 min
Response: 102539
Conc: 1.50 ng/ml

Instrument :
ECD_P
ClientSampleId :




#23 AR-1248-3

R.T.: 4.609 min
Delta R.T.: 0.001 min
Response: 135851
Conc: 2.76 ng/ml




#24 AR-1248-4

R.T.: 6.124 min
Delta R.T.: 0.004 min
Response: 89641
Conc: 1.23 ng/ml



#24 AR-1248-4


R.T.: 4.801 min
Delta R.T.: 0.011 min
Response: 1168416
Conc: 20.67 ng/ml



#25 AR-1248-5


R.T.: 6.162 min
Delta R.T.: 0.000 min
Response: 188765
Conc: 2.57 ng/ml

Instrument :
ECD_P
ClientSampleId :




#25 AR-1248-5

R.T.: 5.213 min
Delta R.T.: 0.003 min
Response: 279761
Conc: 4.99 ng/ml




#26 AR-1254-1

R.T.: 6.078 min
Delta R.T.: -0.013 min
Response: 312165
Conc: 4.16 ng/ml



#26 AR-1254-1


R.T.: 5.157 min
Delta R.T.: -0.010 min
Response: 692782
Conc: 8.38 ng/ml



#27 AR-1254-2


R.T.: 6.319 min
Delta R.T.: -0.012 min
Response: 176520
Conc: 1.57 ng/ml

Instrument :
ECD_P
ClientSampleId :




#27 AR-1254-2

R.T.: 5.326 min
Delta R.T.: -0.001 min
Response: 384547
Conc: 5.35 ng/ml




#28 AR-1254-3

R.T.: 6.728 min
Delta R.T.: -0.002 min
Response: 1165677
Conc: 9.96 ng/ml



#28 AR-1254-3


R.T.: 5.760 min
Delta R.T.: 0.002 min
Response: 431955
Conc: 3.75 ng/ml



#29 AR-1254-4


R.T.: 7.037 min
Delta R.T.: -0.007 min
Response: 432595
Conc: 5.38 ng/ml

Instrument :
ECD_P
ClientSampleId :




#29 AR-1254-4

R.T.: 6.012 min
Delta R.T.: 0.003 min
Response: 170235
Conc: 2.26 ng/ml




#30 AR-1254-5

R.T.: 7.494 min
Delta R.T.: -0.011 min
Response: 25747
Conc: 0.30 ng/ml



#30 AR-1254-5


R.T.: 6.460 min
Delta R.T.: 0.000 min
Response: 77135
Conc: 0.71 ng/ml



#31 AR-1260-1


R.T.: 6.910 min
Delta R.T.: 0.000 min
Response: 431623
Conc: 4.91 ng/ml

Instrument :
ECD_P
ClientSampleId :




#31 AR-1260-1

R.T.: 5.899 min
Delta R.T.: -0.001 min
Response: 169279
Conc: 2.11 ng/ml




#32 AR-1260-2

R.T.: 7.199 min
Delta R.T.: 0.005 min
Response: 48845
Conc: 0.51 ng/ml



#32 AR-1260-2


R.T.: 6.106 min
Delta R.T.: 0.000 min
Response: 68992
Conc: 0.70 ng/ml



#33 AR-1260-3


R.T.: 7.587 min
Delta R.T.: -0.003 min
Response: 37845
Conc: 0.58 ng/ml

Instrument :
ECD_P
ClientSampleId :




#33 AR-1260-3

R.T.: 6.264 min
Delta R.T.: -0.005 min
Response: 97419
Conc: 1.05 ng/ml




#34 AR-1260-4

R.T.: 7.845 min
Delta R.T.: 0.009 min
Response: 321098
Conc: 4.12 ng/ml



#34 AR-1260-4


R.T.: 6.783 min
Delta R.T.: 0.000 min
Response: 23421
Conc: 0.33 ng/ml



#35 AR-1260-5


R.T.: 8.172 min
Delta R.T.: -0.008 min
Response: 152531
Conc: 1.09 ng/ml

Instrument :
ECD_P
ClientSampleId :




#35 AR-1260-5

R.T.: 7.045 min
Delta R.T.: -0.005 min
Response: 15502
Conc: 0.09 ng/ml




#36 AR-1262-1

R.T.: 7.587 min
Delta R.T.: -0.004 min
Response: 37845
Conc: 0.37 ng/ml



#36 AR-1262-1


R.T.: 6.495 min
Delta R.T.: -0.007 min
Response: 190418
Conc: 1.83 ng/ml



#37 AR-1262-2


R.T.: 8.172 min
Delta R.T.: -0.008 min
Response: 152531
Conc: 0.92 ng/ml

Instrument :
ECD_P
ClientSampleId :




#37 AR-1262-2

R.T.: 6.783 min
Delta R.T.: 0.001 min
Response: 23421
Conc: 0.24 ng/ml




#38 AR-1262-3

R.T.: 8.516 min
Delta R.T.: 0.004 min
Response: 29936
Conc: 0.27 ng/ml



#38 AR-1262-3


R.T.: 7.351 min
Delta R.T.: -0.005 min
Response: 76532
Conc: 0.97 ng/ml



#39 AR-1262-4


R.T.: 8.611 min
Delta R.T.: 0.006 min
Response: 58951
Conc: 1.19 ng/ml

Instrument :
ECD_P
ClientSampleId :




#39 AR-1262-4

R.T.: 7.422 min
Delta R.T.: -0.004 min
Response: 66694
Conc: 0.46 ng/ml




#40 AR-1262-5

R.T.: 9.286 min
Delta R.T.: -0.002 min
Response: 163
Conc: 0.00 ng/ml



#40 AR-1262-5


R.T.: 7.965 min
Delta R.T.: -0.003 min
Response: 95779
Conc: 1.34 ng/ml



#41 AR-1268-1


R.T.: 8.506 min
Delta R.T.: -0.003 min
Response: 39407
Conc: 0.20 ng/ml

Instrument :
ECD_P
ClientSampleId :




#41 AR-1268-1

R.T.: 7.351 min
Delta R.T.: -0.006 min
Response: 76532
Conc: 0.34 ng/ml




#42 AR-1268-2

R.T.: 8.611 min
Delta R.T.: 0.003 min
Response: 58951
Conc: 0.32 ng/ml



#42 AR-1268-2


R.T.: 7.422 min
Delta R.T.: -0.005 min
Response: 66694
Conc: 0.33 ng/ml



#43 AR-1268-3


R.T.: 8.846 min
Delta R.T.: 0.001 min
Response: 54415
Conc: 0.35 ng/ml

Instrument :
ECD_P
ClientSampleId :




#43 AR-1268-3

R.T.: 7.646 min
Delta R.T.: -0.003 min
Response: 25024
Conc: 0.14 ng/ml




#44 AR-1268-4

R.T.: 9.286 min
Delta R.T.: -0.001 min
Response: 163
Conc: 0.00 ng/ml



#44 AR-1268-4


R.T.: 7.965 min
Delta R.T.: -0.004 min
Response: 95779
Conc: 1.18 ng/ml



#45 AR-1268-5

R.T.: 9.695 min
Delta R.T.: -0.016 min
Response: 597140
Conc: 1.27 ng/ml

Instrument :
ECD_P
ClientSampleId :



#45 AR-1268-5

R.T.: 8.285 min
Delta R.T.: 0.011 min
Response: 21619
Conc: 0.04 ng/ml