

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP031622\
 Data File : PP044804.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 16 Mar 2022 12:53
 Operator : YP\AJ
 Sample : N1907-09 10X
 Misc :
 ALS Vial : 68 Sample Multiplier: 1

Instrument :
 ECD_P
 ClientSampleId :
 IRV-2022-88B

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Mar 17 01:59:09 2022
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP030222.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Thu Mar 03 02:21:53 2022
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds						
1) SA Tetrachlo...	3.904	3.160	2674861	2360554	1.291m	1.349m
2) SA Decachlor...	10.034	8.517	2260355	2120688	1.642	1.382

Target Compounds



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP031622\
Data File : PP044804.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 16 Mar 2022 12:53
Operator : YP\AJ
Sample : N1907-09 10X
Misc :
ALS Vial : 68 Sample Multiplier: 1

Instrument :
ECD_P
ClientSampleId :
IRV-2022-88B

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Mar 17 01:59:09 2022
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP030222.M
Quant Title : GC EXTRACTABLES
QLast Update : Thu Mar 03 02:21:53 2022
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 3.904 min
Delta R.T.: -0.008 min
Response: 2674861
Conc: 1.29 ng/ml

Instrument :
ECD_P
ClientSampleId :
IRV-2022-88B




#1 Tetrachloro-m-xylene

R.T.: 3.160 min
Delta R.T.: -0.007 min
Response: 2360554
Conc: 1.35 ng/ml m



#2 Decachlorobiphenyl

R.T.: 10.034 min
Delta R.T.: -0.011 min
Response: 2260355
Conc: 1.64 ng/ml



#2 Decachlorobiphenyl

R.T.: 8.517 min
Delta R.T.: -0.013 min
Response: 2120688
Conc: 1.38 ng/ml