

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP032025\
 Data File : PP070752.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 20 Mar 2025 16:13
 Operator : YP\AJ
 Sample : Q1603-01MS
 Misc :
 ALS Vial : 20 Sample Multiplier: 1

Instrument :
 ECD_P
 ClientSampleId :
 NB-070-031925MS

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Mar 21 04:08:36 2025
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP031125.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Wed Mar 19 05:25:31 2025
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	4.522	3.823	28376923	26214027	18.244	26.154 #
2)	SA Decachlor...	10.244	8.870	24890360	19817523	23.430	20.256
Target Compounds							
3)	L1 AR-1016-1	5.674	4.910	29786970	19738242	574.470	549.008
4)	L1 AR-1016-2	5.695	4.929	44351351	30676717	619.910	590.315
5)	L1 AR-1016-3	5.758	5.106	27483775	15508142	603.536	545.037
6)	L1 AR-1016-4	5.855	5.147	30597139	12689464	783.783	566.749 #
7)	L1 AR-1016-5	6.152	5.361	14057573	16011974	406.030	538.781 #
8)	L2 AR-1221-1	4.718	4.034	2388020	2440872	119.760	164.009 #
9)	L2 AR-1221-2	4.810	4.120	2782865	3255414	190.494	284.836 #
10)	L2 AR-1221-3	4.884	4.196	12985975	10364865	292.710	310.123
11)	L3 AR-1232-1	4.884	4.196	12985975	10364865	365.211	393.956
12)	L3 AR-1232-2	5.409	4.929	31083129	30676717	1842.712	1188.463 #
13)	L3 AR-1232-3	5.695	5.106	44351351	15508142	1212.790	1107.017
14)	L3 AR-1232-4	5.855	5.191	30597139	13672499	1610.859	1167.367 #
15)	L3 AR-1232-5	5.946	5.361	15248726	16011974	1176.395	1225.281
16)	L4 AR-1242-1	5.674	4.910	29786970	19738242	670.145	644.800
17)	L4 AR-1242-2	5.695	4.929	44351351	30676717	722.560	703.634
18)	L4 AR-1242-3	5.758	5.106	27483775	15508142	740.779	650.719
19)	L4 AR-1242-4	5.855	5.191	30597139	13672499	952.201	620.279 #
20)	L4 AR-1242-5	6.586	5.716	11297821	17985868	363.888	644.167 #
21)	L5 AR-1248-1	5.674	4.910	29786970	19738242	872.087	840.801
22)	L5 AR-1248-2	5.946	5.147	15248726	12689464	359.239	405.370
23)	L5 AR-1248-3	6.152	5.191	14057573	13672499	304.615	431.016 #
24)	L5 AR-1248-4	6.523	5.361	26228207	16011974	452.279	410.846
25)	L5 AR-1248-5	6.586	5.757	11297821	4651418	210.437	122.127 #
26)	L6 AR-1254-1	6.523	5.716	26228207	17985868	458.056	319.336 #
27)	L6 AR-1254-2	6.739	5.863	30933174	16365506	381.645	334.629
28)	L6 AR-1254-3	7.104	6.282	17850141	33537786	212.068	444.692 #
29)	L6 AR-1254-4	7.385	6.496	17088481	6002935	243.644	113.796 #
30)	L6 AR-1254-5	7.800	6.914	66264979	37234344	948.577	539.201 #
31)	L7 AR-1260-1	7.266	6.399	42968891	29566861	731.532	593.898
32)	L7 AR-1260-2	7.521	6.587	60288114	36380320	734.836	550.487 #
33)	L7 AR-1260-3	7.879	6.740	37710604	27296992	573.478	477.242
34)	L7 AR-1260-4	8.103	7.212	46942318	21513312	718.401	420.481 #
35)	L7 AR-1260-5	8.425	7.453	71185010	55435961	520.824	430.453
36)	L8 AR-1262-1	8.103	6.952	46942318	24877559	574.438	297.351 #
37)	L8 AR-1262-2	8.425	7.212	71185010	21513312	432.174	313.013 #
38)	L8 AR-1262-3	8.750	7.736	44315963	13218069	395.098	200.316 #
39)	L8 AR-1262-4	8.827	7.800	10941605	35771804	130.562	342.526 #
40)	L8 AR-1262-5	9.484	8.302	15059164	12611726	255.690	244.650
41)	L9 AR-1268-1	8.750	7.736	44315963	13218069	223.593	75.501 #

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP032025\
 Data File : PP070752.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 20 Mar 2025 16:13
 Operator : YP\AJ
 Sample : Q1603-01MS
 Misc :
 ALS Vial : 20 Sample Multiplier: 1

Instrument :
 ECD_P
 ClientSampleId :
 NB-070-031925MS

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Mar 21 04:08:36 2025
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP031125.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Wed Mar 19 05:25:31 2025
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml
42) L9	AR-1268-2	8.827	7.800	10941605	35771804	64.470	244.913 #
43) L9	AR-1268-3	9.064	8.008	1394306	883976	9.528	6.888 #
44) L9	AR-1268-4	9.484	8.302	15059164	12611726	235.737	229.386
45) L9	AR-1268-5	9.902	8.605	4682989	3685912	11.167	10.015


(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP032025\
Data File : PP070752.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 20 Mar 2025 16:13
Operator : YP\AJ
Sample : Q1603-01MS
Misc :
ALS Vial : 20 Sample Multiplier: 1

Instrument :
ECD_P
ClientSampleId :
NB-070-031925MS

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Mar 21 04:08:36 2025
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP031125.M
Quant Title : GC EXTRACTABLES
QLast Update : Wed Mar 19 05:25:31 2025
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 4.522 min
Delta R.T.: -0.002 min
Response: 28376923
Conc: 18.24 ng/ml

Instrument :
ECD_P
ClientSampleId :
NB-070-031925MS




#1 Tetrachloro-m-xylene

R.T.: 3.823 min
Delta R.T.: -0.006 min
Response: 26214027
Conc: 26.15 ng/ml




#2 Decachlorobiphenyl

R.T.: 10.244 min
Delta R.T.: -0.008 min
Response: 24890360
Conc: 23.43 ng/ml



#2 Decachlorobiphenyl


R.T.: 8.870 min
Delta R.T.: -0.011 min
Response: 19817523
Conc: 20.26 ng/ml



#3 AR-1016-1


R.T.: 5.674 min
Delta R.T.: -0.002 min
Response: 29786970
Conc: 574.47 ng/ml

Instrument :
ECD_P
ClientSampleId :
NB-070-031925MS




#3 AR-1016-1

R.T.: 4.910 min
Delta R.T.: -0.007 min
Response: 19738242
Conc: 549.01 ng/ml




#4 AR-1016-2

R.T.: 5.695 min
Delta R.T.: -0.003 min
Response: 44351351
Conc: 619.91 ng/ml



#4 AR-1016-2


R.T.: 4.929 min
Delta R.T.: -0.007 min
Response: 30676717
Conc: 590.32 ng/ml



#5 AR-1016-3


R.T.: 5.758 min
Delta R.T.: -0.003 min
Response: 27483775
Conc: 603.54 ng/ml

Instrument :
ECD_P
ClientSampleId :
NB-070-031925MS




#5 AR-1016-3

R.T.: 5.106 min
Delta R.T.: -0.007 min
Response: 15508142
Conc: 545.04 ng/ml




#6 AR-1016-4

R.T.: 5.855 min
Delta R.T.: -0.003 min
Response: 30597139
Conc: 783.78 ng/ml



#6 AR-1016-4


R.T.: 5.147 min
Delta R.T.: -0.007 min
Response: 12689464
Conc: 566.75 ng/ml



#7 AR-1016-5


R.T.: 6.152 min
Delta R.T.: 0.000 min
Response: 14057573
Conc: 406.03 ng/ml

Instrument :
ECD_P
ClientSampleId :
NB-070-031925MS




#7 AR-1016-5

R.T.: 5.361 min
Delta R.T.: -0.008 min
Response: 16011974
Conc: 538.78 ng/ml




#8 AR-1221-1

R.T.: 4.718 min
Delta R.T.: -0.011 min
Response: 2388020
Conc: 119.76 ng/ml



#8 AR-1221-1


R.T.: 4.034 min
Delta R.T.: -0.007 min
Response: 2440872
Conc: 164.01 ng/ml



#9 AR-1221-2


R.T.: 4.810 min
Delta R.T.: -0.003 min
Response: 2782865
Conc: 190.49 ng/ml

Instrument :
ECD_P
ClientSampleId :
NB-070-031925MS




#9 AR-1221-2

R.T.: 4.120 min
Delta R.T.: -0.007 min
Response: 3255414
Conc: 284.84 ng/ml




#10 AR-1221-3

R.T.: 4.884 min
Delta R.T.: -0.005 min
Response: 12985975
Conc: 292.71 ng/ml



#10 AR-1221-3


R.T.: 4.196 min
Delta R.T.: -0.007 min
Response: 10364865
Conc: 310.12 ng/ml



#11 AR-1232-1


R.T.: 4.884 min
Delta R.T.: -0.002 min
Response: 12985975
Conc: 365.21 ng/ml

Instrument :
ECD_P
ClientSampleId :
NB-070-031925MS




#11 AR-1232-1

R.T.: 4.196 min
Delta R.T.: -0.006 min
Response: 10364865
Conc: 393.96 ng/ml




#12 AR-1232-2

R.T.: 5.409 min
Delta R.T.: -0.003 min
Response: 31083129
Conc: 1842.71 ng/ml



#12 AR-1232-2


R.T.: 4.929 min
Delta R.T.: -0.007 min
Response: 30676717
Conc: 1188.46 ng/ml



#13 AR-1232-3


R.T.: 5.695 min
Delta R.T.: -0.003 min
Response: 44351351
Conc: 1212.79 ng/ml

Instrument :
ECD_P
ClientSampleId :
NB-070-031925MS




#13 AR-1232-3

R.T.: 5.106 min
Delta R.T.: -0.006 min
Response: 15508142
Conc: 1107.02 ng/ml




#14 AR-1232-4

R.T.: 5.855 min
Delta R.T.: -0.003 min
Response: 30597139
Conc: 1610.86 ng/ml



#14 AR-1232-4


R.T.: 5.191 min
Delta R.T.: -0.006 min
Response: 13672499
Conc: 1167.37 ng/ml



#15 AR-1232-5


R.T.: 5.946 min
Delta R.T.: -0.003 min
Response: 15248726
Conc: 1176.39 ng/ml

Instrument :
ECD_P
ClientSampleId :
NB-070-031925MS




#15 AR-1232-5

R.T.: 5.361 min
Delta R.T.: -0.008 min
Response: 16011974
Conc: 1225.28 ng/ml




#16 AR-1242-1

R.T.: 5.674 min
Delta R.T.: -0.004 min
Response: 29786970
Conc: 670.15 ng/ml



#16 AR-1242-1


R.T.: 4.910 min
Delta R.T.: -0.006 min
Response: 19738242
Conc: 644.80 ng/ml



#17 AR-1242-2


R.T.: 5.695 min
Delta R.T.: -0.004 min
Response: 44351351
Conc: 722.56 ng/ml

Instrument :
ECD_P
ClientSampleId :
NB-070-031925MS




#17 AR-1242-2

R.T.: 4.929 min
Delta R.T.: -0.007 min
Response: 30676717
Conc: 703.63 ng/ml




#18 AR-1242-3

R.T.: 5.758 min
Delta R.T.: -0.004 min
Response: 27483775
Conc: 740.78 ng/ml



#18 AR-1242-3


R.T.: 5.106 min
Delta R.T.: -0.007 min
Response: 15508142
Conc: 650.72 ng/ml



#19 AR-1242-4


R.T.: 5.855 min
Delta R.T.: -0.004 min
Response: 30597139
Conc: 952.20 ng/ml

Instrument :
ECD_P
ClientSampleId :
NB-070-031925MS




#19 AR-1242-4

R.T.: 5.191 min
Delta R.T.: -0.006 min
Response: 13672499
Conc: 620.28 ng/ml




#20 AR-1242-5

R.T.: 6.586 min
Delta R.T.: -0.004 min
Response: 11297821
Conc: 363.89 ng/ml



#20 AR-1242-5


R.T.: 5.716 min
Delta R.T.: -0.006 min
Response: 17985868
Conc: 644.17 ng/ml



#21 AR-1248-1


R.T.: 5.674 min
Delta R.T.: -0.002 min
Response: 29786970
Conc: 872.09 ng/ml

Instrument :
ECD_P
ClientSampleId :
NB-070-031925MS




#21 AR-1248-1

R.T.: 4.910 min
Delta R.T.: -0.005 min
Response: 19738242
Conc: 840.80 ng/ml




#22 AR-1248-2

R.T.: 5.946 min
Delta R.T.: -0.002 min
Response: 15248726
Conc: 359.24 ng/ml



#22 AR-1248-2


R.T.: 5.147 min
Delta R.T.: -0.006 min
Response: 12689464
Conc: 405.37 ng/ml



#23 AR-1248-3


R.T.: 6.152 min
Delta R.T.: 0.000 min
Response: 14057573
Conc: 304.62 ng/ml

Instrument :
ECD_P
ClientSampleId :
NB-070-031925MS




#23 AR-1248-3

R.T.: 5.191 min
Delta R.T.: -0.005 min
Response: 13672499
Conc: 431.02 ng/ml




#24 AR-1248-4

R.T.: 6.523 min
Delta R.T.: -0.027 min
Response: 26228207
Conc: 452.28 ng/ml



#24 AR-1248-4


R.T.: 5.361 min
Delta R.T.: -0.007 min
Response: 16011974
Conc: 410.85 ng/ml



#25 AR-1248-5


R.T.: 6.586 min
Delta R.T.: -0.003 min
Response: 11297821
Conc: 210.44 ng/ml

Instrument :
ECD_P
ClientSampleId :
NB-070-031925MS




#25 AR-1248-5

R.T.: 5.757 min
Delta R.T.: -0.006 min
Response: 4651418
Conc: 122.13 ng/ml




#26 AR-1254-1

R.T.: 6.523 min
Delta R.T.: -0.006 min
Response: 26228207
Conc: 458.06 ng/ml



#26 AR-1254-1


R.T.: 5.716 min
Delta R.T.: -0.005 min
Response: 17985868
Conc: 319.34 ng/ml



#27 AR-1254-2


R.T.: 6.739 min
Delta R.T.: -0.006 min
Response: 30933174
Conc: 381.65 ng/ml

Instrument :
ECD_P
ClientSampleId :
NB-070-031925MS




#27 AR-1254-2

R.T.: 5.863 min
Delta R.T.: -0.006 min
Response: 16365506
Conc: 334.63 ng/ml




#28 AR-1254-3

R.T.: 7.104 min
Delta R.T.: -0.004 min
Response: 17850141
Conc: 212.07 ng/ml



#28 AR-1254-3


R.T.: 6.282 min
Delta R.T.: 0.009 min
Response: 33537786
Conc: 444.69 ng/ml



#29 AR-1254-4


R.T.: 7.385 min
Delta R.T.: -0.006 min
Response: 17088481
Conc: 243.64 ng/ml

Instrument :
ECD_P
ClientSampleId :
NB-070-031925MS




#29 AR-1254-4

R.T.: 6.496 min
Delta R.T.: -0.006 min
Response: 6002935
Conc: 113.80 ng/ml




#30 AR-1254-5

R.T.: 7.800 min
Delta R.T.: -0.007 min
Response: 66264979
Conc: 948.58 ng/ml



#30 AR-1254-5


R.T.: 6.914 min
Delta R.T.: -0.007 min
Response: 37234344
Conc: 539.20 ng/ml



#31 AR-1260-1


R.T.: 7.266 min
Delta R.T.: -0.004 min
Response: 42968891
Conc: 731.53 ng/ml

Instrument :
ECD_P
ClientSampleId :
NB-070-031925MS




#31 AR-1260-1

R.T.: 6.399 min
Delta R.T.: -0.008 min
Response: 29566861
Conc: 593.90 ng/ml




#32 AR-1260-2

R.T.: 7.521 min
Delta R.T.: -0.004 min
Response: 60288114
Conc: 734.84 ng/ml



#32 AR-1260-2


R.T.: 6.587 min
Delta R.T.: -0.008 min
Response: 36380320
Conc: 550.49 ng/ml



#33 AR-1260-3


R.T.: 7.879 min
Delta R.T.: -0.004 min
Response: 37710604
Conc: 573.48 ng/ml

Instrument :
ECD_P
ClientSampleId :
NB-070-031925MS




#33 AR-1260-3

R.T.: 6.740 min
Delta R.T.: -0.009 min
Response: 27296992
Conc: 477.24 ng/ml




#34 AR-1260-4

R.T.: 8.103 min
Delta R.T.: -0.004 min
Response: 46942318
Conc: 718.40 ng/ml



#34 AR-1260-4


R.T.: 7.212 min
Delta R.T.: -0.009 min
Response: 21513312
Conc: 420.48 ng/ml



#35 AR-1260-5


R.T.: 8.425 min
Delta R.T.: -0.003 min
Response: 71185010
Conc: 520.82 ng/ml

Instrument :
ECD_P
ClientSampleId :
NB-070-031925MS




#35 AR-1260-5

R.T.: 7.453 min
Delta R.T.: -0.008 min
Response: 55435961
Conc: 430.45 ng/ml




#36 AR-1262-1

R.T.: 8.103 min
Delta R.T.: -0.003 min
Response: 46942318
Conc: 574.44 ng/ml



#36 AR-1262-1


R.T.: 6.952 min
Delta R.T.: -0.009 min
Response: 24877559
Conc: 297.35 ng/ml



#37 AR-1262-2


R.T.: 8.425 min
Delta R.T.: -0.002 min
Response: 71185010
Conc: 432.17 ng/ml

Instrument :
ECD_P
ClientSampleId :
NB-070-031925MS




#37 AR-1262-2

R.T.: 7.212 min
Delta R.T.: -0.007 min
Response: 21513312
Conc: 313.01 ng/ml




#38 AR-1262-3

R.T.: 8.750 min
Delta R.T.: 0.005 min
Response: 44315963
Conc: 395.10 ng/ml



#38 AR-1262-3


R.T.: 7.736 min
Delta R.T.: -0.007 min
Response: 13218069
Conc: 200.32 ng/ml



#39 AR-1262-4


R.T.: 8.827 min
Delta R.T.: -0.003 min
Response: 10941605
Conc: 130.56 ng/ml

Instrument :
ECD_P
ClientSampleId :
NB-070-031925MS




#39 AR-1262-4

R.T.: 7.800 min
Delta R.T.: -0.008 min
Response: 35771804
Conc: 342.53 ng/ml




#40 AR-1262-5

R.T.: 9.484 min
Delta R.T.: -0.003 min
Response: 15059164
Conc: 255.69 ng/ml



#40 AR-1262-5


R.T.: 8.302 min
Delta R.T.: -0.008 min
Response: 12611726
Conc: 244.65 ng/ml



#41 AR-1268-1


R.T.: 8.750 min
Delta R.T.: 0.010 min
Response: 44315963
Conc: 223.59 ng/ml

Instrument :
ECD_P
ClientSampleId :
NB-070-031925MS




#41 AR-1268-1

R.T.: 7.736 min
Delta R.T.: -0.007 min
Response: 13218069
Conc: 75.50 ng/ml




#42 AR-1268-2

R.T.: 8.827 min
Delta R.T.: -0.006 min
Response: 10941605
Conc: 64.47 ng/ml



#42 AR-1268-2


R.T.: 7.800 min
Delta R.T.: -0.009 min
Response: 35771804
Conc: 244.91 ng/ml



#43 AR-1268-3


R.T.: 9.064 min
Delta R.T.: -0.002 min
Response: 1394306
Conc: 9.53 ng/ml

Instrument :
ECD_P
ClientSampleId :
NB-070-031925MS




#43 AR-1268-3

R.T.: 8.008 min
Delta R.T.: -0.007 min
Response: 883976
Conc: 6.89 ng/ml




#44 AR-1268-4

R.T.: 9.484 min
Delta R.T.: -0.002 min
Response: 15059164
Conc: 235.74 ng/ml



#44 AR-1268-4


R.T.: 8.302 min
Delta R.T.: -0.008 min
Response: 12611726
Conc: 229.39 ng/ml



#45 AR-1268-5

R.T.: 9.902 min
Delta R.T.: -0.003 min
Response: 4682989
Conc: 11.17 ng/ml

Instrument :
ECD_P
ClientSampleId :
NB-070-031925MS



#45 AR-1268-5

R.T.: 8.605 min
Delta R.T.: -0.008 min
Response: 3685912
Conc: 10.02 ng/ml