

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP032222\
 Data File : PP044977.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 22 Mar 2022 13:37
 Operator : YP\AJ
 Sample : AR1254CCC500
 Misc :
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 ECD_P
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Mar 23 04:55:20 2022
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP031722.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Thu Mar 17 04:32:40 2022
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.896	3.155	99213488	78981868	54.452	59.933
2)	SA Decachlor...	10.017	8.510	71675514	76507679	55.680	58.880
Target Compounds							
3)	L1 AR-1016-1	5.146	4.296	911423	987002	15.532	19.485 #
4)	L1 AR-1016-2	5.175	4.315	1164644	776555	13.028	10.772
5)	L1 AR-1016-3	5.235	4.501	405371	553280	7.789	14.062 #
6)	L1 AR-1016-4	5.341	4.548	512409	19526094	11.975	620.201 #
7)	L1 AR-1016-5	5.661	4.772	11385468	11847642	259.438	296.820
8)	L2 AR-1221-1	4.158	3.380	55883	61670	2.723	4.155 #
9)	L2 AR-1221-2	4.218f	3.468	1512225	1265511	98.918	102.149
10)	L2 AR-1221-3	4.324	3.550	49244	316707	1.020	8.159 #
11)	L3 AR-1232-1	4.296	3.550	425681	316707	9.460	8.812
12)	L3 AR-1232-2	4.857	4.315	500566	776555	23.822	22.455
13)	L3 AR-1232-3	5.175	4.501	1164644	553280	27.917	29.541
14)	L3 AR-1232-4	5.341	4.590	512409	6128993	25.621	370.233 #
15)	L3 AR-1232-5	5.444	4.772	19025903	11847642	1346.415	640.755 #
16)	L4 AR-1242-1	5.146	4.296	911423	987002	19.863	24.708
17)	L4 AR-1242-2	5.175	4.315	1164644	776555	16.631	13.681
18)	L4 AR-1242-3	5.235	4.501	405371	553280	9.870	17.743 #
19)	L4 AR-1242-4	5.341	4.590	512409	6128993	14.897	202.278 #
20)	L4 AR-1242-5	6.144	5.148	10483001	46856587	286.671	1177.888 #
21)	L5 AR-1248-1	5.146	4.296	911423	987002	25.914	31.253
22)	L5 AR-1248-2	5.444	4.548	19025903	19526094	402.199	446.482
23)	L5 AR-1248-3	5.661	4.590	11385468	6128993	192.692	134.130 #
24)	L5 AR-1248-4	6.100	4.772	16361846	11847642	257.828	219.312
25)	L5 AR-1248-5	6.144	5.192	10483001	6408731	168.010	114.150 #
26)	L6 AR-1254-1	6.071	5.148	31741620	46856587	478.041	541.844
27)	L6 AR-1254-2	6.311	5.309	47045211	40648085	470.868	546.245
28)	L6 AR-1254-3	6.710	5.740	47521248	61336171	464.621	533.824
29)	L6 AR-1254-4	7.023	5.989	34817210	41458412	478.688	556.074
30)	L6 AR-1254-5	7.484	6.440	36811404	47469526	475.948	460.996
31)	L7 AR-1260-1	6.890	5.880	18939334	32042892	275.098	455.084 #
32)	L7 AR-1260-2	7.173	6.087	17135808	25311464	220.710	283.034 #
33)	L7 AR-1260-3	7.548f	6.247	5498677	26461354	87.383	310.691 #
34)	L7 AR-1260-4	7.801f	6.761	15894740	2863913	216.680	42.613 #
35)	L7 AR-1260-5	8.157	7.028	6012959	6974909	42.939	44.637
36)	L8 AR-1262-1	7.548f	6.464f	5498677	9098275	57.996	88.373 #
37)	L8 AR-1262-2	8.157	6.761	6012959	2863913	37.365	31.028
38)	L8 AR-1262-3	8.502	7.335	4042522	291085	37.476	4.000 #
39)	L8 AR-1262-4	8.578	7.403	182528	6736975	3.569	50.123 #
40)	L8 AR-1262-5	9.264	7.949	232187	421741	4.154	6.406 #
41)	L9 AR-1268-1	8.502	7.335	4042522	291085	21.000	1.349 #

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP032222\
 Data File : PP044977.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 22 Mar 2022 13:37
 Operator : YP\AJ
 Sample : AR1254CCC500
 Misc :
 ALS Vial : 6 Sample Multiplier: 1

Instrument :
 ECD_P
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Mar 23 04:55:20 2022
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP031722.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Thu Mar 17 04:32:40 2022
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml
42) L9	AR-1268-2	8.578	7.403	182528	6736975	1.046	34.451 #
43) L9	AR-1268-3	8.828	7.628	58976	185880	0.386	1.128 #
44) L9	AR-1268-4	9.264	7.949	232187	421741	3.710	5.507 #
45) L9	AR-1268-5	9.685	8.251	372220	565687	0.772	1.098 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP032222\
Data File : PP044977.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 22 Mar 2022 13:37
Operator : YP\AJ
Sample : AR1254CCC500
Misc :
ALS Vial : 6 Sample Multiplier: 1

Instrument :
ECD_P
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Mar 23 04:55:20 2022
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP031722.M
Quant Title : GC EXTRACTABLES
QLast Update : Thu Mar 17 04:32:40 2022
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 3.896 min
Delta R.T.: -0.001 min
Response: 99213488
Conc: 54.45 ng/ml

Instrument :
ECD_P
ClientSampleId :




#1 Tetrachloro-m-xylene

R.T.: 3.155 min
Delta R.T.: 0.000 min
Response: 78981868
Conc: 59.93 ng/ml




#2 Decachlorobiphenyl

R.T.: 10.017 min
Delta R.T.: -0.006 min
Response: 71675514
Conc: 55.68 ng/ml



#2 Decachlorobiphenyl


R.T.: 8.510 min
Delta R.T.: -0.005 min
Response: 76507679
Conc: 58.88 ng/ml



#3 AR-1016-1


R.T.: 5.146 min
Delta R.T.: -0.004 min
Response: 911423
Conc: 15.53 ng/ml

Instrument :
ECD_P
ClientSampleId :




#3 AR-1016-1

R.T.: 4.296 min
Delta R.T.: -0.003 min
Response: 987002
Conc: 19.48 ng/ml




#4 AR-1016-2

R.T.: 5.175 min
Delta R.T.: 0.002 min
Response: 1164644
Conc: 13.03 ng/ml



#4 AR-1016-2


R.T.: 4.315 min
Delta R.T.: -0.003 min
Response: 776555
Conc: 10.77 ng/ml



#5 AR-1016-3


R.T.: 5.235 min
Delta R.T.: -0.004 min
Response: 405371
Conc: 7.79 ng/ml

Instrument :
ECD_P
ClientSampleId :




#5 AR-1016-3

R.T.: 4.501 min
Delta R.T.: -0.001 min
Response: 553280
Conc: 14.06 ng/ml




#6 AR-1016-4

R.T.: 5.341 min
Delta R.T.: -0.003 min
Response: 512409
Conc: 11.97 ng/ml



#6 AR-1016-4


R.T.: 4.548 min
Delta R.T.: -0.003 min
Response: 19526094
Conc: 620.20 ng/ml



#7 AR-1016-5


R.T.: 5.661 min
Delta R.T.: -0.003 min
Response: 11385468
Conc: 259.44 ng/ml

Instrument :
ECD_P
ClientSampleId :




#7 AR-1016-5

R.T.: 4.772 min
Delta R.T.: -0.004 min
Response: 11847642
Conc: 296.82 ng/ml




#8 AR-1221-1

R.T.: 4.158 min
Delta R.T.: 0.012 min
Response: 55883
Conc: 2.72 ng/ml



#8 AR-1221-1


R.T.: 3.380 min
Delta R.T.: -0.002 min
Response: 61670
Conc: 4.15 ng/ml



#9 AR-1221-2


R.T.: 4.218 min
Delta R.T.: -0.020 min
Response: 1512225
Conc: 98.92 ng/ml

Instrument :
ECD_P
ClientSampleId :




#9 AR-1221-2

R.T.: 3.468 min
Delta R.T.: -0.004 min
Response: 1265511
Conc: 102.15 ng/ml




#10 AR-1221-3

R.T.: 4.324 min
Delta R.T.: 0.006 min
Response: 49244
Conc: 1.02 ng/ml



#10 AR-1221-3


R.T.: 3.550 min
Delta R.T.: 0.000 min
Response: 316707
Conc: 8.16 ng/ml



#11 AR-1232-1


R.T.: 4.296 min
Delta R.T.: 0.000 min
Response: 425681
Conc: 9.46 ng/ml

Instrument :
ECD_P
ClientSampleId :




#11 AR-1232-1

R.T.: 3.550 min
Delta R.T.: 0.000 min
Response: 316707
Conc: 8.81 ng/ml




#12 AR-1232-2

R.T.: 4.857 min
Delta R.T.: -0.003 min
Response: 500566
Conc: 23.82 ng/ml



#12 AR-1232-2


R.T.: 4.315 min
Delta R.T.: -0.002 min
Response: 776555
Conc: 22.46 ng/ml



#13 AR-1232-3


R.T.: 5.175 min
Delta R.T.: 0.002 min
Response: 1164644
Conc: 27.92 ng/ml

Instrument :
ECD_P
ClientSampleId :




#13 AR-1232-3

R.T.: 4.501 min
Delta R.T.: 0.000 min
Response: 553280
Conc: 29.54 ng/ml




#14 AR-1232-4

R.T.: 5.341 min
Delta R.T.: -0.004 min
Response: 512409
Conc: 25.62 ng/ml



#14 AR-1232-4


R.T.: 4.590 min
Delta R.T.: -0.004 min
Response: 6128993
Conc: 370.23 ng/ml



#15 AR-1232-5


R.T.: 5.444 min
Delta R.T.: -0.003 min
Response: 19025903
Conc: 1346.42 ng/ml

Instrument :
ECD_P
ClientSampleId :




#15 AR-1232-5

R.T.: 4.772 min
Delta R.T.: -0.004 min
Response: 11847642
Conc: 640.76 ng/ml




#16 AR-1242-1

R.T.: 5.146 min
Delta R.T.: -0.003 min
Response: 911423
Conc: 19.86 ng/ml



#16 AR-1242-1


R.T.: 4.296 min
Delta R.T.: -0.003 min
Response: 987002
Conc: 24.71 ng/ml



#17 AR-1242-2


R.T.: 5.175 min
Delta R.T.: 0.003 min
Response: 1164644
Conc: 16.63 ng/ml

Instrument :
ECD_P
ClientSampleId :




#17 AR-1242-2

R.T.: 4.315 min
Delta R.T.: -0.002 min
Response: 776555
Conc: 13.68 ng/ml




#18 AR-1242-3

R.T.: 5.235 min
Delta R.T.: -0.004 min
Response: 405371
Conc: 9.87 ng/ml



#18 AR-1242-3


R.T.: 4.501 min
Delta R.T.: 0.000 min
Response: 553280
Conc: 17.74 ng/ml



#19 AR-1242-4


R.T.: 5.341 min
Delta R.T.: -0.004 min
Response: 512409
Conc: 14.90 ng/ml

Instrument :
ECD_P
ClientSampleId :




#19 AR-1242-4

R.T.: 4.590 min
Delta R.T.: -0.004 min
Response: 6128993
Conc: 202.28 ng/ml




#20 AR-1242-5

R.T.: 6.144 min
Delta R.T.: 0.000 min
Response: 10483001
Conc: 286.67 ng/ml



#20 AR-1242-5


R.T.: 5.148 min
Delta R.T.: -0.004 min
Response: 46856587
Conc: 1177.89 ng/ml



#21 AR-1248-1


R.T.: 5.146 min
Delta R.T.: -0.003 min
Response: 911423
Conc: 25.91 ng/ml

Instrument :
ECD_P
ClientSampleId :




#21 AR-1248-1

R.T.: 4.296 min
Delta R.T.: -0.003 min
Response: 987002
Conc: 31.25 ng/ml




#22 AR-1248-2

R.T.: 5.444 min
Delta R.T.: -0.003 min
Response: 19025903
Conc: 402.20 ng/ml



#22 AR-1248-2


R.T.: 4.548 min
Delta R.T.: -0.003 min
Response: 19526094
Conc: 446.48 ng/ml



#23 AR-1248-3


R.T.: 5.661 min
Delta R.T.: -0.003 min
Response: 11385468
Conc: 192.69 ng/ml

Instrument :
ECD_P
ClientSampleId :




#23 AR-1248-3

R.T.: 4.590 min
Delta R.T.: -0.004 min
Response: 6128993
Conc: 134.13 ng/ml




#24 AR-1248-4

R.T.: 6.100 min
Delta R.T.: -0.004 min
Response: 16361846
Conc: 257.83 ng/ml



#24 AR-1248-4


R.T.: 4.772 min
Delta R.T.: -0.003 min
Response: 11847642
Conc: 219.31 ng/ml



#25 AR-1248-5


R.T.: 6.144 min
Delta R.T.: -0.001 min
Response: 10483001
Conc: 168.01 ng/ml

Instrument :
ECD_P
ClientSampleId :




#25 AR-1248-5

R.T.: 5.192 min
Delta R.T.: -0.003 min
Response: 6408731
Conc: 114.15 ng/ml




#26 AR-1254-1

R.T.: 6.071 min
Delta R.T.: -0.003 min
Response: 31741620
Conc: 478.04 ng/ml



#26 AR-1254-1


R.T.: 5.148 min
Delta R.T.: -0.003 min
Response: 46856587
Conc: 541.84 ng/ml



#27 AR-1254-2


R.T.: 6.311 min
Delta R.T.: -0.004 min
Response: 47045211
Conc: 470.87 ng/ml

Instrument :
ECD_P
ClientSampleId :




#27 AR-1254-2

R.T.: 5.309 min
Delta R.T.: -0.003 min
Response: 40648085
Conc: 546.24 ng/ml




#28 AR-1254-3

R.T.: 6.710 min
Delta R.T.: -0.003 min
Response: 47521248
Conc: 464.62 ng/ml



#28 AR-1254-3


R.T.: 5.740 min
Delta R.T.: -0.004 min
Response: 61336171
Conc: 533.82 ng/ml



#29 AR-1254-4


R.T.: 7.023 min
Delta R.T.: -0.004 min
Response: 34817210
Conc: 478.69 ng/ml

Instrument :
ECD_P
ClientSampleId :




#29 AR-1254-4

R.T.: 5.989 min
Delta R.T.: -0.004 min
Response: 41458412
Conc: 556.07 ng/ml




#30 AR-1254-5

R.T.: 7.484 min
Delta R.T.: -0.005 min
Response: 36811404
Conc: 475.95 ng/ml



#30 AR-1254-5


R.T.: 6.440 min
Delta R.T.: -0.004 min
Response: 47469526
Conc: 461.00 ng/ml



#31 AR-1260-1


R.T.: 6.890 min
Delta R.T.: -0.003 min
Response: 18939334
Conc: 275.10 ng/ml

Instrument :
ECD_P
ClientSampleId :




#31 AR-1260-1

R.T.: 5.880 min
Delta R.T.: -0.003 min
Response: 32042892
Conc: 455.08 ng/ml




#32 AR-1260-2

R.T.: 7.173 min
Delta R.T.: -0.003 min
Response: 17135808
Conc: 220.71 ng/ml



#32 AR-1260-2


R.T.: 6.087 min
Delta R.T.: -0.004 min
Response: 25311464
Conc: 283.03 ng/ml



#33 AR-1260-3


R.T.: 7.548 min
Delta R.T.: -0.023 min
Response: 5498677
Conc: 87.38 ng/ml

Instrument :
ECD_P
ClientSampleId :




#33 AR-1260-3

R.T.: 6.247 min
Delta R.T.: -0.006 min
Response: 26461354
Conc: 310.69 ng/ml




#34 AR-1260-4

R.T.: 7.801 min
Delta R.T.: -0.017 min
Response: 15894740
Conc: 216.68 ng/ml



#34 AR-1260-4


R.T.: 6.761 min
Delta R.T.: -0.004 min
Response: 2863913
Conc: 42.61 ng/ml



#35 AR-1260-5


R.T.: 8.157 min
Delta R.T.: -0.004 min
Response: 6012959
Conc: 42.94 ng/ml

Instrument :
ECD_P
ClientSampleId :




#35 AR-1260-5

R.T.: 7.028 min
Delta R.T.: -0.004 min
Response: 6974909
Conc: 44.64 ng/ml




#36 AR-1262-1

R.T.: 7.548 min
Delta R.T.: -0.022 min
Response: 5498677
Conc: 58.00 ng/ml



#36 AR-1262-1


R.T.: 6.464 min
Delta R.T.: -0.020 min
Response: 9098275
Conc: 88.37 ng/ml



#37 AR-1262-2


R.T.: 8.157 min
Delta R.T.: -0.004 min
Response: 6012959
Conc: 37.36 ng/ml

Instrument :
ECD_P
ClientSampleId :




#37 AR-1262-2

R.T.: 6.761 min
Delta R.T.: -0.003 min
Response: 2863913
Conc: 31.03 ng/ml




#38 AR-1262-3

R.T.: 8.502 min
Delta R.T.: 0.011 min
Response: 4042522
Conc: 37.48 ng/ml



#38 AR-1262-3


R.T.: 7.335 min
Delta R.T.: -0.003 min
Response: 291085
Conc: 4.00 ng/ml



#39 AR-1262-4


R.T.: 8.578 min
Delta R.T.: -0.005 min
Response: 182528
Conc: 3.57 ng/ml

Instrument :
ECD_P
ClientSampleId :




#39 AR-1262-4

R.T.: 7.403 min
Delta R.T.: -0.005 min
Response: 6736975
Conc: 50.12 ng/ml




#40 AR-1262-5

R.T.: 9.264 min
Delta R.T.: 0.001 min
Response: 232187
Conc: 4.15 ng/ml



#40 AR-1262-5


R.T.: 7.949 min
Delta R.T.: -0.002 min
Response: 421741
Conc: 6.41 ng/ml



#41 AR-1268-1


R.T.: 8.502 min
Delta R.T.: 0.011 min
Response: 4042522
Conc: 21.00 ng/ml

Instrument :
ECD_P
ClientSampleId :




#41 AR-1268-1

R.T.: 7.335 min
Delta R.T.: -0.005 min
Response: 291085
Conc: 1.35 ng/ml




#42 AR-1268-2

R.T.: 8.578 min
Delta R.T.: -0.011 min
Response: 182528
Conc: 1.05 ng/ml



#42 AR-1268-2


R.T.: 7.403 min
Delta R.T.: -0.008 min
Response: 6736975
Conc: 34.45 ng/ml



#43 AR-1268-3


R.T.: 8.828 min
Delta R.T.: 0.003 min
Response: 58976
Conc: 0.39 ng/ml

Instrument :
ECD_P
ClientSampleId :




#43 AR-1268-3

R.T.: 7.628 min
Delta R.T.: -0.003 min
Response: 185880
Conc: 1.13 ng/ml




#44 AR-1268-4

R.T.: 9.264 min
Delta R.T.: 0.000 min
Response: 232187
Conc: 3.71 ng/ml



#44 AR-1268-4


R.T.: 7.949 min
Delta R.T.: -0.003 min
Response: 421741
Conc: 5.51 ng/ml



#45 AR-1268-5

R.T.: 9.685 min
Delta R.T.: -0.001 min
Response: 372220
Conc: 0.77 ng/ml

Instrument :
ECD_P
ClientSampleId :



#45 AR-1268-5

R.T.: 8.251 min
Delta R.T.: -0.005 min
Response: 565687
Conc: 1.10 ng/ml