

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP032522\
 Data File : PP045178.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 26 Mar 2022 12:07
 Operator : YP\AJ
 Sample : I.BLK
 Misc :
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 ECD_P
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Mar 26 21:02:40 2022
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP031722.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Thu Mar 17 04:32:40 2022
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.892	3.153	51351929	36677183	28.184	27.831
2)	SA Decachlor...	10.014	8.504	30692573	33697489	23.843	25.934
Target Compounds							
3)	L1 AR-1016-1	5.150	4.294	291161	31037	4.962	0.613 #
4)	L1 AR-1016-2	5.172	4.313	432735	58854	4.841	0.816 #
5)	L1 AR-1016-3	5.237	4.497	205031	24597	3.940	0.625 #
6)	L1 AR-1016-4	5.345	4.551	470103	20433	10.986	0.649 #
7)	L1 AR-1016-5	5.669	4.781	43192	831924	0.984	20.842 #
8)	L2 AR-1221-1	4.146	3.378	159758	32615	7.784	2.197 #
9)	L2 AR-1221-2	4.236	3.465	110296	606173	7.215	48.929 #
10)	L2 AR-1221-3	4.320	3.551	58099	40636	1.203	1.047
11)	L3 AR-1232-1	4.297	3.551	34043	40636	0.757	1.131 #
12)	L3 AR-1232-2	4.862	4.313	204842	58854	9.748	1.702 #
13)	L3 AR-1232-3	5.172	4.497	432735	24597	10.373	1.313 #
14)	L3 AR-1232-4	5.345	4.593	470103	6819	23.506	0.412 #
15)	L3 AR-1232-5	5.447	4.781	634561	831924	44.906	44.993
16)	L4 AR-1242-1	5.150	4.294	291161	31037	6.345	0.777 #
17)	L4 AR-1242-2	5.172	4.313	432735	58854	6.179	1.037 #
18)	L4 AR-1242-3	5.237	4.497	205031	24597	4.992	0.789 #
19)	L4 AR-1242-4	5.345	4.593	470103	6819	13.667	0.225 #
20)	L4 AR-1242-5	6.146	5.141	153301	123567	4.192	3.106 #
21)	L5 AR-1248-1	5.150	4.294	291161	31037	8.278	0.983 #
22)	L5 AR-1248-2	5.447	4.551	634561	20433	13.414	0.467 #
23)	L5 AR-1248-3	5.660	4.593	7479	6819	0.127	0.149
24)	L5 AR-1248-4	6.112	4.781	101613	831924	1.601	15.400 #
25)	L5 AR-1248-5	6.146	5.196	153301	99426	2.457	1.771 #
26)	L6 AR-1254-1	6.090f	5.141	144610	123567	2.178	1.429 #
27)	L6 AR-1254-2	6.312	5.308	163132	220466	1.633	2.963 #
28)	L6 AR-1254-3	6.712	5.743	1079509	212242	10.554	1.847 #
29)	L6 AR-1254-4	7.028	5.989	602920	191346	8.289	2.566 #
30)	L6 AR-1254-5	7.490	6.450	87006	8684	1.125	0.084 #
31)	L7 AR-1260-1	6.887	5.885	382154	178023	5.551	2.528 #
32)	L7 AR-1260-2	7.173	6.105	222783	28408	2.869	0.318 #
33)	L7 AR-1260-3	7.568	6.257	41127	57840	0.654	0.679
34)	L7 AR-1260-4	7.817	6.758	96516	7578	1.316	0.113 #
35)	L7 AR-1260-5	8.170	7.032	62170	43571	0.444	0.279 #
36)	L8 AR-1262-1	7.568	6.486	41127	56167	0.434	0.546 #
37)	L8 AR-1262-2	8.170	6.758	62170	7578	0.386	0.082 #
38)	L8 AR-1262-3	8.497	7.344	331354	95000	3.072	1.305 #
39)	L8 AR-1262-4	8.580	7.406	293189	18788	5.732	0.140 #
40)	L8 AR-1262-5	9.266	7.946	87280	69707	1.561	1.059 #
41)	L9 AR-1268-1	8.497	7.344	331354	95000	1.721	0.440 #

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP032522\
 Data File : PP045178.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 26 Mar 2022 12:07
 Operator : YP\AJ
 Sample : I.BLK
 Misc :
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 ECD_P
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Mar 26 21:02:40 2022
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP031722.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Thu Mar 17 04:32:40 2022
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml
42) L9	AR-1268-2	8.590	7.411	247019	13302	1.415	0.068 #
43) L9	AR-1268-3	8.831	7.634	42093	13836	0.276	0.084 #
44) L9	AR-1268-4	9.266	7.946	87280	69707	1.394	0.910 #
45) L9	AR-1268-5	9.690	8.263	432704	8444	0.898	0.016 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP032522\
Data File : PP045178.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 26 Mar 2022 12:07
Operator : YP\AJ
Sample : I.BLK
Misc :
ALS Vial : 2 Sample Multiplier: 1

Instrument :
ECD_P
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Mar 26 21:02:40 2022
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP031722.M
Quant Title : GC EXTRACTABLES
QLast Update : Thu Mar 17 04:32:40 2022
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 3.892 min
Delta R.T.: -0.005 min
Response: 51351929
Conc: 28.18 ng/ml

Instrument :
ECD_P
ClientSampleId :




#1 Tetrachloro-m-xylene

R.T.: 3.153 min
Delta R.T.: -0.002 min
Response: 36677183
Conc: 27.83 ng/ml




#2 Decachlorobiphenyl

R.T.: 10.014 min
Delta R.T.: -0.009 min
Response: 30692573
Conc: 23.84 ng/ml



#2 Decachlorobiphenyl


R.T.: 8.504 min
Delta R.T.: -0.012 min
Response: 33697489
Conc: 25.93 ng/ml



#3 AR-1016-1


R.T.: 5.150 min
Delta R.T.: 0.000 min
Response: 291161
Conc: 4.96 ng/ml

Instrument :
ECD_P
ClientSampleId :




#3 AR-1016-1

R.T.: 4.294 min
Delta R.T.: -0.005 min
Response: 31037
Conc: 0.61 ng/ml




#4 AR-1016-2

R.T.: 5.172 min
Delta R.T.: 0.000 min
Response: 432735
Conc: 4.84 ng/ml



#4 AR-1016-2


R.T.: 4.313 min
Delta R.T.: -0.004 min
Response: 58854
Conc: 0.82 ng/ml



#5 AR-1016-3


R.T.: 5.237 min
Delta R.T.: -0.001 min
Response: 205031
Conc: 3.94 ng/ml

Instrument :
ECD_P
ClientSampleId :




#5 AR-1016-3

R.T.: 4.497 min
Delta R.T.: -0.005 min
Response: 24597
Conc: 0.63 ng/ml




#6 AR-1016-4

R.T.: 5.345 min
Delta R.T.: 0.000 min
Response: 470103
Conc: 10.99 ng/ml



#6 AR-1016-4


R.T.: 4.551 min
Delta R.T.: 0.000 min
Response: 20433
Conc: 0.65 ng/ml



#7 AR-1016-5


R.T.: 5.669 min
Delta R.T.: 0.005 min
Response: 43192
Conc: 0.98 ng/ml

Instrument :
ECD_P
ClientSampleId :




#7 AR-1016-5

R.T.: 4.781 min
Delta R.T.: 0.006 min
Response: 831924
Conc: 20.84 ng/ml




#8 AR-1221-1

R.T.: 4.146 min
Delta R.T.: 0.000 min
Response: 159758
Conc: 7.78 ng/ml



#8 AR-1221-1


R.T.: 3.378 min
Delta R.T.: -0.004 min
Response: 32615
Conc: 2.20 ng/ml



#9 AR-1221-2


R.T.: 4.236 min
Delta R.T.: -0.002 min
Response: 110296
Conc: 7.21 ng/ml

Instrument :
ECD_P
ClientSampleId :




#9 AR-1221-2

R.T.: 3.465 min
Delta R.T.: -0.007 min
Response: 606173
Conc: 48.93 ng/ml




#10 AR-1221-3

R.T.: 4.320 min
Delta R.T.: 0.002 min
Response: 58099
Conc: 1.20 ng/ml



#10 AR-1221-3


R.T.: 3.551 min
Delta R.T.: 0.000 min
Response: 40636
Conc: 1.05 ng/ml



#11 AR-1232-1


R.T.: 4.297 min
Delta R.T.: 0.000 min
Response: 34043
Conc: 0.76 ng/ml

Instrument :
ECD_P
ClientSampleId :




#11 AR-1232-1

R.T.: 3.551 min
Delta R.T.: 0.000 min
Response: 40636
Conc: 1.13 ng/ml




#12 AR-1232-2

R.T.: 4.862 min
Delta R.T.: 0.002 min
Response: 204842
Conc: 9.75 ng/ml



#12 AR-1232-2


R.T.: 4.313 min
Delta R.T.: -0.004 min
Response: 58854
Conc: 1.70 ng/ml



#13 AR-1232-3


R.T.: 5.172 min
Delta R.T.: -0.001 min
Response: 432735
Conc: 10.37 ng/ml

Instrument :
ECD_P
ClientSampleId :




#13 AR-1232-3

R.T.: 4.497 min
Delta R.T.: -0.005 min
Response: 24597
Conc: 1.31 ng/ml




#14 AR-1232-4

R.T.: 5.345 min
Delta R.T.: 0.000 min
Response: 470103
Conc: 23.51 ng/ml



#14 AR-1232-4


R.T.: 4.593 min
Delta R.T.: -0.001 min
Response: 6819
Conc: 0.41 ng/ml



#15 AR-1232-5


R.T.: 5.447 min
Delta R.T.: 0.000 min
Response: 634561
Conc: 44.91 ng/ml

Instrument :
ECD_P
ClientSampleId :




#15 AR-1232-5

R.T.: 4.781 min
Delta R.T.: 0.006 min
Response: 831924
Conc: 44.99 ng/ml




#16 AR-1242-1

R.T.: 5.150 min
Delta R.T.: 0.000 min
Response: 291161
Conc: 6.35 ng/ml



#16 AR-1242-1


R.T.: 4.294 min
Delta R.T.: -0.005 min
Response: 31037
Conc: 0.78 ng/ml



#17 AR-1242-2


R.T.: 5.172 min
Delta R.T.: 0.000 min
Response: 432735
Conc: 6.18 ng/ml

Instrument :
ECD_P
ClientSampleId :




#17 AR-1242-2

R.T.: 4.313 min
Delta R.T.: -0.004 min
Response: 58854
Conc: 1.04 ng/ml




#18 AR-1242-3

R.T.: 5.237 min
Delta R.T.: -0.001 min
Response: 205031
Conc: 4.99 ng/ml



#18 AR-1242-3


R.T.: 4.497 min
Delta R.T.: -0.005 min
Response: 24597
Conc: 0.79 ng/ml



#19 AR-1242-4


R.T.: 5.345 min
Delta R.T.: 0.000 min
Response: 470103
Conc: 13.67 ng/ml

Instrument :
ECD_P
ClientSampleId :




#19 AR-1242-4

R.T.: 4.593 min
Delta R.T.: 0.000 min
Response: 6819
Conc: 0.23 ng/ml




#20 AR-1242-5

R.T.: 6.146 min
Delta R.T.: 0.000 min
Response: 153301
Conc: 4.19 ng/ml



#20 AR-1242-5


R.T.: 5.141 min
Delta R.T.: -0.011 min
Response: 123567
Conc: 3.11 ng/ml



#21 AR-1248-1


R.T.: 5.150 min
Delta R.T.: 0.001 min
Response: 291161
Conc: 8.28 ng/ml

Instrument :
ECD_P
ClientSampleId :




#21 AR-1248-1

R.T.: 4.294 min
Delta R.T.: -0.005 min
Response: 31037
Conc: 0.98 ng/ml




#22 AR-1248-2

R.T.: 5.447 min
Delta R.T.: 0.000 min
Response: 634561
Conc: 13.41 ng/ml



#22 AR-1248-2


R.T.: 4.551 min
Delta R.T.: 0.000 min
Response: 20433
Conc: 0.47 ng/ml



#23 AR-1248-3


R.T.: 5.660 min
Delta R.T.: -0.005 min
Response: 7479
Conc: 0.13 ng/ml

Instrument :
ECD_P
ClientSampleId :




#23 AR-1248-3

R.T.: 4.593 min
Delta R.T.: -0.001 min
Response: 6819
Conc: 0.15 ng/ml




#24 AR-1248-4

R.T.: 6.112 min
Delta R.T.: 0.008 min
Response: 101613
Conc: 1.60 ng/ml



#24 AR-1248-4


R.T.: 4.781 min
Delta R.T.: 0.006 min
Response: 831924
Conc: 15.40 ng/ml



#25 AR-1248-5


R.T.: 6.146 min
Delta R.T.: 0.000 min
Response: 153301
Conc: 2.46 ng/ml

Instrument :
ECD_P
ClientSampleId :




#25 AR-1248-5

R.T.: 5.196 min
Delta R.T.: 0.001 min
Response: 99426
Conc: 1.77 ng/ml




#26 AR-1254-1

R.T.: 6.090 min
Delta R.T.: 0.016 min
Response: 144610
Conc: 2.18 ng/ml



#26 AR-1254-1


R.T.: 5.141 min
Delta R.T.: -0.010 min
Response: 123567
Conc: 1.43 ng/ml



#27 AR-1254-2


R.T.: 6.312 min
Delta R.T.: -0.002 min
Response: 163132
Conc: 1.63 ng/ml

Instrument :
ECD_P
ClientSampleId :




#27 AR-1254-2

R.T.: 5.308 min
Delta R.T.: -0.004 min
Response: 220466
Conc: 2.96 ng/ml




#28 AR-1254-3

R.T.: 6.712 min
Delta R.T.: 0.000 min
Response: 1079509
Conc: 10.55 ng/ml



#28 AR-1254-3


R.T.: 5.743 min
Delta R.T.: 0.000 min
Response: 212242
Conc: 1.85 ng/ml



#29 AR-1254-4


R.T.: 7.028 min
Delta R.T.: 0.000 min
Response: 602920
Conc: 8.29 ng/ml

Instrument :
ECD_P
ClientSampleId :




#29 AR-1254-4

R.T.: 5.989 min
Delta R.T.: -0.003 min
Response: 191346
Conc: 2.57 ng/ml




#30 AR-1254-5

R.T.: 7.490 min
Delta R.T.: 0.001 min
Response: 87006
Conc: 1.12 ng/ml



#30 AR-1254-5


R.T.: 6.450 min
Delta R.T.: 0.006 min
Response: 8684
Conc: 0.08 ng/ml



#31 AR-1260-1


R.T.: 6.887 min
Delta R.T.: -0.007 min
Response: 382154
Conc: 5.55 ng/ml

Instrument :
ECD_P
ClientSampleId :




#31 AR-1260-1

R.T.: 5.885 min
Delta R.T.: 0.002 min
Response: 178023
Conc: 2.53 ng/ml




#32 AR-1260-2

R.T.: 7.173 min
Delta R.T.: -0.004 min
Response: 222783
Conc: 2.87 ng/ml



#32 AR-1260-2


R.T.: 6.105 min
Delta R.T.: 0.015 min
Response: 28408
Conc: 0.32 ng/ml



#33 AR-1260-3


R.T.: 7.568 min
Delta R.T.: -0.003 min
Response: 41127
Conc: 0.65 ng/ml

Instrument :
ECD_P
ClientSampleId :




#33 AR-1260-3

R.T.: 6.257 min
Delta R.T.: 0.004 min
Response: 57840
Conc: 0.68 ng/ml




#34 AR-1260-4

R.T.: 7.817 min
Delta R.T.: -0.001 min
Response: 96516
Conc: 1.32 ng/ml



#34 AR-1260-4


R.T.: 6.758 min
Delta R.T.: -0.007 min
Response: 7578
Conc: 0.11 ng/ml



#35 AR-1260-5


R.T.: 8.170 min
Delta R.T.: 0.009 min
Response: 62170
Conc: 0.44 ng/ml

Instrument :
ECD_P
ClientSampleId :




#35 AR-1260-5

R.T.: 7.032 min
Delta R.T.: -0.001 min
Response: 43571
Conc: 0.28 ng/ml




#36 AR-1262-1

R.T.: 7.568 min
Delta R.T.: -0.003 min
Response: 41127
Conc: 0.43 ng/ml



#36 AR-1262-1


R.T.: 6.486 min
Delta R.T.: 0.002 min
Response: 56167
Conc: 0.55 ng/ml



#37 AR-1262-2


R.T.: 8.170 min
Delta R.T.: 0.010 min
Response: 62170
Conc: 0.39 ng/ml

Instrument :
ECD_P
ClientSampleId :




#37 AR-1262-2

R.T.: 6.758 min
Delta R.T.: -0.006 min
Response: 7578
Conc: 0.08 ng/ml




#38 AR-1262-3

R.T.: 8.497 min
Delta R.T.: 0.007 min
Response: 331354
Conc: 3.07 ng/ml



#38 AR-1262-3


R.T.: 7.344 min
Delta R.T.: 0.007 min
Response: 95000
Conc: 1.31 ng/ml



#39 AR-1262-4


R.T.: 8.580 min
Delta R.T.: -0.003 min
Response: 293189
Conc: 5.73 ng/ml

Instrument :
ECD_P
ClientSampleId :




#39 AR-1262-4

R.T.: 7.406 min
Delta R.T.: -0.002 min
Response: 18788
Conc: 0.14 ng/ml




#40 AR-1262-5

R.T.: 9.266 min
Delta R.T.: 0.003 min
Response: 87280
Conc: 1.56 ng/ml



#40 AR-1262-5


R.T.: 7.946 min
Delta R.T.: -0.004 min
Response: 69707
Conc: 1.06 ng/ml



#41 AR-1268-1


R.T.: 8.497 min
Delta R.T.: 0.006 min
Response: 331354
Conc: 1.72 ng/ml

Instrument :
ECD_P
ClientSampleId :




#41 AR-1268-1

R.T.: 7.344 min
Delta R.T.: 0.005 min
Response: 95000
Conc: 0.44 ng/ml




#42 AR-1268-2

R.T.: 8.590 min
Delta R.T.: 0.002 min
Response: 247019
Conc: 1.41 ng/ml



#42 AR-1268-2


R.T.: 7.411 min
Delta R.T.: 0.000 min
Response: 13302
Conc: 0.07 ng/ml



#43 AR-1268-3


R.T.: 8.831 min
Delta R.T.: 0.007 min
Response: 42093
Conc: 0.28 ng/ml

Instrument :
ECD_P
ClientSampleId :




#43 AR-1268-3

R.T.: 7.634 min
Delta R.T.: 0.003 min
Response: 13836
Conc: 0.08 ng/ml




#44 AR-1268-4

R.T.: 9.266 min
Delta R.T.: 0.002 min
Response: 87280
Conc: 1.39 ng/ml



#44 AR-1268-4


R.T.: 7.946 min
Delta R.T.: -0.006 min
Response: 69707
Conc: 0.91 ng/ml



#45 AR-1268-5

R.T.: 9.690 min
Delta R.T.: 0.004 min
Response: 432704
Conc: 0.90 ng/ml

Instrument :
ECD_P
ClientSampleId :



#45 AR-1268-5

R.T.: 8.263 min
Delta R.T.: 0.007 min
Response: 8444
Conc: 0.02 ng/ml