

Data Path : P:\HPCHEM1\ECD P\Data\PP032918\
 Data File : PP024699.D
 Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
 Acq On : 29 Mar 2018 12:58
 Operator : UA/AJ
 Sample : HSTDICC200
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 ECD_P
 ClientSampleId :
 HSTDICC200

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Mar 29 15:55:05 2018
 Quant Method : P:\HPCHEM1\ECD_P\methods\PP032918.M
 Quant Title : 8080.M
 QLast Update : Thu Mar 29 15:52:07 2018
 Response via : Initial Calibration
 Integrator: ChemStation 6890 Scale Mode: Large solvent peaks clipped

Volume Inj. : 2 µl
 Signal #1 Phase : Rtx-CLPesticides Signal #2 Phase: Rtx-CLPesticides2
 Signal #1 Info : 30M x 0.32mm x 0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
4) S	2,4-DCAA	11.446	11.167	113.2E6	131.5E6	213.671	222.476
Target Compounds							
1) T	Dalapon	2.896	2.471	151.4E6	175.4E6	195.890	209.553
2) T	3,5-DICHL...	9.841	9.292	166.6E6	167.5E6	201.676	208.363
3) T	4-Nitroph...	11.023	10.330	71506390	72187341	194.430	202.716
5) T	DICAMBA	11.764	11.461	492.7E6	468.5E6	197.014	200.520
6) T	MCPD	12.099	11.663	26026571	24453619	16.217	17.132
7) T	MCPA	12.354	12.052	41302543	39151457	17.408	18.170
8) T	DICHLORPROP	12.959	12.573	121.4E6	123.4E6	204.558	211.792
9) T	2,4-D	13.321	13.059	146.9E6	156.4E6	199.610	205.956
10) T	Pentachlo...	13.703	13.606	2076.7E6	2000.0E6	220.201	225.318
11) T	2,4,5-TP ...	14.577	14.210	812.2E6	782.6E6	186.534	208.540
12) T	2,4,5-T	14.978	14.836	744.5E6	614.6E6	201.318	203.473
13) T	2,4-DB	15.727	15.435	89598031	87053284	195.166	204.935
14) T	DINOSEB	17.197	15.830	559.0E6	504.4E6	199.386	204.629
15) T	Picloram	17.006	17.168	1184.7E6	982.5E6	198.350	200.571
16) T	DCPA	17.566	17.047	1026.3E6	938.9E6	209.337	215.764



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : P:\HPCHEM1\ECD P\Data\PP032918\
Data File : PP024699.D
Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
Acq On : 29 Mar 2018 12:58
Operator : UA/AJ
Sample : HSTDICC200
Misc :
ALS Vial : 3 Sample Multiplier: 1

Instrument :
ECD_P
ClientSampleId :
HSTDICC200

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Mar 29 15:55:05 2018
Quant Method : P:\HPCHEM1\ECD_P\methods\PP032918.M
Quant Title : 8080.M
QLast Update : Thu Mar 29 15:52:07 2018
Response via : Initial Calibration
Integrator: ChemStation 6890 Scale Mode: Large solvent peaks clipped

Volume Ini. : 2 µl
Signal #1 Phase : Rtx-CLPesticides Signal #2 Phase: Rtx-CLPesticides2
Signal #1 Info : 30M x 0.32mm x0.5 Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Dalapon


R.T.: 2.896 min
Delta R.T.: 0.000 min
Response: 151420214
Conc: 195.89 ng/ml

Instrument :
ECD_P
ClientSampleId :
HSTDICC200




#1 Dalapon

R.T.: 2.471 min
Delta R.T.: 0.000 min
Response: 175362706
Conc: 209.55 ng/ml




#2 3,5-DICHLOROBENZOIC ACID

R.T.: 9.841 min
Delta R.T.: 0.000 min
Response: 166605335
Conc: 201.68 ng/ml



#2 3,5-DICHLOROBENZOIC ACID


R.T.: 9.292 min
Delta R.T.: 0.001 min
Response: 167499172
Conc: 208.36 ng/ml



#3 4-Nitrophenol


R.T.: 11.023 min
Delta R.T.: 0.002 min
Response: 71506390
Conc: 194.43 ng/ml

Instrument :
ECD_P
ClientSampleId :
HSTDICC200




#3 4-Nitrophenol

R.T.: 10.330 min
Delta R.T.: 0.003 min
Response: 72187341
Conc: 202.72 ng/ml




#4 2,4-DCAA

R.T.: 11.446 min
Delta R.T.: 0.000 min
Response: 113176630
Conc: 213.67 ng/ml



#4 2,4-DCAA


R.T.: 11.167 min
Delta R.T.: 0.000 min
Response: 131506394
Conc: 222.48 ng/ml



#5 DICAMBA


R.T.: 11.764 min
Delta R.T.: -0.001 min
Response: 492744455
Conc: 197.01 ng/ml

Instrument :
ECD_P
ClientSampleId :
HSTDICC200




#5 DICAMBA

R.T.: 11.461 min
Delta R.T.: 0.000 min
Response: 468459918
Conc: 200.52 ng/ml




#6 MCP

R.T.: 12.099 min
Delta R.T.: -0.007 min
Response: 26026571
Conc: 16.22 ug/ml



#6 MCP


R.T.: 11.663 min
Delta R.T.: -0.007 min
Response: 24453619
Conc: 17.13 ug/ml



#7 MCPA


R.T.: 12.354 min
Delta R.T.: -0.008 min
Response: 41302543
Conc: 17.41 ug/ml

Instrument :
ECD_P
ClientSampleId :
HSTDICC200




#7 MCPA

R.T.: 12.052 min
Delta R.T.: -0.009 min
Response: 39151457
Conc: 18.17 ug/ml




#8 DICHLORPROP

R.T.: 12.959 min
Delta R.T.: 0.000 min
Response: 121410374
Conc: 204.56 ng/ml



#8 DICHLORPROP


R.T.: 12.573 min
Delta R.T.: 0.000 min
Response: 123399617
Conc: 211.79 ng/ml



#9 2,4-D


R.T.: 13.321 min
Delta R.T.: 0.000 min
Response: 146875914
Conc: 199.61 ng/ml

Instrument :
ECD_P
ClientSampleId :
HSTDICC200




#9 2,4-D

R.T.: 13.059 min
Delta R.T.: 0.000 min
Response: 156447329
Conc: 205.96 ng/ml




#10 Pentachlorophenol

R.T.: 13.703 min
Delta R.T.: -0.001 min
Response: 2076739074
Conc: 220.20 ng/ml



#10 Pentachlorophenol


R.T.: 13.606 min
Delta R.T.: -0.001 min
Response: 1999994302
Conc: 225.32 ng/ml



#11 2,4,5-TP (SILVEX)


R.T.: 14.577 min
Delta R.T.: 0.000 min
Response: 812226301
Conc: 186.53 ng/ml

Instrument :
ECD_P
ClientSampleId :
HSTDICC200




#11 2,4,5-TP (SILVEX)

R.T.: 14.210 min
Delta R.T.: 0.000 min
Response: 782597827
Conc: 208.54 ng/ml




#12 2,4,5-T

R.T.: 14.978 min
Delta R.T.: 0.000 min
Response: 744529780
Conc: 201.32 ng/ml



#12 2,4,5-T


R.T.: 14.836 min
Delta R.T.: 0.000 min
Response: 614617475
Conc: 203.47 ng/ml



#13 2,4-DB


R.T.: 15.727 min
Delta R.T.: 0.000 min
Response: 89598031
Conc: 195.17 ng/ml

Instrument :
ECD_P
ClientSampleId :
HSTDICC200




#13 2,4-DB

R.T.: 15.435 min
Delta R.T.: 0.000 min
Response: 87053284
Conc: 204.93 ng/ml




#14 DINOSEB

R.T.: 17.197 min
Delta R.T.: -0.001 min
Response: 558954477
Conc: 199.39 ng/ml



#14 DINOSEB


R.T.: 15.830 min
Delta R.T.: -0.001 min
Response: 504395657
Conc: 204.63 ng/ml



#15 Picloram


R.T.: 17.006 min
Delta R.T.: 0.001 min
Response: 1184676025
Conc: 198.35 ng/ml

Instrument :
ECD_P
ClientSampleId :
HSTDICC200




#15 Picloram

R.T.: 17.168 min
Delta R.T.: 0.000 min
Response: 982508192
Conc: 200.57 ng/ml



#16 DCPA

R.T.: 17.566 min
Delta R.T.: -0.002 min
Response: 1026267412
Conc: 209.34 ng/ml



#16 DCPA

R.T.: 17.047 min
Delta R.T.: 0.000 min
Response: 938887810
Conc: 215.76 ng/ml