

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP040622\
 Data File : PP045669.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 08 Apr 2022 08:55
 Operator : YP\AJ
 Sample : N2313-06
 Misc :
 ALS Vial : 33 Sample Multiplier: 1

Instrument :
 ECD_P
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Apr 08 12:05:00 2022
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP033022.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Thu Mar 31 07:54:52 2022
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.885	3.144	39950634	27387366	16.558	17.308
2)	SA Decachlor...	9.992	8.486	23564229	22807873	16.446	15.040
Target Compounds							
3)	L1 AR-1016-1	5.135	4.282	1568330	1133033	21.817	19.040
4)	L1 AR-1016-2	5.156	4.301	2166630	1390014	20.173	16.532
5)	L1 AR-1016-3	5.230	4.486	508158	690948	7.724	15.239 #
6)	L1 AR-1016-4	5.329	4.533	1256666	457340	22.944	12.376 #
7)	L1 AR-1016-5	5.662	4.758	261039	331067	5.038	6.914 #
8)	L2 AR-1221-1	4.106	3.369	1719543	401059	68.480	19.286 #
9)	L2 AR-1221-2	4.206	3.456	775668	959763	40.452	60.621 #
10)	L2 AR-1221-3	4.283	3.537	1882687	2306561	31.322	49.308 #
11)	L3 AR-1232-1	4.283	3.537	1882687	2306561	38.182	62.852 #
12)	L3 AR-1232-2	4.845	4.301	2811557	1390014	127.609	40.728 #
13)	L3 AR-1232-3	5.156	4.486	2166630	690948	50.328	37.775
14)	L3 AR-1232-4	5.329	4.577	1256666	470206	57.498	28.706 #
15)	L3 AR-1232-5	5.432	4.758	776434	331067	48.749	17.717 #
16)	L4 AR-1242-1	5.135	4.282	1568330	1133033	26.949	23.281
17)	L4 AR-1242-2	5.156	4.301	2166630	1390014	24.968	20.745
18)	L4 AR-1242-3	5.230	4.486	508158	690948	9.392	18.758 #
19)	L4 AR-1242-4	5.329	4.577	1256666	470206	27.863	13.024 #
20)	L4 AR-1242-5	6.134	5.133	100180	1542591	2.161	32.446 #
21)	L5 AR-1248-1	5.135	4.282	1568330	1133033	34.266	29.725
22)	L5 AR-1248-2	5.432	4.533	776434	457340	12.621	8.879 #
23)	L5 AR-1248-3	5.644	4.577	720468	470206	10.074	8.733
24)	L5 AR-1248-4	6.085	4.758	602700	331067	8.017	5.145 #
25)	L5 AR-1248-5	6.134	5.175	100180	480602	1.335	7.388 #
26)	L6 AR-1254-1	6.067	5.133	725915	1542591	10.196	15.852 #
27)	L6 AR-1254-2	6.302	5.295	881171	860576	8.157	10.552 #
28)	L6 AR-1254-3	6.701	5.722	692037	523905	6.241	4.237 #
29)	L6 AR-1254-4	7.009	5.980	402647	185564	5.010	2.314 #
30)	L6 AR-1254-5	7.495f	6.422	4798752	927474	60.013	8.489 #
31)	L7 AR-1260-1	6.872	5.858	20311	310119	0.255	3.741 #
32)	L7 AR-1260-2	7.157	6.074	917592	392552	10.183	4.029 #
33)	L7 AR-1260-3	7.548	6.235	356563	410572	5.147	4.439
34)	L7 AR-1260-4	7.810	6.745	333446	56993	4.322	0.744 #
35)	L7 AR-1260-5	8.151	7.028	472030	234611	3.343	1.326 #
36)	L8 AR-1262-1	7.548	6.465	356563	289472	3.535	2.578 #
37)	L8 AR-1262-2	8.151	6.745	472030	56993	2.806	0.564 #
38)	L8 AR-1262-3	8.486	7.328	102237	948831	0.884	11.725 #
39)	L8 AR-1262-4	8.570	0.000	1107519	0	18.114	N.D. #
40)	L8 AR-1262-5	9.254	7.944	539497	1645162	8.827	22.603 #
41)	L9 AR-1268-1	8.466	7.328	387303	948831	1.917	4.240 #

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP040622\
Data File : PP045669.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 08 Apr 2022 08:55
Operator : YP\AJ
Sample : N2313-06
Misc :
ALS Vial : 33 Sample Multiplier: 1

Instrument :
ECD_P
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Apr 08 12:05:00 2022
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP033022.M
Quant Title : GC EXTRACTABLES
QLast Update : Thu Mar 31 07:54:52 2022
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml
42)	L9 AR-1268-2	8.570	0.000	1107519	0	5.926	N.D. #
43)	L9 AR-1268-3	8.812	7.615	46223	174728	0.280	1.021 #
44)	L9 AR-1268-4	9.254	7.944	539497	1645162	8.059	20.782 #
45)	L9 AR-1268-5	9.664	8.237	482624	-21991	0.930	N.D. #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP040622\
Data File : PP045669.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 08 Apr 2022 08:55
Operator : YP\AJ
Sample : N2313-06
Misc :
ALS Vial : 33 Sample Multiplier: 1

Instrument :
ECD_P
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Apr 08 12:05:00 2022
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP033022.M
Quant Title : GC EXTRACTABLES
QLast Update : Thu Mar 31 07:54:52 2022
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 3.885 min
Delta R.T.: -0.002 min
Response: 39950634
Conc: 16.56 ng/ml

Instrument :
ECD_P
ClientSampleId :




#1 Tetrachloro-m-xylene

R.T.: 3.144 min
Delta R.T.: -0.002 min
Response: 27387366
Conc: 17.31 ng/ml




#2 Decachlorobiphenyl

R.T.: 9.992 min
Delta R.T.: -0.013 min
Response: 23564229
Conc: 16.45 ng/ml



#2 Decachlorobiphenyl


R.T.: 8.486 min
Delta R.T.: -0.011 min
Response: 22807873
Conc: 15.04 ng/ml



#3 AR-1016-1


R.T.: 5.135 min
Delta R.T.: -0.003 min
Response: 1568330
Conc: 21.82 ng/ml

Instrument :
ECD_P
ClientSampleId :




#3 AR-1016-1

R.T.: 4.282 min
Delta R.T.: -0.006 min
Response: 1133033
Conc: 19.04 ng/ml




#4 AR-1016-2

R.T.: 5.156 min
Delta R.T.: -0.005 min
Response: 2166630
Conc: 20.17 ng/ml



#4 AR-1016-2


R.T.: 4.301 min
Delta R.T.: -0.006 min
Response: 1390014
Conc: 16.53 ng/ml



#5 AR-1016-3


R.T.: 5.230 min
Delta R.T.: 0.002 min
Response: 508158
Conc: 7.72 ng/ml

Instrument :
ECD_P
ClientSampleId :




#5 AR-1016-3

R.T.: 4.486 min
Delta R.T.: -0.005 min
Response: 690948
Conc: 15.24 ng/ml




#6 AR-1016-4

R.T.: 5.329 min
Delta R.T.: -0.005 min
Response: 1256666
Conc: 22.94 ng/ml



#6 AR-1016-4


R.T.: 4.533 min
Delta R.T.: -0.007 min
Response: 457340
Conc: 12.38 ng/ml



#7 AR-1016-5


R.T.: 5.662 min
Delta R.T.: 0.009 min
Response: 261039
Conc: 5.04 ng/ml

Instrument :
ECD_P
ClientSampleId :




#7 AR-1016-5

R.T.: 4.758 min
Delta R.T.: -0.006 min
Response: 331067
Conc: 6.91 ng/ml




#8 AR-1221-1

R.T.: 4.106 min
Delta R.T.: -0.008 min
Response: 1719543
Conc: 68.48 ng/ml



#8 AR-1221-1


R.T.: 3.369 min
Delta R.T.: -0.004 min
Response: 401059
Conc: 19.29 ng/ml



#9 AR-1221-2


R.T.: 4.206 min
Delta R.T.: 0.000 min
Response: 775668
Conc: 40.45 ng/ml

Instrument :
ECD_P
ClientSampleId :




#9 AR-1221-2

R.T.: 3.456 min
Delta R.T.: -0.006 min
Response: 959763
Conc: 60.62 ng/ml




#10 AR-1221-3

R.T.: 4.283 min
Delta R.T.: -0.002 min
Response: 1882687
Conc: 31.32 ng/ml



#10 AR-1221-3


R.T.: 3.537 min
Delta R.T.: -0.004 min
Response: 2306561
Conc: 49.31 ng/ml



#11 AR-1232-1


R.T.: 4.283 min
Delta R.T.: -0.003 min
Response: 1882687
Conc: 38.18 ng/ml

Instrument :
ECD_P
ClientSampleId :




#11 AR-1232-1

R.T.: 3.537 min
Delta R.T.: -0.004 min
Response: 2306561
Conc: 62.85 ng/ml




#12 AR-1232-2

R.T.: 4.845 min
Delta R.T.: -0.003 min
Response: 2811557
Conc: 127.61 ng/ml



#12 AR-1232-2


R.T.: 4.301 min
Delta R.T.: -0.006 min
Response: 1390014
Conc: 40.73 ng/ml



#13 AR-1232-3


R.T.: 5.156 min
Delta R.T.: -0.006 min
Response: 2166630
Conc: 50.33 ng/ml

Instrument :
ECD_P
ClientSampleId :




#13 AR-1232-3

R.T.: 4.486 min
Delta R.T.: -0.005 min
Response: 690948
Conc: 37.77 ng/ml




#14 AR-1232-4

R.T.: 5.329 min
Delta R.T.: -0.005 min
Response: 1256666
Conc: 57.50 ng/ml



#14 AR-1232-4


R.T.: 4.577 min
Delta R.T.: -0.006 min
Response: 470206
Conc: 28.71 ng/ml



#15 AR-1232-5


R.T.: 5.432 min
Delta R.T.: -0.003 min
Response: 776434
Conc: 48.75 ng/ml

Instrument :
ECD_P
ClientSampleId :




#15 AR-1232-5

R.T.: 4.758 min
Delta R.T.: -0.006 min
Response: 331067
Conc: 17.72 ng/ml




#16 AR-1242-1

R.T.: 5.135 min
Delta R.T.: -0.003 min
Response: 1568330
Conc: 26.95 ng/ml



#16 AR-1242-1


R.T.: 4.282 min
Delta R.T.: -0.005 min
Response: 1133033
Conc: 23.28 ng/ml



#17 AR-1242-2


R.T.: 5.156 min
Delta R.T.: -0.004 min
Response: 2166630
Conc: 24.97 ng/ml

Instrument :
ECD_P
ClientSampleId :




#17 AR-1242-2

R.T.: 4.301 min
Delta R.T.: -0.005 min
Response: 1390014
Conc: 20.74 ng/ml




#18 AR-1242-3

R.T.: 5.230 min
Delta R.T.: 0.003 min
Response: 508158
Conc: 9.39 ng/ml



#18 AR-1242-3


R.T.: 4.486 min
Delta R.T.: -0.005 min
Response: 690948
Conc: 18.76 ng/ml



#19 AR-1242-4


R.T.: 5.329 min
Delta R.T.: -0.004 min
Response: 1256666
Conc: 27.86 ng/ml

Instrument :
ECD_P
ClientSampleId :




#19 AR-1242-4

R.T.: 4.577 min
Delta R.T.: -0.006 min
Response: 470206
Conc: 13.02 ng/ml




#20 AR-1242-5

R.T.: 6.134 min
Delta R.T.: 0.002 min
Response: 100180
Conc: 2.16 ng/ml



#20 AR-1242-5


R.T.: 5.133 min
Delta R.T.: -0.007 min
Response: 1542591
Conc: 32.45 ng/ml



#21 AR-1248-1


R.T.: 5.135 min
Delta R.T.: -0.003 min
Response: 1568330
Conc: 34.27 ng/ml

Instrument :
ECD_P
ClientSampleId :




#21 AR-1248-1

R.T.: 4.282 min
Delta R.T.: -0.005 min
Response: 1133033
Conc: 29.72 ng/ml




#22 AR-1248-2

R.T.: 5.432 min
Delta R.T.: -0.002 min
Response: 776434
Conc: 12.62 ng/ml



#22 AR-1248-2


R.T.: 4.533 min
Delta R.T.: -0.006 min
Response: 457340
Conc: 8.88 ng/ml



#23 AR-1248-3


R.T.: 5.644 min
Delta R.T.: -0.009 min
Response: 720468
Conc: 10.07 ng/ml

Instrument :
ECD_P
ClientSampleId :




#23 AR-1248-3

R.T.: 4.577 min
Delta R.T.: -0.006 min
Response: 470206
Conc: 8.73 ng/ml




#24 AR-1248-4

R.T.: 6.085 min
Delta R.T.: -0.006 min
Response: 602700
Conc: 8.02 ng/ml



#24 AR-1248-4


R.T.: 4.758 min
Delta R.T.: -0.005 min
Response: 331067
Conc: 5.15 ng/ml



#25 AR-1248-5


R.T.: 6.134 min
Delta R.T.: 0.002 min
Response: 100180
Conc: 1.33 ng/ml

Instrument :
ECD_P
ClientSampleId :




#25 AR-1248-5

R.T.: 5.175 min
Delta R.T.: -0.007 min
Response: 480602
Conc: 7.39 ng/ml




#26 AR-1254-1

R.T.: 6.067 min
Delta R.T.: 0.005 min
Response: 725915
Conc: 10.20 ng/ml



#26 AR-1254-1


R.T.: 5.133 min
Delta R.T.: -0.006 min
Response: 1542591
Conc: 15.85 ng/ml



#27 AR-1254-2


R.T.: 6.302 min
Delta R.T.: 0.002 min
Response: 881171
Conc: 8.16 ng/ml

Instrument :
ECD_P
ClientSampleId :




#27 AR-1254-2

R.T.: 5.295 min
Delta R.T.: -0.004 min
Response: 860576
Conc: 10.55 ng/ml




#28 AR-1254-3

R.T.: 6.701 min
Delta R.T.: 0.000 min
Response: 692037
Conc: 6.24 ng/ml



#28 AR-1254-3


R.T.: 5.722 min
Delta R.T.: -0.007 min
Response: 523905
Conc: 4.24 ng/ml



#29 AR-1254-4


R.T.: 7.009 min
Delta R.T.: -0.005 min
Response: 402647
Conc: 5.01 ng/ml

Instrument :
ECD_P
ClientSampleId :




#29 AR-1254-4

R.T.: 5.980 min
Delta R.T.: 0.000 min
Response: 185564
Conc: 2.31 ng/ml




#30 AR-1254-5

R.T.: 7.495 min
Delta R.T.: 0.020 min
Response: 4798752
Conc: 60.01 ng/ml



#30 AR-1254-5


R.T.: 6.422 min
Delta R.T.: -0.007 min
Response: 927474
Conc: 8.49 ng/ml



#31 AR-1260-1


R.T.: 6.872 min
Delta R.T.: -0.008 min
Response: 20311
Conc: 0.25 ng/ml

Instrument :
ECD_P
ClientSampleId :




#31 AR-1260-1

R.T.: 5.858 min
Delta R.T.: -0.013 min
Response: 310119
Conc: 3.74 ng/ml




#32 AR-1260-2

R.T.: 7.157 min
Delta R.T.: -0.008 min
Response: 917592
Conc: 10.18 ng/ml



#32 AR-1260-2


R.T.: 6.074 min
Delta R.T.: -0.003 min
Response: 392552
Conc: 4.03 ng/ml



#33 AR-1260-3


R.T.: 7.548 min
Delta R.T.: -0.011 min
Response: 356563
Conc: 5.15 ng/ml

Instrument :
ECD_P
ClientSampleId :




#33 AR-1260-3

R.T.: 6.235 min
Delta R.T.: -0.004 min
Response: 410572
Conc: 4.44 ng/ml




#34 AR-1260-4

R.T.: 7.810 min
Delta R.T.: 0.004 min
Response: 333446
Conc: 4.32 ng/ml



#34 AR-1260-4


R.T.: 6.745 min
Delta R.T.: -0.006 min
Response: 56993
Conc: 0.74 ng/ml



#35 AR-1260-5


R.T.: 8.151 min
Delta R.T.: 0.003 min
Response: 472030
Conc: 3.34 ng/ml

Instrument :
ECD_P
ClientSampleId :




#35 AR-1260-5

R.T.: 7.028 min
Delta R.T.: 0.009 min
Response: 234611
Conc: 1.33 ng/ml




#36 AR-1262-1

R.T.: 7.548 min
Delta R.T.: -0.011 min
Response: 356563
Conc: 3.54 ng/ml



#36 AR-1262-1


R.T.: 6.465 min
Delta R.T.: -0.006 min
Response: 289472
Conc: 2.58 ng/ml



#37 AR-1262-2


R.T.: 8.151 min
Delta R.T.: 0.003 min
Response: 472030
Conc: 2.81 ng/ml

Instrument :
ECD_P
ClientSampleId :




#37 AR-1262-2

R.T.: 6.745 min
Delta R.T.: -0.006 min
Response: 56993
Conc: 0.56 ng/ml




#38 AR-1262-3

R.T.: 8.486 min
Delta R.T.: 0.009 min
Response: 102237
Conc: 0.88 ng/ml



#38 AR-1262-3


R.T.: 7.328 min
Delta R.T.: 0.004 min
Response: 948831
Conc: 11.72 ng/ml



#39 AR-1262-4


R.T.: 8.570 min
Delta R.T.: 0.000 min
Response: 1107519
Conc: 18.11 ng/ml

Instrument :
ECD_P
ClientSampleId :




#39 AR-1262-4

R.T.: 0.000 min
Exp R.T. : 7.394 min
Response: 0
Conc: N.D.




#40 AR-1262-5

R.T.: 9.254 min
Delta R.T.: 0.006 min
Response: 539497
Conc: 8.83 ng/ml



#40 AR-1262-5


R.T.: 7.944 min
Delta R.T.: 0.007 min
Response: 1645162
Conc: 22.60 ng/ml



#41 AR-1268-1


R.T.: 8.466 min
Delta R.T.: -0.008 min
Response: 387303
Conc: 1.92 ng/ml

Instrument :
ECD_P
ClientSampleId :




#41 AR-1268-1

R.T.: 7.328 min
Delta R.T.: 0.005 min
Response: 948831
Conc: 4.24 ng/ml




#42 AR-1268-2

R.T.: 8.570 min
Delta R.T.: -0.002 min
Response: 1107519
Conc: 5.93 ng/ml



#42 AR-1268-2


R.T.: 0.000 min
Exp R.T.: 7.395 min
Response: 0
Conc: N.D.



#43 AR-1268-3


R.T.: 8.812 min
Delta R.T.: 0.005 min
Response: 46223
Conc: 0.28 ng/ml

Instrument :
ECD_P
ClientSampleId :




#43 AR-1268-3

R.T.: 7.615 min
Delta R.T.: 0.001 min
Response: 174728
Conc: 1.02 ng/ml




#44 AR-1268-4

R.T.: 9.254 min
Delta R.T.: 0.008 min
Response: 539497
Conc: 8.06 ng/ml



#44 AR-1268-4


R.T.: 7.944 min
Delta R.T.: 0.008 min
Response: 1645162
Conc: 20.78 ng/ml



#45 AR-1268-5

R.T.: 9.664 min
Delta R.T.: -0.003 min
Response: 482624
Conc: 0.93 ng/ml

Instrument :
ECD_P
ClientSampleId :



#45 AR-1268-5

R.T.: 8.237 min
Delta R.T.: -0.002 min
Response: -21991
Conc: N.D.