

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP040723\
 Data File : PP056716.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 07 Apr 2023 13:00
 Operator : YP\AJ
 Sample : 02213-07
 Misc : AR1232 LOD 25 PPB
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 ECD_P
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Apr 07 22:32:57 2023
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP040623.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Fri Apr 07 04:14:17 2023
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	4.433	3.660	40900412	33172032	19.037	19.073
2)	SA Decachlor...	10.268	8.745	28686728	34383265	21.917	21.868
Target Compounds							
3)	L1 AR-1016-1	5.608	4.761	797394	613358	12.987	11.516
4)	L1 AR-1016-2	5.630	4.780	1189145	862715	13.335	11.634
5)	L1 AR-1016-3	5.693	4.959	783730	452534	13.824	11.245
6)	L1 AR-1016-4	5.792	5.002	564054	371359	12.596	10.248
7)	L1 AR-1016-5	6.090	5.218	534960	663183	11.410	14.122
8)	L2 AR-1221-1	4.641	3.878	691293	377980	26.208	17.259 #
9)	L2 AR-1221-2	4.739	3.965	804431	774372	41.410	47.132
10)	L2 AR-1221-3	4.805	4.042	1188531	1070731	20.861	21.836
11)	L3 AR-1232-1	4.805	4.042	1188531	1070731	24.677	26.027
12)	L3 AR-1232-2	5.339	4.780	597345	862715	23.913	25.172
13)	L3 AR-1232-3	5.630	4.959	1189145	452534	29.494	24.593
14)	L3 AR-1232-4	5.792	5.044	564054	539891	27.994	28.174
15)	L3 AR-1232-5	5.885	5.218	524436	663183	29.837	31.199
16)	L4 AR-1242-1	5.608	4.761	797394	613358	15.857	14.261
17)	L4 AR-1242-2	5.630	4.780	1189145	862715	16.330	14.499
18)	L4 AR-1242-3	5.693	4.959	783730	452534	17.105	14.026
19)	L4 AR-1242-4	5.792	5.044	564054	539891	15.632	14.818
20)	L4 AR-1242-5	6.535	5.573	504930	585438	15.212	14.683
21)	L5 AR-1248-1	5.608	4.761	797394	613358	21.253	18.633
22)	L5 AR-1248-2	5.885	5.002	524436	371359	8.905	7.205
23)	L5 AR-1248-3	6.090	5.044	534960	539891	8.397	10.057
24)	L5 AR-1248-4	6.495	5.218	497222	663183	8.562	10.718 #
25)	L5 AR-1248-5	6.535	5.614	504930	638706	8.939	12.440 #
26)	L6 AR-1254-1	6.468	5.573	654498	585438	9.231	6.355 #
27)	L6 AR-1254-2	6.693	5.724	515502	254859	5.083	3.171 #
28)	L6 AR-1254-3	7.059	6.132	503013	342415	5.189	2.770 #
29)	L6 AR-1254-4	7.344	6.361	263667	208551	4.320	3.281
30)	L6 AR-1254-5	7.770	6.783	197823	1257429	2.903	11.960 #
31)	L7 AR-1260-1	7.221	6.259	134457	245875	1.652	2.571 #
32)	L7 AR-1260-2	7.485	6.439f	287917	332432	3.375	3.219
33)	L7 AR-1260-3	7.832f	6.606	157413	212570	2.254	2.050
34)	L7 AR-1260-4	8.065	0.000	386654	0	5.068	N.D. #
35)	L7 AR-1260-5	8.406	7.323	20081	61390	0.159	0.388 #
36)	L8 AR-1262-1	7.832	6.902f	157413	52800	1.787	1.128 #
37)	L8 AR-1262-2	8.406	0.000	20081	0	0.155	N.D. #
38)	L8 AR-1262-3	8.728	0.000	36618	0	0.398	N.D. #
39)	L8 AR-1262-4	8.813	7.683	145375	251566	3.202	2.134 #
40)	L8 AR-1262-5	9.487	8.176	51881	47124	1.291	0.967 #
41)	L9 AR-1268-1	8.707	0.000	16601	0	0.089	N.D. #

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP040723\
 Data File : PP056716.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 07 Apr 2023 13:00
 Operator : YP\AJ
 Sample : 02213-07
 Misc : AR1232 LOD 25 PPB
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 ECD_P
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Apr 07 22:32:57 2023
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP040623.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Fri Apr 07 04:14:17 2023
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml
42) L9	AR-1268-2	8.813	7.683	145375	251566	0.876	1.295 #
43) L9	AR-1268-3	9.040	7.891	21579	47424	0.136	0.239 #
44) L9	AR-1268-4	9.487	8.176	51881	47124	1.117	0.815 #
45) L9	AR-1268-5	9.912	8.483	66608	388640	0.155	0.765 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP040723\
Data File : PP056716.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 07 Apr 2023 13:00
Operator : YP\AJ
Sample : 02213-07
Misc : AR1232 LOD 25 PPB
ALS Vial : 15 Sample Multiplier: 1

Instrument :
ECD_P
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Apr 07 22:32:57 2023
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP040623.M
Quant Title : GC EXTRACTABLES
QLast Update : Fri Apr 07 04:14:17 2023
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 4.433 min
Delta R.T.: -0.004 min
Response: 40900412
Conc: 19.04 ng/ml

Instrument :
ECD_P
ClientSampleId :




#1 Tetrachloro-m-xylene

R.T.: 3.660 min
Delta R.T.: -0.005 min
Response: 33172032
Conc: 19.07 ng/ml




#2 Decachlorobiphenyl

R.T.: 10.268 min
Delta R.T.: -0.007 min
Response: 28686728
Conc: 21.92 ng/ml



#2 Decachlorobiphenyl


R.T.: 8.745 min
Delta R.T.: -0.006 min
Response: 34383265
Conc: 21.87 ng/ml



#3 AR-1016-1


R.T.: 5.608 min
Delta R.T.: -0.004 min
Response: 797394
Conc: 12.99 ng/ml

Instrument :
ECD_P
ClientSampleId :




#3 AR-1016-1

R.T.: 4.761 min
Delta R.T.: -0.005 min
Response: 613358
Conc: 11.52 ng/ml




#4 AR-1016-2

R.T.: 5.630 min
Delta R.T.: -0.005 min
Response: 1189145
Conc: 13.33 ng/ml



#4 AR-1016-2


R.T.: 4.780 min
Delta R.T.: -0.005 min
Response: 862715
Conc: 11.63 ng/ml



#5 AR-1016-3


R.T.: 5.693 min
Delta R.T.: -0.005 min
Response: 783730
Conc: 13.82 ng/ml

Instrument :
ECD_P
ClientSampleId :




#5 AR-1016-3

R.T.: 4.959 min
Delta R.T.: -0.005 min
Response: 452534
Conc: 11.24 ng/ml




#6 AR-1016-4

R.T.: 5.792 min
Delta R.T.: -0.005 min
Response: 564054
Conc: 12.60 ng/ml



#6 AR-1016-4


R.T.: 5.002 min
Delta R.T.: -0.004 min
Response: 371359
Conc: 10.25 ng/ml



#7 AR-1016-5


R.T.: 6.090 min
Delta R.T.: -0.004 min
Response: 534960
Conc: 11.41 ng/ml

Instrument :
ECD_P
ClientSampleId :




#7 AR-1016-5

R.T.: 5.218 min
Delta R.T.: -0.005 min
Response: 663183
Conc: 14.12 ng/ml




#8 AR-1221-1

R.T.: 4.641 min
Delta R.T.: -0.006 min
Response: 691293
Conc: 26.21 ng/ml



#8 AR-1221-1


R.T.: 3.878 min
Delta R.T.: -0.004 min
Response: 377980
Conc: 17.26 ng/ml



#9 AR-1221-2


R.T.: 4.739 min
Delta R.T.: 0.006 min
Response: 804431
Conc: 41.41 ng/ml

Instrument :
ECD_P
ClientSampleId :




#9 AR-1221-2

R.T.: 3.965 min
Delta R.T.: -0.005 min
Response: 774372
Conc: 47.13 ng/ml




#10 AR-1221-3

R.T.: 4.805 min
Delta R.T.: -0.005 min
Response: 1188531
Conc: 20.86 ng/ml



#10 AR-1221-3


R.T.: 4.042 min
Delta R.T.: -0.005 min
Response: 1070731
Conc: 21.84 ng/ml



#11 AR-1232-1


R.T.: 4.805 min
Delta R.T.: -0.004 min
Response: 1188531
Conc: 24.68 ng/ml

Instrument :
ECD_P
ClientSampleId :




#11 AR-1232-1

R.T.: 4.042 min
Delta R.T.: -0.004 min
Response: 1070731
Conc: 26.03 ng/ml




#12 AR-1232-2

R.T.: 5.339 min
Delta R.T.: -0.004 min
Response: 597345
Conc: 23.91 ng/ml



#12 AR-1232-2


R.T.: 4.780 min
Delta R.T.: -0.005 min
Response: 862715
Conc: 25.17 ng/ml



#13 AR-1232-3


R.T.: 5.630 min
Delta R.T.: -0.005 min
Response: 1189145
Conc: 29.49 ng/ml

Instrument :
ECD_P
ClientSampleId :




#13 AR-1232-3

R.T.: 4.959 min
Delta R.T.: -0.005 min
Response: 452534
Conc: 24.59 ng/ml




#14 AR-1232-4

R.T.: 5.792 min
Delta R.T.: -0.004 min
Response: 564054
Conc: 27.99 ng/ml



#14 AR-1232-4


R.T.: 5.044 min
Delta R.T.: -0.004 min
Response: 539891
Conc: 28.17 ng/ml



#15 AR-1232-5


R.T.: 5.885 min
Delta R.T.: -0.003 min
Response: 524436
Conc: 29.84 ng/ml

Instrument :
ECD_P
ClientSampleId :




#15 AR-1232-5

R.T.: 5.218 min
Delta R.T.: -0.005 min
Response: 663183
Conc: 31.20 ng/ml




#16 AR-1242-1

R.T.: 5.608 min
Delta R.T.: -0.003 min
Response: 797394
Conc: 15.86 ng/ml



#16 AR-1242-1


R.T.: 4.761 min
Delta R.T.: -0.005 min
Response: 613358
Conc: 14.26 ng/ml



#17 AR-1242-2


R.T.: 5.630 min
Delta R.T.: -0.004 min
Response: 1189145
Conc: 16.33 ng/ml

Instrument :
ECD_P
ClientSampleId :




#17 AR-1242-2

R.T.: 4.780 min
Delta R.T.: -0.005 min
Response: 862715
Conc: 14.50 ng/ml




#18 AR-1242-3

R.T.: 5.693 min
Delta R.T.: -0.004 min
Response: 783730
Conc: 17.11 ng/ml



#18 AR-1242-3


R.T.: 4.959 min
Delta R.T.: -0.004 min
Response: 452534
Conc: 14.03 ng/ml



#19 AR-1242-4


R.T.: 5.792 min
Delta R.T.: -0.004 min
Response: 564054
Conc: 15.63 ng/ml

Instrument :
ECD_P
ClientSampleId :




#19 AR-1242-4

R.T.: 5.044 min
Delta R.T.: -0.004 min
Response: 539891
Conc: 14.82 ng/ml




#20 AR-1242-5

R.T.: 6.535 min
Delta R.T.: -0.003 min
Response: 504930
Conc: 15.21 ng/ml



#20 AR-1242-5


R.T.: 5.573 min
Delta R.T.: -0.005 min
Response: 585438
Conc: 14.68 ng/ml



#21 AR-1248-1


R.T.: 5.608 min
Delta R.T.: -0.003 min
Response: 797394
Conc: 21.25 ng/ml

Instrument :
ECD_P
ClientSampleId :




#21 AR-1248-1

R.T.: 4.761 min
Delta R.T.: -0.003 min
Response: 613358
Conc: 18.63 ng/ml




#22 AR-1248-2

R.T.: 5.885 min
Delta R.T.: 0.000 min
Response: 524436
Conc: 8.90 ng/ml



#22 AR-1248-2


R.T.: 5.002 min
Delta R.T.: -0.003 min
Response: 371359
Conc: 7.20 ng/ml



#23 AR-1248-3


R.T.: 6.090 min
Delta R.T.: -0.002 min
Response: 534960
Conc: 8.40 ng/ml

Instrument :
ECD_P
ClientSampleId :




#23 AR-1248-3

R.T.: 5.044 min
Delta R.T.: -0.003 min
Response: 539891
Conc: 10.06 ng/ml




#24 AR-1248-4

R.T.: 6.495 min
Delta R.T.: -0.003 min
Response: 497222
Conc: 8.56 ng/ml



#24 AR-1248-4


R.T.: 5.218 min
Delta R.T.: -0.003 min
Response: 663183
Conc: 10.72 ng/ml



#25 AR-1248-5


R.T.: 6.535 min
Delta R.T.: -0.002 min
Response: 504930
Conc: 8.94 ng/ml

Instrument :
ECD_P
ClientSampleId :




#25 AR-1248-5

R.T.: 5.614 min
Delta R.T.: -0.005 min
Response: 638706
Conc: 12.44 ng/ml




#26 AR-1254-1

R.T.: 6.468 min
Delta R.T.: -0.005 min
Response: 654498
Conc: 9.23 ng/ml



#26 AR-1254-1


R.T.: 5.573 min
Delta R.T.: -0.005 min
Response: 585438
Conc: 6.36 ng/ml



#27 AR-1254-2


R.T.: 6.693 min
Delta R.T.: 0.000 min
Response: 515502
Conc: 5.08 ng/ml

Instrument :
ECD_P
ClientSampleId :




#27 AR-1254-2

R.T.: 5.724 min
Delta R.T.: -0.002 min
Response: 254859
Conc: 3.17 ng/ml




#28 AR-1254-3

R.T.: 7.059 min
Delta R.T.: -0.002 min
Response: 503013
Conc: 5.19 ng/ml



#28 AR-1254-3


R.T.: 6.132 min
Delta R.T.: -0.004 min
Response: 342415
Conc: 2.77 ng/ml



#29 AR-1254-4


R.T.: 7.344 min
Delta R.T.: -0.003 min
Response: 263667
Conc: 4.32 ng/ml

Instrument :
ECD_P
ClientSampleId :




#29 AR-1254-4

R.T.: 6.361 min
Delta R.T.: -0.004 min
Response: 208551
Conc: 3.28 ng/ml




#30 AR-1254-5

R.T.: 7.770 min
Delta R.T.: 0.001 min
Response: 197823
Conc: 2.90 ng/ml



#30 AR-1254-5


R.T.: 6.783 min
Delta R.T.: -0.005 min
Response: 1257429
Conc: 11.96 ng/ml



#31 AR-1260-1


R.T.: 7.221 min
Delta R.T.: -0.007 min
Response: 134457
Conc: 1.65 ng/ml

Instrument :
ECD_P
ClientSampleId :




#31 AR-1260-1

R.T.: 6.259 min
Delta R.T.: -0.010 min
Response: 245875
Conc: 2.57 ng/ml




#32 AR-1260-2

R.T.: 7.485 min
Delta R.T.: -0.001 min
Response: 287917
Conc: 3.37 ng/ml



#32 AR-1260-2


R.T.: 6.439 min
Delta R.T.: -0.019 min
Response: 332432
Conc: 3.22 ng/ml



#33 AR-1260-3


R.T.: 7.832 min
Delta R.T.: -0.015 min
Response: 157413
Conc: 2.25 ng/ml

Instrument :
ECD_P
ClientSampleId :




#33 AR-1260-3

R.T.: 6.606 min
Delta R.T.: -0.008 min
Response: 212570
Conc: 2.05 ng/ml




#34 AR-1260-4

R.T.: 8.065 min
Delta R.T.: -0.010 min
Response: 386654
Conc: 5.07 ng/ml



#34 AR-1260-4


R.T.: 0.000 min
Exp R.T.: 7.090 min
Response: 0
Conc: N.D.



#35 AR-1260-5


R.T.: 8.406 min
Delta R.T.: 0.005 min
Response: 20081
Conc: 0.16 ng/ml

Instrument :
ECD_P
ClientSampleId :




#35 AR-1260-5

R.T.: 7.323 min
Delta R.T.: -0.008 min
Response: 61390
Conc: 0.39 ng/ml




#36 AR-1262-1

R.T.: 7.832 min
Delta R.T.: -0.013 min
Response: 157413
Conc: 1.79 ng/ml



#36 AR-1262-1


R.T.: 6.902 min
Delta R.T.: 0.023 min
Response: 52800
Conc: 1.13 ng/ml



#37 AR-1262-2


R.T.: 8.406 min
Delta R.T.: 0.008 min
Response: 20081
Conc: 0.16 ng/ml

Instrument :
ECD_P
ClientSampleId :




#37 AR-1262-2

R.T.: 0.000 min
Exp R.T. : 7.087 min
Response: 0
Conc: N.D.




#38 AR-1262-3

R.T.: 8.728 min
Delta R.T.: 0.009 min
Response: 36618
Conc: 0.40 ng/ml



#38 AR-1262-3


R.T.: 0.000 min
Exp R.T. : 7.616 min
Response: 0
Conc: N.D.



#39 AR-1262-4


R.T.: 8.813 min
Delta R.T.: 0.003 min
Response: 145375
Conc: 3.20 ng/ml

Instrument :
ECD_P
ClientSampleId :




#39 AR-1262-4

R.T.: 7.683 min
Delta R.T.: 0.003 min
Response: 251566
Conc: 2.13 ng/ml




#40 AR-1262-5

R.T.: 9.487 min
Delta R.T.: 0.002 min
Response: 51881
Conc: 1.29 ng/ml



#40 AR-1262-5


R.T.: 8.176 min
Delta R.T.: -0.004 min
Response: 47124
Conc: 0.97 ng/ml



#41 AR-1268-1


R.T.: 8.707 min
Delta R.T.: -0.009 min
Response: 16601
Conc: 0.09 ng/ml

Instrument :
ECD_P
ClientSampleId :




#41 AR-1268-1

R.T.: 0.000 min
Exp R.T. : 7.616 min
Response: 0
Conc: N.D.




#42 AR-1268-2

R.T.: 8.813 min
Delta R.T.: 0.000 min
Response: 145375
Conc: 0.88 ng/ml



#42 AR-1268-2


R.T.: 7.683 min
Delta R.T.: 0.002 min
Response: 251566
Conc: 1.30 ng/ml



#43 AR-1268-3


R.T.: 9.040 min
Delta R.T.: -0.009 min
Response: 21579
Conc: 0.14 ng/ml

Instrument :
ECD_P
ClientSampleId :




#43 AR-1268-3

R.T.: 7.891 min
Delta R.T.: 0.000 min
Response: 47424
Conc: 0.24 ng/ml




#44 AR-1268-4

R.T.: 9.487 min
Delta R.T.: 0.002 min
Response: 51881
Conc: 1.12 ng/ml



#44 AR-1268-4


R.T.: 8.176 min
Delta R.T.: -0.004 min
Response: 47124
Conc: 0.81 ng/ml



#45 AR-1268-5

R.T.: 9.912 min
Delta R.T.: -0.005 min
Response: 66608
Conc: 0.16 ng/ml

Instrument :
ECD_P
ClientSampleId :



#45 AR-1268-5

R.T.: 8.483 min
Delta R.T.: 0.002 min
Response: 388640
Conc: 0.77 ng/ml