

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP040822\
 Data File : PP045684.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 08 Apr 2022 14:28
 Operator : YP\AJ
 Sample : PB143942BL
 Misc :
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 ECD_P
 ClientSampleId :
 PB143942BL

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Apr 09 02:23:39 2022
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP033022.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Thu Mar 31 07:54:52 2022
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.882	3.144	50007574	33556524	20.726	21.207
2)	SA Decachlor...	9.989f	8.485	30804716	30814569	21.499	20.320
Target Compounds							
3)	L1 AR-1016-1	5.152	4.287	135537	26089	1.885	0.438 #
4)	L1 AR-1016-2	5.169	4.306	105043	13686	0.978	0.163 #
5)	L1 AR-1016-3	5.219	4.481	55677	8931	0.846	0.197 #
6)	L1 AR-1016-4	5.330	4.535	60070	18500	1.097	0.501 #
7)	L1 AR-1016-5	5.661	4.762	417632	30725	8.061	0.642 #
8)	L2 AR-1221-1	4.102	3.373	510560	10280	20.333	0.494 #
9)	L2 AR-1221-2	4.207	3.455	522417	559013	27.245	35.309 #
10)	L2 AR-1221-3	4.289	3.542	66891	21676	1.113	0.463 #
11)	L3 AR-1232-1	4.289	3.542	66891	21676	1.357	0.591 #
12)	L3 AR-1232-2	4.853	4.306	135381	13686	6.145	0.401 #
13)	L3 AR-1232-3	5.169	4.481	105043	8931	2.440	0.488 #
14)	L3 AR-1232-4	5.330	4.580	60070	24642	2.748	1.504 #
15)	L3 AR-1232-5	5.435	4.762	205448	30725	12.899	1.644 #
16)	L4 AR-1242-1	5.152	4.287	135537	26089	2.329	0.536 #
17)	L4 AR-1242-2	5.169	4.306	105043	13686	1.210	0.204 #
18)	L4 AR-1242-3	5.219	4.481	55677	8931	1.029	0.242 #
19)	L4 AR-1242-4	5.330	4.580	60070	24642	1.332	0.683 #
20)	L4 AR-1242-5	6.126	5.133	191454	18195	4.129	0.383 #
21)	L5 AR-1248-1	5.152	4.287	135537	26089	2.961	0.684 #
22)	L5 AR-1248-2	5.435	4.535	205448	18500	3.339	0.359 #
23)	L5 AR-1248-3	5.661	4.580	417632	24642	5.840	0.458 #
24)	L5 AR-1248-4	6.087	4.762	300981	30725	4.004	0.478 #
25)	L5 AR-1248-5	6.126	5.180	191454	34897	2.551	0.536 #
26)	L6 AR-1254-1	6.047	5.133	46052	18195	0.647	0.187 #
27)	L6 AR-1254-2	6.307	5.301	114616	31688	1.061	0.389 #
28)	L6 AR-1254-3	6.701	5.729	656496	68067	5.921	0.551 #
29)	L6 AR-1254-4	7.025	5.975	567003	30381	7.055	0.379 #
30)	L6 AR-1254-5	0.000	6.427	0	47384	N.D.	0.434 #
31)	L7 AR-1260-1	6.889	5.873	294943	152821	3.698	1.844 #
32)	L7 AR-1260-2	7.164	6.088	364385	263469	4.044	2.704 #
33)	L7 AR-1260-3	7.553	6.240	502073	81073	7.247	0.876 #
34)	L7 AR-1260-4	7.801	6.753	166601	35672	2.160	0.466 #
35)	L7 AR-1260-5	8.143	7.010	82773	45844	0.586	0.259 #
36)	L8 AR-1262-1	7.553	6.464	502073	28636	4.978	0.255 #
37)	L8 AR-1262-2	8.143	6.753	82773	35672	0.492	0.353 #
38)	L8 AR-1262-3	8.482	7.320	43918	96402	0.380	1.191 #
39)	L8 AR-1262-4	8.571	7.399	1893034	96838	30.961	0.655 #
40)	L8 AR-1262-5	9.255	7.931	354718	449672	5.804	6.178
41)	L9 AR-1268-1	8.470	7.320	92436	96402	0.457	0.431

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP040822\
 Data File : PP045684.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 08 Apr 2022 14:28
 Operator : YP\AJ
 Sample : PB143942BL
 Misc :
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 ECD_P
 ClientSampleId :
 PB143942BL

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Apr 09 02:23:39 2022
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP033022.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Thu Mar 31 07:54:52 2022
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml
42) L9	AR-1268-2	8.571	7.399	1893034	96838	10.129	0.478 #
43) L9	AR-1268-3	8.807	7.616	59984	26579	0.363	0.155 #
44) L9	AR-1268-4	9.255	7.931	354718	449672	5.299	5.680
45) L9	AR-1268-5	9.662	8.243	361909	32382	0.697	0.060 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP040822\
Data File : PP045684.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 08 Apr 2022 14:28
Operator : YP\AJ
Sample : PB143942BL
Misc :
ALS Vial : 9 Sample Multiplier: 1

Instrument :
ECD_P
ClientSampleId :
PB143942BL

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Apr 09 02:23:39 2022
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP033022.M
Quant Title : GC EXTRACTABLES
QLast Update : Thu Mar 31 07:54:52 2022
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 3.882 min
Delta R.T.: -0.005 min
Response: 50007574
Conc: 20.73 ng/ml

Instrument :
ECD_P
ClientSampleId :
PB143942BL




#1 Tetrachloro-m-xylene

R.T.: 3.144 min
Delta R.T.: -0.003 min
Response: 33556524
Conc: 21.21 ng/ml




#2 Decachlorobiphenyl

R.T.: 9.989 min
Delta R.T.: -0.015 min
Response: 30804716
Conc: 21.50 ng/ml



#2 Decachlorobiphenyl


R.T.: 8.485 min
Delta R.T.: -0.012 min
Response: 30814569
Conc: 20.32 ng/ml



#3 AR-1016-1


R.T.: 5.152 min
Delta R.T.: 0.014 min
Response: 135537
Conc: 1.89 ng/ml

Instrument :
ECD_P
ClientSampleId :
PB143942BL




#3 AR-1016-1

R.T.: 4.287 min
Delta R.T.: -0.001 min
Response: 26089
Conc: 0.44 ng/ml




#4 AR-1016-2

R.T.: 5.169 min
Delta R.T.: 0.007 min
Response: 105043
Conc: 0.98 ng/ml



#4 AR-1016-2


R.T.: 4.306 min
Delta R.T.: 0.000 min
Response: 13686
Conc: 0.16 ng/ml



#5 AR-1016-3


R.T.: 5.219 min
Delta R.T.: -0.008 min
Response: 55677
Conc: 0.85 ng/ml

Instrument :
ECD_P
ClientSampleId :
PB143942BL




#5 AR-1016-3

R.T.: 4.481 min
Delta R.T.: -0.010 min
Response: 8931
Conc: 0.20 ng/ml




#6 AR-1016-4

R.T.: 5.330 min
Delta R.T.: -0.003 min
Response: 60070
Conc: 1.10 ng/ml



#6 AR-1016-4


R.T.: 4.535 min
Delta R.T.: -0.005 min
Response: 18500
Conc: 0.50 ng/ml



#7 AR-1016-5


R.T.: 5.661 min
Delta R.T.: 0.008 min
Response: 417632
Conc: 8.06 ng/ml

Instrument :
ECD_P
ClientSampleId :
PB143942BL




#7 AR-1016-5

R.T.: 4.762 min
Delta R.T.: -0.001 min
Response: 30725
Conc: 0.64 ng/ml




#8 AR-1221-1

R.T.: 4.102 min
Delta R.T.: -0.012 min
Response: 510560
Conc: 20.33 ng/ml



#8 AR-1221-1


R.T.: 3.373 min
Delta R.T.: 0.000 min
Response: 10280
Conc: 0.49 ng/ml



#9 AR-1221-2


R.T.: 4.207 min
Delta R.T.: 0.002 min
Response: 522417
Conc: 27.24 ng/ml

Instrument :
ECD_P
ClientSampleId :
PB143942BL




#9 AR-1221-2

R.T.: 3.455 min
Delta R.T.: -0.008 min
Response: 559013
Conc: 35.31 ng/ml




#10 AR-1221-3

R.T.: 4.289 min
Delta R.T.: 0.004 min
Response: 66891
Conc: 1.11 ng/ml



#10 AR-1221-3


R.T.: 3.542 min
Delta R.T.: 0.000 min
Response: 21676
Conc: 0.46 ng/ml



#11 AR-1232-1


R.T.: 4.289 min
Delta R.T.: 0.003 min
Response: 66891
Conc: 1.36 ng/ml

Instrument :
ECD_P
ClientSampleId :
PB143942BL




#11 AR-1232-1

R.T.: 3.542 min
Delta R.T.: 0.001 min
Response: 21676
Conc: 0.59 ng/ml




#12 AR-1232-2

R.T.: 4.853 min
Delta R.T.: 0.004 min
Response: 135381
Conc: 6.14 ng/ml



#12 AR-1232-2


R.T.: 4.306 min
Delta R.T.: 0.000 min
Response: 13686
Conc: 0.40 ng/ml



#13 AR-1232-3


R.T.: 5.169 min
Delta R.T.: 0.007 min
Response: 105043
Conc: 2.44 ng/ml

Instrument :
ECD_P
ClientSampleId :
PB143942BL




#13 AR-1232-3

R.T.: 4.481 min
Delta R.T.: -0.010 min
Response: 8931
Conc: 0.49 ng/ml




#14 AR-1232-4

R.T.: 5.330 min
Delta R.T.: -0.004 min
Response: 60070
Conc: 2.75 ng/ml



#14 AR-1232-4


R.T.: 4.580 min
Delta R.T.: -0.003 min
Response: 24642
Conc: 1.50 ng/ml



#15 AR-1232-5


R.T.: 5.435 min
Delta R.T.: 0.000 min
Response: 205448
Conc: 12.90 ng/ml

Instrument :
ECD_P
ClientSampleId :
PB143942BL




#15 AR-1232-5

R.T.: 4.762 min
Delta R.T.: -0.001 min
Response: 30725
Conc: 1.64 ng/ml




#16 AR-1242-1

R.T.: 5.152 min
Delta R.T.: 0.014 min
Response: 135537
Conc: 2.33 ng/ml



#16 AR-1242-1


R.T.: 4.287 min
Delta R.T.: 0.000 min
Response: 26089
Conc: 0.54 ng/ml



#17 AR-1242-2


R.T.: 5.169 min
Delta R.T.: 0.008 min
Response: 105043
Conc: 1.21 ng/ml

Instrument :
ECD_P
ClientSampleId :
PB143942BL




#17 AR-1242-2

R.T.: 4.306 min
Delta R.T.: 0.000 min
Response: 13686
Conc: 0.20 ng/ml




#18 AR-1242-3

R.T.: 5.219 min
Delta R.T.: -0.008 min
Response: 55677
Conc: 1.03 ng/ml



#18 AR-1242-3


R.T.: 4.481 min
Delta R.T.: -0.009 min
Response: 8931
Conc: 0.24 ng/ml



#19 AR-1242-4


R.T.: 5.330 min
Delta R.T.: -0.003 min
Response: 60070
Conc: 1.33 ng/ml

Instrument :
ECD_P
ClientSampleId :
PB143942BL




#19 AR-1242-4

R.T.: 4.580 min
Delta R.T.: -0.002 min
Response: 24642
Conc: 0.68 ng/ml




#20 AR-1242-5

R.T.: 6.126 min
Delta R.T.: -0.006 min
Response: 191454
Conc: 4.13 ng/ml



#20 AR-1242-5


R.T.: 5.133 min
Delta R.T.: -0.006 min
Response: 18195
Conc: 0.38 ng/ml



#21 AR-1248-1


R.T.: 5.152 min
Delta R.T.: 0.014 min
Response: 135537
Conc: 2.96 ng/ml

Instrument :
ECD_P
ClientSampleId :
PB143942BL




#21 AR-1248-1

R.T.: 4.287 min
Delta R.T.: 0.000 min
Response: 26089
Conc: 0.68 ng/ml




#22 AR-1248-2

R.T.: 5.435 min
Delta R.T.: 0.000 min
Response: 205448
Conc: 3.34 ng/ml



#22 AR-1248-2


R.T.: 4.535 min
Delta R.T.: -0.005 min
Response: 18500
Conc: 0.36 ng/ml



#23 AR-1248-3


R.T.: 5.661 min
Delta R.T.: 0.009 min
Response: 417632
Conc: 5.84 ng/ml

Instrument :
ECD_P
ClientSampleId :
PB143942BL




#23 AR-1248-3

R.T.: 4.580 min
Delta R.T.: -0.002 min
Response: 24642
Conc: 0.46 ng/ml




#24 AR-1248-4

R.T.: 6.087 min
Delta R.T.: -0.004 min
Response: 300981
Conc: 4.00 ng/ml



#24 AR-1248-4


R.T.: 4.762 min
Delta R.T.: 0.000 min
Response: 30725
Conc: 0.48 ng/ml



#25 AR-1248-5


R.T.: 6.126 min
Delta R.T.: -0.006 min
Response: 191454
Conc: 2.55 ng/ml

Instrument :
ECD_P
ClientSampleId :
PB143942BL




#25 AR-1248-5

R.T.: 5.180 min
Delta R.T.: -0.002 min
Response: 34897
Conc: 0.54 ng/ml




#26 AR-1254-1

R.T.: 6.047 min
Delta R.T.: -0.015 min
Response: 46052
Conc: 0.65 ng/ml



#26 AR-1254-1


R.T.: 5.133 min
Delta R.T.: -0.006 min
Response: 18195
Conc: 0.19 ng/ml



#27 AR-1254-2


R.T.: 6.307 min
Delta R.T.: 0.006 min
Response: 114616
Conc: 1.06 ng/ml

Instrument :
ECD_P
ClientSampleId :
PB143942BL




#27 AR-1254-2

R.T.: 5.301 min
Delta R.T.: 0.002 min
Response: 31688
Conc: 0.39 ng/ml




#28 AR-1254-3

R.T.: 6.701 min
Delta R.T.: 0.000 min
Response: 656496
Conc: 5.92 ng/ml



#28 AR-1254-3


R.T.: 5.729 min
Delta R.T.: 0.000 min
Response: 68067
Conc: 0.55 ng/ml



#29 AR-1254-4


R.T.: 7.025 min
Delta R.T.: 0.011 min
Response: 567003
Conc: 7.05 ng/ml

Instrument :
ECD_P
ClientSampleId :
PB143942BL




#29 AR-1254-4

R.T.: 5.975 min
Delta R.T.: -0.004 min
Response: 30381
Conc: 0.38 ng/ml




#30 AR-1254-5

R.T.: 0.000 min
Exp R.T. : 7.475 min
Response: 0
Conc: N.D.



#30 AR-1254-5


R.T.: 6.427 min
Delta R.T.: -0.002 min
Response: 47384
Conc: 0.43 ng/ml



#31 AR-1260-1


R.T.: 6.889 min
Delta R.T.: 0.008 min
Response: 294943
Conc: 3.70 ng/ml

Instrument :
ECD_P
ClientSampleId :
PB143942BL




#31 AR-1260-1

R.T.: 5.873 min
Delta R.T.: 0.003 min
Response: 152821
Conc: 1.84 ng/ml




#32 AR-1260-2

R.T.: 7.164 min
Delta R.T.: -0.001 min
Response: 364385
Conc: 4.04 ng/ml



#32 AR-1260-2


R.T.: 6.088 min
Delta R.T.: 0.010 min
Response: 263469
Conc: 2.70 ng/ml



#33 AR-1260-3


R.T.: 7.553 min
Delta R.T.: -0.006 min
Response: 502073
Conc: 7.25 ng/ml

Instrument :
ECD_P
ClientSampleId :
PB143942BL




#33 AR-1260-3

R.T.: 6.240 min
Delta R.T.: 0.000 min
Response: 81073
Conc: 0.88 ng/ml




#34 AR-1260-4

R.T.: 7.801 min
Delta R.T.: -0.005 min
Response: 166601
Conc: 2.16 ng/ml



#34 AR-1260-4


R.T.: 6.753 min
Delta R.T.: 0.003 min
Response: 35672
Conc: 0.47 ng/ml



#35 AR-1260-5


R.T.: 8.143 min
Delta R.T.: -0.005 min
Response: 82773
Conc: 0.59 ng/ml

Instrument :
ECD_P
ClientSampleId :
PB143942BL




#35 AR-1260-5

R.T.: 7.010 min
Delta R.T.: -0.009 min
Response: 45844
Conc: 0.26 ng/ml




#36 AR-1262-1

R.T.: 7.553 min
Delta R.T.: -0.006 min
Response: 502073
Conc: 4.98 ng/ml



#36 AR-1262-1


R.T.: 6.464 min
Delta R.T.: -0.007 min
Response: 28636
Conc: 0.26 ng/ml



#37 AR-1262-2


R.T.: 8.143 min
Delta R.T.: -0.006 min
Response: 82773
Conc: 0.49 ng/ml

Instrument :
ECD_P
ClientSampleId :
PB143942BL




#37 AR-1262-2

R.T.: 6.753 min
Delta R.T.: 0.003 min
Response: 35672
Conc: 0.35 ng/ml




#38 AR-1262-3

R.T.: 8.482 min
Delta R.T.: 0.004 min
Response: 43918
Conc: 0.38 ng/ml



#38 AR-1262-3


R.T.: 7.320 min
Delta R.T.: -0.004 min
Response: 96402
Conc: 1.19 ng/ml



#39 AR-1262-4


R.T.: 8.571 min
Delta R.T.: 0.000 min
Response: 1893034
Conc: 30.96 ng/ml

Instrument :
ECD_P
ClientSampleId :
PB143942BL




#39 AR-1262-4

R.T.: 7.399 min
Delta R.T.: 0.005 min
Response: 96838
Conc: 0.65 ng/ml




#40 AR-1262-5

R.T.: 9.255 min
Delta R.T.: 0.007 min
Response: 354718
Conc: 5.80 ng/ml



#40 AR-1262-5


R.T.: 7.931 min
Delta R.T.: -0.006 min
Response: 449672
Conc: 6.18 ng/ml



#41 AR-1268-1


R.T.: 8.470 min
Delta R.T.: -0.004 min
Response: 92436
Conc: 0.46 ng/ml

Instrument :
ECD_P
ClientSampleId :
PB143942BL




#41 AR-1268-1

R.T.: 7.320 min
Delta R.T.: -0.003 min
Response: 96402
Conc: 0.43 ng/ml




#42 AR-1268-2

R.T.: 8.571 min
Delta R.T.: 0.000 min
Response: 1893034
Conc: 10.13 ng/ml



#42 AR-1268-2


R.T.: 7.399 min
Delta R.T.: 0.004 min
Response: 96838
Conc: 0.48 ng/ml



#43 AR-1268-3


R.T.: 8.807 min
Delta R.T.: 0.001 min
Response: 59984
Conc: 0.36 ng/ml

Instrument :
ECD_P
ClientSampleId :
PB143942BL




#43 AR-1268-3

R.T.: 7.616 min
Delta R.T.: 0.002 min
Response: 26579
Conc: 0.16 ng/ml




#44 AR-1268-4

R.T.: 9.255 min
Delta R.T.: 0.009 min
Response: 354718
Conc: 5.30 ng/ml



#44 AR-1268-4


R.T.: 7.931 min
Delta R.T.: -0.005 min
Response: 449672
Conc: 5.68 ng/ml



#45 AR-1268-5

R.T.: 9.662 min
Delta R.T.: -0.004 min
Response: 361909
Conc: 0.70 ng/ml

Instrument :
ECD_P
ClientSampleId :
PB143942BL



#45 AR-1268-5

R.T.: 8.243 min
Delta R.T.: 0.004 min
Response: 32382
Conc: 0.06 ng/ml