

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP040822\
 Data File : PP045736.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 09 Apr 2022 09:37
 Operator : YP\AJ
 Sample : N2329-01
 Misc :
 ALS Vial : 46 Sample Multiplier: 1

Instrument :
 ECD_P
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Apr 11 02:07:49 2022
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP033022.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Sat Apr 09 07:55:16 2022
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds						
1) SA Tetrachlo...	3.886	3.143	52548205	35879760	21.779	22.675
2) SA Decachlor...	9.991	8.484	24297447	23866835	16.958	15.739
Target Compounds						
3) L1 AR-1016-1	5.138	4.284	652592	19507	9.078	0.328 #
4) L1 AR-1016-2	5.147	4.300	831417	189216	7.741	2.250 #
5) L1 AR-1016-3	5.220	4.485	1522629	49571	23.143	1.093 #
6) L1 AR-1016-4	5.318	4.534	982462	176992	17.938	4.790 #
7) L1 AR-1016-5	5.642	4.770	1922730	130150	37.110	2.718 #
8) L2 AR-1221-1	4.108	3.370	2642875	1254252	105.252	60.314 #
9) L2 AR-1221-2	4.210	3.437f	361016	5301053	18.827	334.827 #
10) L2 AR-1221-3	4.281	3.540	445439	626624	7.411	13.396 #
11) L3 AR-1232-1	4.281	3.540	445439	626624	9.034	17.075 #
12) L3 AR-1232-2	4.855	4.300	1054585	189216	47.865	5.544 #
13) L3 AR-1232-3	5.173	4.485	1878446	49571	43.633	2.710 #
14) L3 AR-1232-4	5.337	4.585	688368	110352	31.496	6.737 #
15) L3 AR-1232-5	5.429	4.770	1049395	130150	65.888	6.965 #
16) L4 AR-1242-1	5.138	4.284	652592	19507	11.213	0.401 #
17) L4 AR-1242-2	5.173	4.300	1878446	189216	21.647	2.824 #
18) L4 AR-1242-3	5.220	4.485	1522629	49571	28.142	1.346 #
19) L4 AR-1242-4	5.337	4.585	688368	110352	15.263	3.056 #
20) L4 AR-1242-5	6.135	5.134	2656807	699926	57.302	14.722 #
21) L5 AR-1248-1	5.138	4.284	652592	19507	14.258	0.512 #
22) L5 AR-1248-2	5.429	4.543	1049395	43476	17.057	0.844 #
23) L5 AR-1248-3	5.642	4.585	1922730	110352	26.886	2.050 #
24) L5 AR-1248-4	6.086	4.770	1438434	130150	19.133	2.023 #
25) L5 AR-1248-5	6.135	5.180	2656807	345139	35.401	5.306 #
26) L6 AR-1254-1	6.041f	5.134	1970765	699926	27.680	7.193 #
27) L6 AR-1254-2	6.305	5.296	4616213	186411	42.733	2.286 #
28) L6 AR-1254-3	6.704	5.720	5033437	1814227	45.395	14.674 #
29) L6 AR-1254-4	7.004	5.980	2388947	90880	29.723	1.133 #
30) L6 AR-1254-5	7.468	6.420	1105815	3227624	13.829	29.542 #
31) L7 AR-1260-1	6.879	5.863	2790751	3181906	34.993	38.385
32) L7 AR-1260-2	7.155	6.070	3133236	1418486	34.772	14.559 #
33) L7 AR-1260-3	7.559	6.231	370871	516822	5.353	5.587
34) L7 AR-1260-4	7.800	6.743	1415176	356338	18.344	4.651 #
35) L7 AR-1260-5	8.137	7.007	42413	1753330	0.300	9.912 #
36) L8 AR-1262-1	7.559	6.464	370871	354410	3.677	3.157
37) L8 AR-1262-2	8.137	6.752	42413	245217	0.252	2.428 #
38) L8 AR-1262-3	8.485	7.321	621922	389291	5.380	4.811
39) L8 AR-1262-4	8.574	7.392	1966264	560287	32.158	3.788 #
40) L8 AR-1262-5	9.245	7.936	574583	260762	9.401	3.583 #
41) L9 AR-1268-1	8.485	7.321	621922	389291	3.078	1.740 #

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP040822\
Data File : PP045736.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 09 Apr 2022 09:37
Operator : YP\AJ
Sample : N2329-01
Misc :
ALS Vial : 46 Sample Multiplier: 1

Instrument :
ECD_P
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Apr 11 02:07:49 2022
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP033022.M
Quant Title : GC EXTRACTABLES
QLast Update : Sat Apr 09 07:55:16 2022
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml
42)	L9 AR-1268-2	8.574	7.392	1966264	560287	10.521	2.767 #
43)	L9 AR-1268-3	8.808	7.607	55729	152770	0.337	0.893 #
44)	L9 AR-1268-4	9.245	7.936	574583	260762	8.583	3.294 #
45)	L9 AR-1268-5	9.664	8.241	319265	43061	0.615	0.080 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP040822\
Data File : PP045736.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 09 Apr 2022 09:37
Operator : YP\AJ
Sample : N2329-01
Misc :
ALS Vial : 46 Sample Multiplier: 1

Instrument :
ECD_P
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Apr 11 02:07:49 2022
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP033022.M
Quant Title : GC EXTRACTABLES
QLast Update : Sat Apr 09 07:55:16 2022
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 3.886 min
Delta R.T.: 0.002 min
Response: 52548205
Conc: 21.78 ng/ml

Instrument :
ECD_P
ClientSampleId :




#1 Tetrachloro-m-xylene

R.T.: 3.143 min
Delta R.T.: -0.001 min
Response: 35879760
Conc: 22.68 ng/ml




#2 Decachlorobiphenyl

R.T.: 9.991 min
Delta R.T.: 0.000 min
Response: 24297447
Conc: 16.96 ng/ml



#2 Decachlorobiphenyl


R.T.: 8.484 min
Delta R.T.: 0.000 min
Response: 23866835
Conc: 15.74 ng/ml



#3 AR-1016-1


R.T.: 5.138 min
Delta R.T.: 0.005 min
Response: 652592
Conc: 9.08 ng/ml

Instrument :
ECD_P
ClientSampleId :




#3 AR-1016-1

R.T.: 4.284 min
Delta R.T.: 0.002 min
Response: 19507
Conc: 0.33 ng/ml




#4 AR-1016-2

R.T.: 5.147 min
Delta R.T.: -0.008 min
Response: 831417
Conc: 7.74 ng/ml



#4 AR-1016-2


R.T.: 4.300 min
Delta R.T.: 0.000 min
Response: 189216
Conc: 2.25 ng/ml



#5 AR-1016-3


R.T.: 5.220 min
Delta R.T.: -0.002 min
Response: 1522629
Conc: 23.14 ng/ml

Instrument :
ECD_P
ClientSampleId :




#5 AR-1016-3

R.T.: 4.485 min
Delta R.T.: 0.000 min
Response: 49571
Conc: 1.09 ng/ml




#6 AR-1016-4

R.T.: 5.318 min
Delta R.T.: -0.009 min
Response: 982462
Conc: 17.94 ng/ml



#6 AR-1016-4


R.T.: 4.534 min
Delta R.T.: 0.000 min
Response: 176992
Conc: 4.79 ng/ml



#7 AR-1016-5


R.T.: 5.642 min
Delta R.T.: -0.005 min
Response: 1922730
Conc: 37.11 ng/ml

Instrument :
ECD_P
ClientSampleId :




#7 AR-1016-5

R.T.: 4.770 min
Delta R.T.: 0.013 min
Response: 130150
Conc: 2.72 ng/ml




#8 AR-1221-1

R.T.: 4.108 min
Delta R.T.: -0.006 min
Response: 2642875
Conc: 105.25 ng/ml



#8 AR-1221-1


R.T.: 3.370 min
Delta R.T.: -0.003 min
Response: 1254252
Conc: 60.31 ng/ml



#9 AR-1221-2


R.T.: 4.210 min
Delta R.T.: 0.004 min
Response: 361016
Conc: 18.83 ng/ml

Instrument :
ECD_P
ClientSampleId :




#9 AR-1221-2

R.T.: 3.437 min
Delta R.T.: -0.026 min
Response: 5301053
Conc: 334.83 ng/ml




#10 AR-1221-3

R.T.: 4.281 min
Delta R.T.: -0.004 min
Response: 445439
Conc: 7.41 ng/ml



#10 AR-1221-3


R.T.: 3.540 min
Delta R.T.: -0.002 min
Response: 626624
Conc: 13.40 ng/ml



#11 AR-1232-1


R.T.: 4.281 min
Delta R.T.: -0.005 min
Response: 445439
Conc: 9.03 ng/ml

Instrument :
ECD_P
ClientSampleId :




#11 AR-1232-1

R.T.: 3.540 min
Delta R.T.: -0.001 min
Response: 626624
Conc: 17.08 ng/ml




#12 AR-1232-2

R.T.: 4.855 min
Delta R.T.: 0.007 min
Response: 1054585
Conc: 47.86 ng/ml



#12 AR-1232-2


R.T.: 4.300 min
Delta R.T.: -0.006 min
Response: 189216
Conc: 5.54 ng/ml



#13 AR-1232-3


R.T.: 5.173 min
Delta R.T.: 0.011 min
Response: 1878446
Conc: 43.63 ng/ml

Instrument :
ECD_P
ClientSampleId :




#13 AR-1232-3

R.T.: 4.485 min
Delta R.T.: -0.006 min
Response: 49571
Conc: 2.71 ng/ml




#14 AR-1232-4

R.T.: 5.337 min
Delta R.T.: 0.002 min
Response: 688368
Conc: 31.50 ng/ml



#14 AR-1232-4


R.T.: 4.585 min
Delta R.T.: 0.002 min
Response: 110352
Conc: 6.74 ng/ml



#15 AR-1232-5


R.T.: 5.429 min
Delta R.T.: -0.006 min
Response: 1049395
Conc: 65.89 ng/ml

Instrument :
ECD_P
ClientSampleId :




#15 AR-1232-5

R.T.: 4.770 min
Delta R.T.: 0.006 min
Response: 130150
Conc: 6.96 ng/ml




#16 AR-1242-1

R.T.: 5.138 min
Delta R.T.: 0.000 min
Response: 652592
Conc: 11.21 ng/ml



#16 AR-1242-1


R.T.: 4.284 min
Delta R.T.: -0.004 min
Response: 19507
Conc: 0.40 ng/ml



#17 AR-1242-2


R.T.: 5.173 min
Delta R.T.: 0.012 min
Response: 1878446
Conc: 21.65 ng/ml

Instrument :
ECD_P
ClientSampleId :




#17 AR-1242-2

R.T.: 4.300 min
Delta R.T.: -0.006 min
Response: 189216
Conc: 2.82 ng/ml




#18 AR-1242-3

R.T.: 5.220 min
Delta R.T.: -0.007 min
Response: 1522629
Conc: 28.14 ng/ml



#18 AR-1242-3


R.T.: 4.485 min
Delta R.T.: -0.006 min
Response: 49571
Conc: 1.35 ng/ml



#19 AR-1242-4


R.T.: 5.337 min
Delta R.T.: 0.004 min
Response: 688368
Conc: 15.26 ng/ml

Instrument :
ECD_P
ClientSampleId :




#19 AR-1242-4

R.T.: 4.585 min
Delta R.T.: 0.002 min
Response: 110352
Conc: 3.06 ng/ml




#20 AR-1242-5

R.T.: 6.135 min
Delta R.T.: 0.003 min
Response: 2656807
Conc: 57.30 ng/ml



#20 AR-1242-5


R.T.: 5.134 min
Delta R.T.: -0.005 min
Response: 699926
Conc: 14.72 ng/ml



#21 AR-1248-1


R.T.: 5.138 min
Delta R.T.: 0.000 min
Response: 652592
Conc: 14.26 ng/ml

Instrument :
ECD_P
ClientSampleId :




#21 AR-1248-1

R.T.: 4.284 min
Delta R.T.: -0.003 min
Response: 19507
Conc: 0.51 ng/ml




#22 AR-1248-2

R.T.: 5.429 min
Delta R.T.: -0.005 min
Response: 1049395
Conc: 17.06 ng/ml



#22 AR-1248-2


R.T.: 4.543 min
Delta R.T.: 0.003 min
Response: 43476
Conc: 0.84 ng/ml



#23 AR-1248-3


R.T.: 5.642 min
Delta R.T.: -0.010 min
Response: 1922730
Conc: 26.89 ng/ml

Instrument :
ECD_P
ClientSampleId :




#23 AR-1248-3

R.T.: 4.585 min
Delta R.T.: 0.002 min
Response: 110352
Conc: 2.05 ng/ml




#24 AR-1248-4

R.T.: 6.086 min
Delta R.T.: -0.006 min
Response: 1438434
Conc: 19.13 ng/ml



#24 AR-1248-4


R.T.: 4.770 min
Delta R.T.: 0.007 min
Response: 130150
Conc: 2.02 ng/ml



#25 AR-1248-5


R.T.: 6.135 min
Delta R.T.: 0.003 min
Response: 2656807
Conc: 35.40 ng/ml

Instrument :
ECD_P
ClientSampleId :




#25 AR-1248-5

R.T.: 5.180 min
Delta R.T.: -0.002 min
Response: 345139
Conc: 5.31 ng/ml




#26 AR-1254-1

R.T.: 6.041 min
Delta R.T.: -0.021 min
Response: 1970765
Conc: 27.68 ng/ml



#26 AR-1254-1


R.T.: 5.134 min
Delta R.T.: -0.004 min
Response: 699926
Conc: 7.19 ng/ml



#27 AR-1254-2


R.T.: 6.305 min
Delta R.T.: 0.005 min
Response: 4616213
Conc: 42.73 ng/ml

Instrument :
ECD_P
ClientSampleId :




#27 AR-1254-2

R.T.: 5.296 min
Delta R.T.: -0.004 min
Response: 186411
Conc: 2.29 ng/ml




#28 AR-1254-3

R.T.: 6.704 min
Delta R.T.: 0.003 min
Response: 5033437
Conc: 45.40 ng/ml



#28 AR-1254-3


R.T.: 5.720 min
Delta R.T.: -0.009 min
Response: 1814227
Conc: 14.67 ng/ml



#29 AR-1254-4


R.T.: 7.004 min
Delta R.T.: -0.010 min
Response: 2388947
Conc: 29.72 ng/ml

Instrument :
ECD_P
ClientSampleId :




#29 AR-1254-4

R.T.: 5.980 min
Delta R.T.: 0.001 min
Response: 90880
Conc: 1.13 ng/ml




#30 AR-1254-5

R.T.: 7.468 min
Delta R.T.: -0.007 min
Response: 1105815
Conc: 13.83 ng/ml



#30 AR-1254-5


R.T.: 6.420 min
Delta R.T.: -0.009 min
Response: 3227624
Conc: 29.54 ng/ml



#31 AR-1260-1


R.T.: 6.879 min
Delta R.T.: 0.005 min
Response: 2790751
Conc: 34.99 ng/ml

Instrument :
ECD_P
ClientSampleId :




#31 AR-1260-1

R.T.: 5.863 min
Delta R.T.: 0.000 min
Response: 3181906
Conc: 38.39 ng/ml




#32 AR-1260-2

R.T.: 7.155 min
Delta R.T.: -0.002 min
Response: 3133236
Conc: 34.77 ng/ml



#32 AR-1260-2


R.T.: 6.070 min
Delta R.T.: 0.001 min
Response: 1418486
Conc: 14.56 ng/ml



#33 AR-1260-3


R.T.: 7.559 min
Delta R.T.: 0.007 min
Response: 370871
Conc: 5.35 ng/ml

Instrument :
ECD_P
ClientSampleId :




#33 AR-1260-3

R.T.: 6.231 min
Delta R.T.: 0.000 min
Response: 516822
Conc: 5.59 ng/ml




#34 AR-1260-4

R.T.: 7.800 min
Delta R.T.: 0.000 min
Response: 1415176
Conc: 18.34 ng/ml



#34 AR-1260-4


R.T.: 6.743 min
Delta R.T.: 0.001 min
Response: 356338
Conc: 4.65 ng/ml



#35 AR-1260-5


R.T.: 8.137 min
Delta R.T.: -0.003 min
Response: 42413
Conc: 0.30 ng/ml

Instrument :
ECD_P
ClientSampleId :




#35 AR-1260-5

R.T.: 7.007 min
Delta R.T.: -0.003 min
Response: 1753330
Conc: 9.91 ng/ml




#36 AR-1262-1

R.T.: 7.559 min
Delta R.T.: 0.000 min
Response: 370871
Conc: 3.68 ng/ml



#36 AR-1262-1


R.T.: 6.464 min
Delta R.T.: -0.007 min
Response: 354410
Conc: 3.16 ng/ml



#37 AR-1262-2


R.T.: 8.137 min
Delta R.T.: -0.011 min
Response: 42413
Conc: 0.25 ng/ml

Instrument :
ECD_P
ClientSampleId :




#37 AR-1262-2

R.T.: 6.752 min
Delta R.T.: 0.002 min
Response: 245217
Conc: 2.43 ng/ml




#38 AR-1262-3

R.T.: 8.485 min
Delta R.T.: 0.007 min
Response: 621922
Conc: 5.38 ng/ml



#38 AR-1262-3


R.T.: 7.321 min
Delta R.T.: -0.002 min
Response: 389291
Conc: 4.81 ng/ml



#39 AR-1262-4


R.T.: 8.574 min
Delta R.T.: 0.003 min
Response: 1966264
Conc: 32.16 ng/ml

Instrument :
ECD_P
ClientSampleId :




#39 AR-1262-4

R.T.: 7.392 min
Delta R.T.: -0.002 min
Response: 560287
Conc: 3.79 ng/ml




#40 AR-1262-5

R.T.: 9.245 min
Delta R.T.: -0.003 min
Response: 574583
Conc: 9.40 ng/ml



#40 AR-1262-5


R.T.: 7.936 min
Delta R.T.: 0.000 min
Response: 260762
Conc: 3.58 ng/ml



#41 AR-1268-1


R.T.: 8.485 min
Delta R.T.: 0.011 min
Response: 621922
Conc: 3.08 ng/ml

Instrument :
ECD_P
ClientSampleId :




#41 AR-1268-1

R.T.: 7.321 min
Delta R.T.: -0.002 min
Response: 389291
Conc: 1.74 ng/ml




#42 AR-1268-2

R.T.: 8.574 min
Delta R.T.: 0.002 min
Response: 1966264
Conc: 10.52 ng/ml



#42 AR-1268-2


R.T.: 7.392 min
Delta R.T.: -0.003 min
Response: 560287
Conc: 2.77 ng/ml



#43 AR-1268-3


R.T.: 8.808 min
Delta R.T.: 0.002 min
Response: 55729
Conc: 0.34 ng/ml

Instrument :
ECD_P
ClientSampleId :




#43 AR-1268-3

R.T.: 7.607 min
Delta R.T.: -0.007 min
Response: 152770
Conc: 0.89 ng/ml




#44 AR-1268-4

R.T.: 9.245 min
Delta R.T.: 0.000 min
Response: 574583
Conc: 8.58 ng/ml



#44 AR-1268-4


R.T.: 7.936 min
Delta R.T.: 0.000 min
Response: 260762
Conc: 3.29 ng/ml



#45 AR-1268-5

R.T.: 9.664 min
Delta R.T.: -0.002 min
Response: 319265
Conc: 0.62 ng/ml

Instrument :
ECD_P
ClientSampleId :



#45 AR-1268-5

R.T.: 8.241 min
Delta R.T.: 0.002 min
Response: 43061
Conc: 0.08 ng/ml