

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP041322\
 Data File : PP045982.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 13 Apr 2022 19:44
 Operator : YP\AJ
 Sample : N2377-14 10X
 Misc :
 ALS Vial : 80 Sample Multiplier: 1

Instrument :
 ECD_P
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Apr 13 20:11:26 2022
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP041222.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Tue Apr 12 05:31:12 2022
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.875	3.138	3777417	3251923	1.536	2.047 #
2)	SA Decachlor...	9.981	8.475	4155361	3570016	2.531	2.505
Target Compounds							
3)	L1 AR-1016-1	5.128	4.279	124934	33269	1.630	0.566 #
4)	L1 AR-1016-2	5.154	4.288	332796	39682	2.878	0.475 #
5)	L1 AR-1016-3	5.211	4.473	265250	27201	3.850	0.616 #
6)	L1 AR-1016-4	5.323	4.530	446032	12438	7.580	0.349 #
7)	L1 AR-1016-5	5.639	4.747	94156	43414	1.707	0.914 #
8)	L2 AR-1221-1	4.096	3.364	92547	19351	3.552	0.953 #
9)	L2 AR-1221-2	4.198	3.451	206643	36863	10.866	2.425 #
10)	L2 AR-1221-3	4.276	3.532	379566	8202	6.175	0.178 #
11)	L3 AR-1232-1	4.276	3.532	379566	8202	6.688	0.193 #
12)	L3 AR-1232-2	4.834	4.288	75419	39682	2.828	0.990 #
13)	L3 AR-1232-3	5.154	4.473	332796	27201	6.183	1.266 #
14)	L3 AR-1232-4	5.323	4.567	446032	7113	16.861	0.375 #
15)	L3 AR-1232-5	5.423	4.747	123370	43414	6.693	2.030 #
16)	L4 AR-1242-1	5.128	4.279	124934	33269	2.090	0.719 #
17)	L4 AR-1242-2	5.154	4.288	332796	39682	3.707	0.612 #
18)	L4 AR-1242-3	5.211	4.473	265250	27201	4.782	0.786 #
19)	L4 AR-1242-4	5.323	4.567	446032	7113	9.829	0.212 #
20)	L4 AR-1242-5	6.115	5.122	1051556	6319	22.639	0.144 #
21)	L5 AR-1248-1	5.128	4.279	124934	33269	2.896	0.970 #
22)	L5 AR-1248-2	5.423	4.530	123370	12438	2.064	0.265 #
23)	L5 AR-1248-3	5.639	4.567	94156	7113	1.346	0.146 #
24)	L5 AR-1248-4	6.080	4.747	1266460	43414	16.018	0.747 #
25)	L5 AR-1248-5	6.115	5.166	1051556	33185	13.431	0.565 #
26)	L6 AR-1254-1	6.059	5.122	1306499	6319	15.808	0.072 #
27)	L6 AR-1254-2	6.286	5.290	596384	26368	4.843	0.349 #
28)	L6 AR-1254-3	6.699	5.715	959108	10400	7.979	0.088 #
29)	L6 AR-1254-4	7.024f	5.957	232974	28317	2.642	0.375 #
30)	L6 AR-1254-5	7.479f	6.412	424293	60183	4.529	0.587 #
31)	L7 AR-1260-1	6.885f	5.856	426839	19867	4.835	0.251 #
32)	L7 AR-1260-2	7.140	6.061	452705	24909	4.419	0.266 #
33)	L7 AR-1260-3	7.523f	6.220	190095	149320	2.307	1.686 #
34)	L7 AR-1260-4	0.000	6.736	0	50451	N.D.	0.703 #
35)	L7 AR-1260-5	8.126	7.001	39099	104918	0.238	0.618 #
36)	L8 AR-1262-1	7.523f	6.448	190095	21725	1.652	0.205 #
37)	L8 AR-1262-2	8.126	6.736	39099	50451	0.218	0.536 #
38)	L8 AR-1262-3	8.450	7.307	333092	295198	2.556	3.856 #
39)	L8 AR-1262-4	8.543	7.379	401432	134593	6.374	0.946 #
40)	L8 AR-1262-5	9.223	7.935f	117092	607651	1.715	8.674 #
41)	L9 AR-1268-1	8.450	7.307	333092	295198	1.225	1.331

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP041322\
Data File : PP045982.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 13 Apr 2022 19:44
Operator : YP\AJ
Sample : N2377-14 10X
Misc :
ALS Vial : 80 Sample Multiplier: 1

Instrument :
ECD_P
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Apr 13 20:11:26 2022
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP041222.M
Quant Title : GC EXTRACTABLES
QLast Update : Tue Apr 12 05:31:12 2022
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml
42)	L9 AR-1268-2	8.569	7.379	221553	134593	0.876	0.664
43)	L9 AR-1268-3	8.791	7.598	62508	23040	0.275	0.135 #
44)	L9 AR-1268-4	9.223	7.935	117092	607651	1.297	7.699 #
45)	L9 AR-1268-5	9.676f	8.219	410281	109700	0.603	0.198 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP041322\
Data File : PP045982.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 13 Apr 2022 19:44
Operator : YP\AJ
Sample : N2377-14 10X
Misc :
ALS Vial : 80 Sample Multiplier: 1

Instrument :
ECD_P
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Apr 13 20:11:26 2022
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP041222.M
Quant Title : GC EXTRACTABLES
QLast Update : Tue Apr 12 05:31:12 2022
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 3.875 min
Delta R.T.: 0.000 min
Response: 3777417
Conc: 1.54 ng/ml

Instrument :
ECD_P
ClientSampleId :




#1 Tetrachloro-m-xylene

R.T.: 3.138 min
Delta R.T.: 0.000 min
Response: 3251923
Conc: 2.05 ng/ml




#2 Decachlorobiphenyl

R.T.: 9.981 min
Delta R.T.: 0.003 min
Response: 4155361
Conc: 2.53 ng/ml



#2 Decachlorobiphenyl


R.T.: 8.475 min
Delta R.T.: -0.002 min
Response: 3570016
Conc: 2.50 ng/ml



#3 AR-1016-1


R.T.: 5.128 min
Delta R.T.: 0.004 min
Response: 124934
Conc: 1.63 ng/ml

Instrument :
ECD_P
ClientSampleId :




#3 AR-1016-1

R.T.: 4.279 min
Delta R.T.: 0.004 min
Response: 33269
Conc: 0.57 ng/ml




#4 AR-1016-2

R.T.: 5.154 min
Delta R.T.: 0.007 min
Response: 332796
Conc: 2.88 ng/ml



#4 AR-1016-2


R.T.: 4.288 min
Delta R.T.: -0.006 min
Response: 39682
Conc: 0.47 ng/ml



#5 AR-1016-3


R.T.: 5.211 min
Delta R.T.: -0.002 min
Response: 265250
Conc: 3.85 ng/ml

Instrument :
ECD_P
ClientSampleId :




#5 AR-1016-3

R.T.: 4.473 min
Delta R.T.: -0.006 min
Response: 27201
Conc: 0.62 ng/ml




#6 AR-1016-4

R.T.: 5.323 min
Delta R.T.: 0.004 min
Response: 446032
Conc: 7.58 ng/ml



#6 AR-1016-4


R.T.: 4.530 min
Delta R.T.: 0.003 min
Response: 12438
Conc: 0.35 ng/ml



#7 AR-1016-5


R.T.: 5.639 min
Delta R.T.: 0.000 min
Response: 94156
Conc: 1.71 ng/ml

Instrument :
ECD_P
ClientSampleId :




#7 AR-1016-5

R.T.: 4.747 min
Delta R.T.: -0.004 min
Response: 43414
Conc: 0.91 ng/ml




#8 AR-1221-1

R.T.: 4.096 min
Delta R.T.: -0.006 min
Response: 92547
Conc: 3.55 ng/ml



#8 AR-1221-1


R.T.: 3.364 min
Delta R.T.: 0.000 min
Response: 19351
Conc: 0.95 ng/ml



#9 AR-1221-2


R.T.: 4.198 min
Delta R.T.: 0.004 min
Response: 206643
Conc: 10.87 ng/ml

Instrument :
ECD_P
ClientSampleId :




#9 AR-1221-2

R.T.: 3.451 min
Delta R.T.: -0.001 min
Response: 36863
Conc: 2.43 ng/ml




#10 AR-1221-3

R.T.: 4.276 min
Delta R.T.: 0.002 min
Response: 379566
Conc: 6.17 ng/ml



#10 AR-1221-3


R.T.: 3.532 min
Delta R.T.: 0.000 min
Response: 8202
Conc: 0.18 ng/ml



#11 AR-1232-1


R.T.: 4.276 min
Delta R.T.: 0.003 min
Response: 379566
Conc: 6.69 ng/ml

Instrument :
ECD_P
ClientSampleId :




#11 AR-1232-1

R.T.: 3.532 min
Delta R.T.: 0.002 min
Response: 8202
Conc: 0.19 ng/ml




#12 AR-1232-2

R.T.: 4.834 min
Delta R.T.: -0.001 min
Response: 75419
Conc: 2.83 ng/ml



#12 AR-1232-2


R.T.: 4.288 min
Delta R.T.: -0.005 min
Response: 39682
Conc: 0.99 ng/ml



#13 AR-1232-3


R.T.: 5.154 min
Delta R.T.: 0.008 min
Response: 332796
Conc: 6.18 ng/ml

Instrument :
ECD_P
ClientSampleId :




#13 AR-1232-3

R.T.: 4.473 min
Delta R.T.: -0.005 min
Response: 27201
Conc: 1.27 ng/ml




#14 AR-1232-4

R.T.: 5.323 min
Delta R.T.: 0.004 min
Response: 446032
Conc: 16.86 ng/ml



#14 AR-1232-4


R.T.: 4.567 min
Delta R.T.: -0.002 min
Response: 7113
Conc: 0.38 ng/ml



#15 AR-1232-5


R.T.: 5.423 min
Delta R.T.: 0.003 min
Response: 123370
Conc: 6.69 ng/ml

Instrument :
ECD_P
ClientSampleId :




#15 AR-1232-5

R.T.: 4.747 min
Delta R.T.: -0.003 min
Response: 43414
Conc: 2.03 ng/ml




#16 AR-1242-1

R.T.: 5.128 min
Delta R.T.: 0.002 min
Response: 124934
Conc: 2.09 ng/ml



#16 AR-1242-1


R.T.: 4.279 min
Delta R.T.: 0.004 min
Response: 33269
Conc: 0.72 ng/ml



#17 AR-1242-2


R.T.: 5.154 min
Delta R.T.: 0.005 min
Response: 332796
Conc: 3.71 ng/ml

Instrument :
ECD_P
ClientSampleId :




#17 AR-1242-2

R.T.: 4.288 min
Delta R.T.: -0.006 min
Response: 39682
Conc: 0.61 ng/ml




#18 AR-1242-3

R.T.: 5.211 min
Delta R.T.: -0.003 min
Response: 265250
Conc: 4.78 ng/ml



#18 AR-1242-3


R.T.: 4.473 min
Delta R.T.: -0.006 min
Response: 27201
Conc: 0.79 ng/ml



#19 AR-1242-4


R.T.: 5.323 min
Delta R.T.: 0.003 min
Response: 446032
Conc: 9.83 ng/ml

Instrument :
ECD_P
ClientSampleId :




#19 AR-1242-4

R.T.: 4.567 min
Delta R.T.: -0.003 min
Response: 7113
Conc: 0.21 ng/ml




#20 AR-1242-5

R.T.: 6.115 min
Delta R.T.: -0.004 min
Response: 1051556
Conc: 22.64 ng/ml



#20 AR-1242-5


R.T.: 5.122 min
Delta R.T.: -0.004 min
Response: 6319
Conc: 0.14 ng/ml



#21 AR-1248-1


R.T.: 5.128 min
Delta R.T.: 0.004 min
Response: 124934
Conc: 2.90 ng/ml

Instrument :
ECD_P
ClientSampleId :




#21 AR-1248-1

R.T.: 4.279 min
Delta R.T.: 0.003 min
Response: 33269
Conc: 0.97 ng/ml




#22 AR-1248-2

R.T.: 5.423 min
Delta R.T.: 0.003 min
Response: 123370
Conc: 2.06 ng/ml



#22 AR-1248-2


R.T.: 4.530 min
Delta R.T.: 0.003 min
Response: 12438
Conc: 0.27 ng/ml



#23 AR-1248-3


R.T.: 5.639 min
Delta R.T.: 0.001 min
Response: 94156
Conc: 1.35 ng/ml

Instrument :
ECD_P
ClientSampleId :




#23 AR-1248-3

R.T.: 4.567 min
Delta R.T.: -0.002 min
Response: 7113
Conc: 0.15 ng/ml




#24 AR-1248-4

R.T.: 6.080 min
Delta R.T.: 0.004 min
Response: 1266460
Conc: 16.02 ng/ml



#24 AR-1248-4


R.T.: 4.747 min
Delta R.T.: -0.004 min
Response: 43414
Conc: 0.75 ng/ml



#25 AR-1248-5


R.T.: 6.115 min
Delta R.T.: -0.002 min
Response: 1051556
Conc: 13.43 ng/ml

Instrument :
ECD_P
ClientSampleId :




#25 AR-1248-5

R.T.: 5.166 min
Delta R.T.: -0.003 min
Response: 33185
Conc: 0.57 ng/ml




#26 AR-1254-1

R.T.: 6.059 min
Delta R.T.: 0.009 min
Response: 1306499
Conc: 15.81 ng/ml



#26 AR-1254-1


R.T.: 5.122 min
Delta R.T.: -0.003 min
Response: 6319
Conc: 0.07 ng/ml



#27 AR-1254-2


R.T.: 6.286 min
Delta R.T.: -0.002 min
Response: 596384
Conc: 4.84 ng/ml

Instrument :
ECD_P
ClientSampleId :




#27 AR-1254-2

R.T.: 5.290 min
Delta R.T.: 0.004 min
Response: 26368
Conc: 0.35 ng/ml




#28 AR-1254-3

R.T.: 6.699 min
Delta R.T.: 0.010 min
Response: 959108
Conc: 7.98 ng/ml



#28 AR-1254-3


R.T.: 5.715 min
Delta R.T.: 0.000 min
Response: 10400
Conc: 0.09 ng/ml



#29 AR-1254-4


R.T.: 7.024 min
Delta R.T.: 0.022 min
Response: 232974
Conc: 2.64 ng/ml

Instrument :
ECD_P
ClientSampleId :




#29 AR-1254-4

R.T.: 5.957 min
Delta R.T.: -0.008 min
Response: 28317
Conc: 0.38 ng/ml




#30 AR-1254-5

R.T.: 7.479 min
Delta R.T.: 0.017 min
Response: 424293
Conc: 4.53 ng/ml



#30 AR-1254-5


R.T.: 6.412 min
Delta R.T.: -0.003 min
Response: 60183
Conc: 0.59 ng/ml



#31 AR-1260-1


R.T.: 6.885 min
Delta R.T.: 0.020 min
Response: 426839
Conc: 4.84 ng/ml

Instrument :
ECD_P
ClientSampleId :




#31 AR-1260-1

R.T.: 5.856 min
Delta R.T.: 0.001 min
Response: 19867
Conc: 0.25 ng/ml




#32 AR-1260-2

R.T.: 7.140 min
Delta R.T.: -0.008 min
Response: 452705
Conc: 4.42 ng/ml



#32 AR-1260-2


R.T.: 6.061 min
Delta R.T.: -0.001 min
Response: 24909
Conc: 0.27 ng/ml



#33 AR-1260-3


R.T.: 7.523 min
Delta R.T.: -0.021 min
Response: 190095
Conc: 2.31 ng/ml

Instrument :
ECD_P
ClientSampleId :




#33 AR-1260-3

R.T.: 6.220 min
Delta R.T.: -0.003 min
Response: 149320
Conc: 1.69 ng/ml




#34 AR-1260-4

R.T.: 0.000 min
Exp R.T. : 7.790 min
Response: 0
Conc: N.D.



#34 AR-1260-4


R.T.: 6.736 min
Delta R.T.: 0.002 min
Response: 50451
Conc: 0.70 ng/ml



#35 AR-1260-5


R.T.: 8.126 min
Delta R.T.: -0.006 min
Response: 39099
Conc: 0.24 ng/ml

Instrument :
ECD_P
ClientSampleId :




#35 AR-1260-5

R.T.: 7.001 min
Delta R.T.: -0.002 min
Response: 104918
Conc: 0.62 ng/ml




#36 AR-1262-1

R.T.: 7.523 min
Delta R.T.: -0.019 min
Response: 190095
Conc: 1.65 ng/ml



#36 AR-1262-1


R.T.: 6.448 min
Delta R.T.: -0.006 min
Response: 21725
Conc: 0.21 ng/ml



#37 AR-1262-2


R.T.: 8.126 min
Delta R.T.: -0.003 min
Response: 39099
Conc: 0.22 ng/ml

Instrument :
ECD_P
ClientSampleId :




#37 AR-1262-2

R.T.: 6.736 min
Delta R.T.: 0.002 min
Response: 50451
Conc: 0.54 ng/ml




#38 AR-1262-3

R.T.: 8.450 min
Delta R.T.: -0.006 min
Response: 333092
Conc: 2.56 ng/ml



#38 AR-1262-3


R.T.: 7.307 min
Delta R.T.: 0.000 min
Response: 295198
Conc: 3.86 ng/ml



#39 AR-1262-4


R.T.: 8.543 min
Delta R.T.: -0.008 min
Response: 401432
Conc: 6.37 ng/ml

Instrument :
ECD_P
ClientSampleId :




#39 AR-1262-4

R.T.: 7.379 min
Delta R.T.: 0.001 min
Response: 134593
Conc: 0.95 ng/ml




#40 AR-1262-5

R.T.: 9.223 min
Delta R.T.: -0.001 min
Response: 117092
Conc: 1.71 ng/ml



#40 AR-1262-5


R.T.: 7.935 min
Delta R.T.: 0.015 min
Response: 607651
Conc: 8.67 ng/ml



#41 AR-1268-1


R.T.: 8.450 min
Delta R.T.: -0.008 min
Response: 333092
Conc: 1.22 ng/ml

Instrument :
ECD_P
ClientSampleId :




#41 AR-1268-1

R.T.: 7.307 min
Delta R.T.: 0.000 min
Response: 295198
Conc: 1.33 ng/ml




#42 AR-1268-2

R.T.: 8.569 min
Delta R.T.: 0.012 min
Response: 221553
Conc: 0.88 ng/ml



#42 AR-1268-2


R.T.: 7.379 min
Delta R.T.: 0.000 min
Response: 134593
Conc: 0.66 ng/ml



#43 AR-1268-3


R.T.: 8.791 min
Delta R.T.: 0.002 min
Response: 62508
Conc: 0.28 ng/ml

Instrument :
ECD_P
ClientSampleId :




#43 AR-1268-3

R.T.: 7.598 min
Delta R.T.: 0.001 min
Response: 23040
Conc: 0.14 ng/ml




#44 AR-1268-4

R.T.: 9.223 min
Delta R.T.: -0.007 min
Response: 117092
Conc: 1.30 ng/ml



#44 AR-1268-4


R.T.: 7.935 min
Delta R.T.: 0.015 min
Response: 607651
Conc: 7.70 ng/ml



#45 AR-1268-5

R.T.: 9.676 min
Delta R.T.: 0.030 min
Response: 410281
Conc: 0.60 ng/ml

Instrument :
ECD_P
ClientSampleId :



#45 AR-1268-5

R.T.: 8.219 min
Delta R.T.: -0.002 min
Response: 109700
Conc: 0.20 ng/ml