

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP041423\
 Data File : PP056930.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 14 Apr 2023 16:47
 Operator : YP\AJ
 Sample : 02331-13 10X
 Misc :
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 ECD_P
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Apr 14 18:36:09 2023
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP040623.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Fri Apr 07 04:14:17 2023
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	4.434	3.661	5022912	3370477	2.338	1.938
2)	SA Decachlor...	10.277	8.745	4629497	3526360	3.537	2.243 #
Target Compounds							
3)	L1 AR-1016-1	5.606	4.761	109229	105805	1.779	1.987
4)	L1 AR-1016-2	5.647	4.779	210600	44580	2.362	0.601 #
5)	L1 AR-1016-3	5.703	4.952	123776	44384	2.183	1.103 #
6)	L1 AR-1016-4	5.796	5.000	87075	1600514	1.945	44.170 #
7)	L1 AR-1016-5	6.093	5.217	1215318	1003244	25.920	21.363
8)	L2 AR-1221-1	4.641	3.853f	72257	55858	2.739	2.551
9)	L2 AR-1221-2	4.741	3.969	164151	76176	8.450	4.636 #
10)	L2 AR-1221-3	4.818	4.041	73342	37223	1.287	0.759 #
11)	L3 AR-1232-1	4.801	4.041	38795	37223	0.805	0.905
12)	L3 AR-1232-2	5.348	4.779	41382	44580	1.657	1.301
13)	L3 AR-1232-3	5.647	4.952	210600	44384	5.224	2.412 #
14)	L3 AR-1232-4	5.796	5.042	87075	552395	4.322	28.826 #
15)	L3 AR-1232-5	5.886	5.217	2068395	1003244	117.679	47.197 #
16)	L4 AR-1242-1	5.606	4.761	109229	105805	2.172	2.460
17)	L4 AR-1242-2	5.647	4.779	210600	44580	2.892	0.749 #
18)	L4 AR-1242-3	5.703	4.952	123776	44384	2.701	1.376 #
19)	L4 AR-1242-4	5.796	5.042	87075	552395	2.413	15.161 #
20)	L4 AR-1242-5	6.540	5.574	1217958	3821358	36.692	95.840 #
21)	L5 AR-1248-1	5.606	4.761	109229	105805	2.911	3.214
22)	L5 AR-1248-2	5.886	5.000	2068395	1600514	35.120	31.052
23)	L5 AR-1248-3	6.093	5.042	1215318	552395	19.075	10.290 #
24)	L5 AR-1248-4	6.497	5.217	1684383	1003244	29.004	16.214 #
25)	L5 AR-1248-5	6.540	5.615	1217958	595937	21.562	11.607 #
26)	L6 AR-1254-1	6.472	5.574	3581872	3821358	50.516	41.483
27)	L6 AR-1254-2	6.693	5.722	5226555	3313441	51.539	41.228
28)	L6 AR-1254-3	7.061	6.131	4248894	4142053	43.834	33.507
29)	L6 AR-1254-4	7.347	6.361	3046683	2252219	49.917	35.436 #
30)	L6 AR-1254-5	7.770	6.784	3321305	3726466	48.741	35.444 #
31)	L7 AR-1260-1	7.227	6.262	1902589	2270443	23.373	23.739
32)	L7 AR-1260-2	7.485	6.452	2177375	1723230	25.521	16.685 #
33)	L7 AR-1260-3	7.830f	6.607	632944	1903002	9.063	18.350 #
34)	L7 AR-1260-4	8.061	7.082	1809011	272106	23.709	3.186 #
35)	L7 AR-1260-5	8.401	7.326	828279	280737	6.544	1.774 #
36)	L8 AR-1262-1	7.830	6.876	632944	180763	7.186	3.863 #
37)	L8 AR-1262-2	8.401	7.082	828279	272106	6.397	2.782 #
38)	L8 AR-1262-3	8.736f	7.611	362588	90999	3.936	1.370 #
39)	L8 AR-1262-4	8.815	7.676	41411	439498	0.912	3.729 #
40)	L8 AR-1262-5	9.487	0.000	68620	0	1.708	N.D. #
41)	L9 AR-1268-1	8.736f	7.611	362588	90999	1.947	0.410 #

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP041423\
 Data File : PP056930.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 14 Apr 2023 16:47
 Operator : YP\AJ
 Sample : 02331-13 10X
 Misc :
 ALS Vial : 15 Sample Multiplier: 1

Instrument :
 ECD_P
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Apr 14 18:36:09 2023
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP040623.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Fri Apr 07 04:14:17 2023
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml
42) L9	AR-1268-2	8.815	7.676	41411	439498	0.250	2.263 #
43) L9	AR-1268-3	9.031f	7.888	29387	62400	0.185	0.315 #
44) L9	AR-1268-4	9.487	0.000	68620	0	1.478	N.D. #
45) L9	AR-1268-5	9.940f	8.480	218433	50629	0.509	0.100 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP041423\
Data File : PP056930.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 14 Apr 2023 16:47
Operator : YP\AJ
Sample : 02331-13 10X
Misc :
ALS Vial : 15 Sample Multiplier: 1

Instrument :
ECD_P
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Apr 14 18:36:09 2023
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP040623.M
Quant Title : GC EXTRACTABLES
QLast Update : Fri Apr 07 04:14:17 2023
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 4.434 min
Delta R.T.: -0.003 min
Response: 5022912
Conc: 2.34 ng/ml

Instrument :
ECD_P
ClientSampleId :




#1 Tetrachloro-m-xylene

R.T.: 3.661 min
Delta R.T.: -0.004 min
Response: 3370477
Conc: 1.94 ng/ml




#2 Decachlorobiphenyl

R.T.: 10.277 min
Delta R.T.: 0.002 min
Response: 4629497
Conc: 3.54 ng/ml



#2 Decachlorobiphenyl


R.T.: 8.745 min
Delta R.T.: -0.006 min
Response: 3526360
Conc: 2.24 ng/ml



#3 AR-1016-1


R.T.: 5.606 min
Delta R.T.: -0.006 min
Response: 109229
Conc: 1.78 ng/ml

Instrument :
ECD_P
ClientSampleId :




#3 AR-1016-1

R.T.: 4.761 min
Delta R.T.: -0.004 min
Response: 105805
Conc: 1.99 ng/ml




#4 AR-1016-2

R.T.: 5.647 min
Delta R.T.: 0.012 min
Response: 210600
Conc: 2.36 ng/ml



#4 AR-1016-2


R.T.: 4.779 min
Delta R.T.: -0.007 min
Response: 44580
Conc: 0.60 ng/ml



#5 AR-1016-3


R.T.: 5.703 min
Delta R.T.: 0.005 min
Response: 123776
Conc: 2.18 ng/ml

Instrument :
ECD_P
ClientSampleId :




#5 AR-1016-3

R.T.: 4.952 min
Delta R.T.: -0.013 min
Response: 44384
Conc: 1.10 ng/ml




#6 AR-1016-4

R.T.: 5.796 min
Delta R.T.: 0.000 min
Response: 87075
Conc: 1.94 ng/ml



#6 AR-1016-4


R.T.: 5.000 min
Delta R.T.: -0.005 min
Response: 1600514
Conc: 44.17 ng/ml



#7 AR-1016-5


R.T.: 6.093 min
Delta R.T.: -0.001 min
Response: 1215318
Conc: 25.92 ng/ml

Instrument :
ECD_P
ClientSampleId :




#7 AR-1016-5

R.T.: 5.217 min
Delta R.T.: -0.006 min
Response: 1003244
Conc: 21.36 ng/ml




#8 AR-1221-1

R.T.: 4.641 min
Delta R.T.: -0.006 min
Response: 72257
Conc: 2.74 ng/ml



#8 AR-1221-1


R.T.: 3.853 min
Delta R.T.: -0.029 min
Response: 55858
Conc: 2.55 ng/ml



#9 AR-1221-2


R.T.: 4.741 min
Delta R.T.: 0.009 min
Response: 164151
Conc: 8.45 ng/ml

Instrument :
ECD_P
ClientSampleId :




#9 AR-1221-2

R.T.: 3.969 min
Delta R.T.: 0.000 min
Response: 76176
Conc: 4.64 ng/ml




#10 AR-1221-3

R.T.: 4.818 min
Delta R.T.: 0.008 min
Response: 73342
Conc: 1.29 ng/ml



#10 AR-1221-3


R.T.: 4.041 min
Delta R.T.: -0.006 min
Response: 37223
Conc: 0.76 ng/ml



#11 AR-1232-1


R.T.: 4.801 min
Delta R.T.: -0.008 min
Response: 38795
Conc: 0.81 ng/ml

Instrument :
ECD_P
ClientSampleId :




#11 AR-1232-1

R.T.: 4.041 min
Delta R.T.: -0.006 min
Response: 37223
Conc: 0.90 ng/ml




#12 AR-1232-2

R.T.: 5.348 min
Delta R.T.: 0.005 min
Response: 41382
Conc: 1.66 ng/ml



#12 AR-1232-2


R.T.: 4.779 min
Delta R.T.: -0.007 min
Response: 44580
Conc: 1.30 ng/ml



#13 AR-1232-3


R.T.: 5.647 min
Delta R.T.: 0.012 min
Response: 210600
Conc: 5.22 ng/ml

Instrument :
ECD_P
ClientSampleId :




#13 AR-1232-3

R.T.: 4.952 min
Delta R.T.: -0.013 min
Response: 44384
Conc: 2.41 ng/ml




#14 AR-1232-4

R.T.: 5.796 min
Delta R.T.: 0.000 min
Response: 87075
Conc: 4.32 ng/ml



#14 AR-1232-4


R.T.: 5.042 min
Delta R.T.: -0.006 min
Response: 552395
Conc: 28.83 ng/ml



#15 AR-1232-5


R.T.: 5.886 min
Delta R.T.: -0.002 min
Response: 2068395
Conc: 117.68 ng/ml

Instrument :
ECD_P
ClientSampleId :




#15 AR-1232-5

R.T.: 5.217 min
Delta R.T.: -0.006 min
Response: 1003244
Conc: 47.20 ng/ml




#16 AR-1242-1

R.T.: 5.606 min
Delta R.T.: -0.005 min
Response: 109229
Conc: 2.17 ng/ml



#16 AR-1242-1


R.T.: 4.761 min
Delta R.T.: -0.004 min
Response: 105805
Conc: 2.46 ng/ml



#17 AR-1242-2


R.T.: 5.647 min
Delta R.T.: 0.012 min
Response: 210600
Conc: 2.89 ng/ml

Instrument :
ECD_P
ClientSampleId :




#17 AR-1242-2

R.T.: 4.779 min
Delta R.T.: -0.006 min
Response: 44580
Conc: 0.75 ng/ml




#18 AR-1242-3

R.T.: 5.703 min
Delta R.T.: 0.007 min
Response: 123776
Conc: 2.70 ng/ml



#18 AR-1242-3


R.T.: 4.952 min
Delta R.T.: -0.012 min
Response: 44384
Conc: 1.38 ng/ml



#19 AR-1242-4


R.T.: 5.796 min
Delta R.T.: 0.000 min
Response: 87075
Conc: 2.41 ng/ml

Instrument :
ECD_P
ClientSampleId :




#19 AR-1242-4

R.T.: 5.042 min
Delta R.T.: -0.006 min
Response: 552395
Conc: 15.16 ng/ml




#20 AR-1242-5

R.T.: 6.540 min
Delta R.T.: 0.002 min
Response: 1217958
Conc: 36.69 ng/ml



#20 AR-1242-5


R.T.: 5.574 min
Delta R.T.: -0.004 min
Response: 3821358
Conc: 95.84 ng/ml



#21 AR-1248-1


R.T.: 5.606 min
Delta R.T.: -0.004 min
Response: 109229
Conc: 2.91 ng/ml

Instrument :
ECD_P
ClientSampleId :




#21 AR-1248-1

R.T.: 4.761 min
Delta R.T.: -0.003 min
Response: 105805
Conc: 3.21 ng/ml




#22 AR-1248-2

R.T.: 5.886 min
Delta R.T.: 0.000 min
Response: 2068395
Conc: 35.12 ng/ml



#22 AR-1248-2


R.T.: 5.000 min
Delta R.T.: -0.004 min
Response: 1600514
Conc: 31.05 ng/ml



#23 AR-1248-3


R.T.: 6.093 min
Delta R.T.: 0.000 min
Response: 1215318
Conc: 19.08 ng/ml

Instrument :
ECD_P
ClientSampleId :




#23 AR-1248-3

R.T.: 5.042 min
Delta R.T.: -0.005 min
Response: 552395
Conc: 10.29 ng/ml




#24 AR-1248-4

R.T.: 6.497 min
Delta R.T.: 0.000 min
Response: 1684383
Conc: 29.00 ng/ml



#24 AR-1248-4


R.T.: 5.217 min
Delta R.T.: -0.004 min
Response: 1003244
Conc: 16.21 ng/ml



#25 AR-1248-5


R.T.: 6.540 min
Delta R.T.: 0.003 min
Response: 1217958
Conc: 21.56 ng/ml

Instrument :
ECD_P
ClientSampleId :




#25 AR-1248-5

R.T.: 5.615 min
Delta R.T.: -0.004 min
Response: 595937
Conc: 11.61 ng/ml




#26 AR-1254-1

R.T.: 6.472 min
Delta R.T.: 0.000 min
Response: 3581872
Conc: 50.52 ng/ml



#26 AR-1254-1


R.T.: 5.574 min
Delta R.T.: -0.004 min
Response: 3821358
Conc: 41.48 ng/ml



#27 AR-1254-2


R.T.: 6.693 min
Delta R.T.: 0.000 min
Response: 5226555
Conc: 51.54 ng/ml

Instrument :
ECD_P
ClientSampleId :




#27 AR-1254-2

R.T.: 5.722 min
Delta R.T.: -0.004 min
Response: 3313441
Conc: 41.23 ng/ml




#28 AR-1254-3

R.T.: 7.061 min
Delta R.T.: 0.001 min
Response: 4248894
Conc: 43.83 ng/ml



#28 AR-1254-3


R.T.: 6.131 min
Delta R.T.: -0.005 min
Response: 4142053
Conc: 33.51 ng/ml



#29 AR-1254-4


R.T.: 7.347 min
Delta R.T.: 0.000 min
Response: 3046683
Conc: 49.92 ng/ml

Instrument :
ECD_P
ClientSampleId :




#29 AR-1254-4

R.T.: 6.361 min
Delta R.T.: -0.004 min
Response: 2252219
Conc: 35.44 ng/ml




#30 AR-1254-5

R.T.: 7.770 min
Delta R.T.: 0.001 min
Response: 3321305
Conc: 48.74 ng/ml



#30 AR-1254-5


R.T.: 6.784 min
Delta R.T.: -0.005 min
Response: 3726466
Conc: 35.44 ng/ml



#31 AR-1260-1


R.T.: 7.227 min
Delta R.T.: 0.000 min
Response: 1902589
Conc: 23.37 ng/ml

Instrument :
ECD_P
ClientSampleId :




#31 AR-1260-1

R.T.: 6.262 min
Delta R.T.: -0.007 min
Response: 2270443
Conc: 23.74 ng/ml




#32 AR-1260-2

R.T.: 7.485 min
Delta R.T.: -0.001 min
Response: 2177375
Conc: 25.52 ng/ml



#32 AR-1260-2


R.T.: 6.452 min
Delta R.T.: -0.006 min
Response: 1723230
Conc: 16.69 ng/ml



#33 AR-1260-3


R.T.: 7.830 min
Delta R.T.: -0.017 min
Response: 632944
Conc: 9.06 ng/ml

Instrument :
ECD_P
ClientSampleId :




#33 AR-1260-3

R.T.: 6.607 min
Delta R.T.: -0.007 min
Response: 1903002
Conc: 18.35 ng/ml




#34 AR-1260-4

R.T.: 8.061 min
Delta R.T.: -0.014 min
Response: 1809011
Conc: 23.71 ng/ml



#34 AR-1260-4


R.T.: 7.082 min
Delta R.T.: -0.008 min
Response: 272106
Conc: 3.19 ng/ml



#35 AR-1260-5


R.T.: 8.401 min
Delta R.T.: 0.000 min
Response: 828279
Conc: 6.54 ng/ml

Instrument :
ECD_P
ClientSampleId :




#35 AR-1260-5

R.T.: 7.326 min
Delta R.T.: -0.006 min
Response: 280737
Conc: 1.77 ng/ml




#36 AR-1262-1

R.T.: 7.830 min
Delta R.T.: -0.014 min
Response: 632944
Conc: 7.19 ng/ml



#36 AR-1262-1


R.T.: 6.876 min
Delta R.T.: -0.003 min
Response: 180763
Conc: 3.86 ng/ml



#37 AR-1262-2


R.T.: 8.401 min
Delta R.T.: 0.002 min
Response: 828279
Conc: 6.40 ng/ml

Instrument :
ECD_P
ClientSampleId :




#37 AR-1262-2

R.T.: 7.082 min
Delta R.T.: -0.005 min
Response: 272106
Conc: 2.78 ng/ml




#38 AR-1262-3

R.T.: 8.736 min
Delta R.T.: 0.017 min
Response: 362588
Conc: 3.94 ng/ml



#38 AR-1262-3


R.T.: 7.611 min
Delta R.T.: -0.005 min
Response: 90999
Conc: 1.37 ng/ml



#39 AR-1262-4


R.T.: 8.815 min
Delta R.T.: 0.005 min
Response: 41411
Conc: 0.91 ng/ml

Instrument :
ECD_P
ClientSampleId :




#39 AR-1262-4

R.T.: 7.676 min
Delta R.T.: -0.004 min
Response: 439498
Conc: 3.73 ng/ml




#40 AR-1262-5

R.T.: 9.487 min
Delta R.T.: 0.001 min
Response: 68620
Conc: 1.71 ng/ml



#40 AR-1262-5


R.T.: 0.000 min
Exp R.T.: 8.180 min
Response: 0
Conc: N.D.



#41 AR-1268-1


R.T.: 8.736 min
Delta R.T.: 0.020 min
Response: 362588
Conc: 1.95 ng/ml

Instrument :
ECD_P
ClientSampleId :




#41 AR-1268-1

R.T.: 7.611 min
Delta R.T.: -0.005 min
Response: 90999
Conc: 0.41 ng/ml




#42 AR-1268-2

R.T.: 8.815 min
Delta R.T.: 0.003 min
Response: 41411
Conc: 0.25 ng/ml



#42 AR-1268-2


R.T.: 7.676 min
Delta R.T.: -0.004 min
Response: 439498
Conc: 2.26 ng/ml



#43 AR-1268-3


R.T.: 9.031 min
Delta R.T.: -0.018 min
Response: 29387
Conc: 0.18 ng/ml

Instrument :
ECD_P
ClientSampleId :




#43 AR-1268-3

R.T.: 7.888 min
Delta R.T.: -0.003 min
Response: 62400
Conc: 0.31 ng/ml




#44 AR-1268-4

R.T.: 9.487 min
Delta R.T.: 0.002 min
Response: 68620
Conc: 1.48 ng/ml



#44 AR-1268-4


R.T.: 0.000 min
Exp R.T.: 8.180 min
Response: 0
Conc: N.D.



#45 AR-1268-5

R.T.: 9.940 min
Delta R.T.: 0.023 min
Response: 218433
Conc: 0.51 ng/ml

Instrument :
ECD_P
ClientSampleId :



#45 AR-1268-5

R.T.: 8.480 min
Delta R.T.: -0.001 min
Response: 50629
Conc: 0.10 ng/ml