

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP041522\
 Data File : PP046072.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 14 Apr 2022 23:31
 Operator : YP\AJ
 Sample : N2375-13 10X
 Misc :
 ALS Vial : 49 Sample Multiplier: 1

Instrument :
 ECD_P
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Apr 15 05:44:20 2022
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP041222.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Tue Apr 12 05:31:12 2022
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.876	3.138	4480564	3726729	1.822	2.345 #
2)	SA Decachlor...	9.976	8.476	3172201	3157432	1.932	2.215
Target Compounds							
3)	L1 AR-1016-1	5.128	4.272	27748	25053	0.362	0.427
4)	L1 AR-1016-2	5.147	4.295	61263	44592	0.530	0.534
5)	L1 AR-1016-3	5.219	4.475	56574	18257	0.821	0.413 #
6)	L1 AR-1016-4	5.316	4.526	93482	22461	1.589	0.629 #
7)	L1 AR-1016-5	5.643	4.750	134812	12199	2.445	0.257 #
8)	L2 AR-1221-1	4.108	3.365	61806	33019	2.372	1.625 #
9)	L2 AR-1221-2	4.198	3.451	92394	59915	4.858	3.942
10)	L2 AR-1221-3	4.264	3.530	145028	35989	2.359	0.780 #
11)	L3 AR-1232-1	4.264	3.530	145028	35989	2.555	0.848 #
12)	L3 AR-1232-2	4.827	4.295	74353	44592	2.788	1.113 #
13)	L3 AR-1232-3	5.147	4.475	61263	18257	1.138	0.850 #
14)	L3 AR-1232-4	5.316	4.567	93482	7954	3.534	0.420 #
15)	L3 AR-1232-5	5.428	4.750	67858	12199	3.681	0.570 #
16)	L4 AR-1242-1	5.128	4.272	27748	25053	0.464	0.541
17)	L4 AR-1242-2	5.147	4.295	61263	44592	0.682	0.688
18)	L4 AR-1242-3	5.219	4.475	56574	18257	1.020	0.528 #
19)	L4 AR-1242-4	5.316	4.567	93482	7954	2.060	0.237 #
20)	L4 AR-1242-5	6.122	5.126	125016	15443	2.692	0.352 #
21)	L5 AR-1248-1	5.128	4.272	27748	25053	0.643	0.731
22)	L5 AR-1248-2	5.428	4.526	67858	22461	1.135	0.479 #
23)	L5 AR-1248-3	5.643	4.567	134812	7954	1.927	0.163 #
24)	L5 AR-1248-4	6.074	4.750	34290	12199	0.434	0.210 #
25)	L5 AR-1248-5	6.122	5.165	125016	77445	1.597	1.319
26)	L6 AR-1254-1	6.053	5.126	77529	15443	0.938	0.175 #
27)	L6 AR-1254-2	6.293	5.282	443693	153970	3.603	2.040 #
28)	L6 AR-1254-3	6.689	5.714	152664	135566	1.270	1.153
29)	L6 AR-1254-4	7.003	5.961	84632	96168	0.960	1.274 #
30)	L6 AR-1254-5	7.452	6.412	329024	254030	3.512	2.479 #
31)	L7 AR-1260-1	6.866	5.852	318102	266504	3.604	3.367
32)	L7 AR-1260-2	7.143	6.060	376995	260699	3.680	2.785
33)	L7 AR-1260-3	7.536	6.221	66409	229794	0.806	2.594 #
34)	L7 AR-1260-4	7.791	6.733	134780	264370	1.591	3.682 #
35)	L7 AR-1260-5	8.123	7.003	125382	248892	0.763	1.465 #
36)	L8 AR-1262-1	7.536	6.452	66409	230013	0.577	2.175 #
37)	L8 AR-1262-2	8.123	6.733	125382	264370	0.700	2.808 #
38)	L8 AR-1262-3	8.451	7.300	103340	162372	0.793	2.121 #
39)	L8 AR-1262-4	8.556	7.380	333253	365529	5.291	2.569 #
40)	L8 AR-1262-5	9.226	7.922	71225	333173	1.043	4.756 #
41)	L9 AR-1268-1	8.461	7.300	100842	162372	0.371	0.732 #

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP041522\
Data File : PP046072.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 14 Apr 2022 23:31
Operator : YP\AJ
Sample : N2375-13 10X
Misc :
ALS Vial : 49 Sample Multiplier: 1

Instrument :
ECD_P
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Apr 15 05:44:20 2022
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP041222.M
Quant Title : GC EXTRACTABLES
QLast Update : Tue Apr 12 05:31:12 2022
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml
42)	L9 AR-1268-2	8.556	7.380	333253	365529	1.317	1.804 #
43)	L9 AR-1268-3	8.797	7.594	35819	40295	0.158	0.237 #
44)	L9 AR-1268-4	9.226	7.922	71225	333173	0.789	4.221 #
45)	L9 AR-1268-5	9.647	8.209	94043	190286	0.138	0.343 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP041522\
Data File : PP046072.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 14 Apr 2022 23:31
Operator : YP\AJ
Sample : N2375-13 10X
Misc :
ALS Vial : 49 Sample Multiplier: 1

Instrument :
ECD_P
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Apr 15 05:44:20 2022
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP041222.M
Quant Title : GC EXTRACTABLES
QLast Update : Tue Apr 12 05:31:12 2022
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 3.876 min
Delta R.T.: 0.000 min
Response: 4480564
Conc: 1.82 ng/ml

Instrument :
ECD_P
ClientSampleId :




#1 Tetrachloro-m-xylene

R.T.: 3.138 min
Delta R.T.: 0.000 min
Response: 3726729
Conc: 2.35 ng/ml




#2 Decachlorobiphenyl

R.T.: 9.976 min
Delta R.T.: -0.002 min
Response: 3172201
Conc: 1.93 ng/ml



#2 Decachlorobiphenyl


R.T.: 8.476 min
Delta R.T.: -0.001 min
Response: 3157432
Conc: 2.22 ng/ml



#3 AR-1016-1


R.T.: 5.128 min
Delta R.T.: 0.004 min
Response: 27748
Conc: 0.36 ng/ml

Instrument :
ECD_P
ClientSampleId :




#3 AR-1016-1

R.T.: 4.272 min
Delta R.T.: -0.004 min
Response: 25053
Conc: 0.43 ng/ml




#4 AR-1016-2

R.T.: 5.147 min
Delta R.T.: 0.000 min
Response: 61263
Conc: 0.53 ng/ml



#4 AR-1016-2


R.T.: 4.295 min
Delta R.T.: 0.000 min
Response: 44592
Conc: 0.53 ng/ml



#5 AR-1016-3


R.T.: 5.219 min
Delta R.T.: 0.006 min
Response: 56574
Conc: 0.82 ng/ml

Instrument :
ECD_P
ClientSampleId :




#5 AR-1016-3

R.T.: 4.475 min
Delta R.T.: -0.004 min
Response: 18257
Conc: 0.41 ng/ml




#6 AR-1016-4

R.T.: 5.316 min
Delta R.T.: -0.003 min
Response: 93482
Conc: 1.59 ng/ml



#6 AR-1016-4


R.T.: 4.526 min
Delta R.T.: -0.001 min
Response: 22461
Conc: 0.63 ng/ml



#7 AR-1016-5


R.T.: 5.643 min
Delta R.T.: 0.005 min
Response: 134812
Conc: 2.44 ng/ml

Instrument :
ECD_P
ClientSampleId :




#7 AR-1016-5

R.T.: 4.750 min
Delta R.T.: 0.000 min
Response: 12199
Conc: 0.26 ng/ml




#8 AR-1221-1

R.T.: 4.108 min
Delta R.T.: 0.006 min
Response: 61806
Conc: 2.37 ng/ml



#8 AR-1221-1


R.T.: 3.365 min
Delta R.T.: 0.001 min
Response: 33019
Conc: 1.63 ng/ml



#9 AR-1221-2


R.T.: 4.198 min
Delta R.T.: 0.005 min
Response: 92394
Conc: 4.86 ng/ml

Instrument :
ECD_P
ClientSampleId :




#9 AR-1221-2

R.T.: 3.451 min
Delta R.T.: -0.002 min
Response: 59915
Conc: 3.94 ng/ml




#10 AR-1221-3

R.T.: 4.264 min
Delta R.T.: -0.010 min
Response: 145028
Conc: 2.36 ng/ml



#10 AR-1221-3


R.T.: 3.530 min
Delta R.T.: -0.002 min
Response: 35989
Conc: 0.78 ng/ml



#11 AR-1232-1


R.T.: 4.264 min
Delta R.T.: -0.008 min
Response: 145028
Conc: 2.56 ng/ml

Instrument :
ECD_P
ClientSampleId :




#11 AR-1232-1

R.T.: 3.530 min
Delta R.T.: 0.000 min
Response: 35989
Conc: 0.85 ng/ml




#12 AR-1232-2

R.T.: 4.827 min
Delta R.T.: -0.007 min
Response: 74353
Conc: 2.79 ng/ml



#12 AR-1232-2


R.T.: 4.295 min
Delta R.T.: 0.001 min
Response: 44592
Conc: 1.11 ng/ml



#13 AR-1232-3


R.T.: 5.147 min
Delta R.T.: 0.000 min
Response: 61263
Conc: 1.14 ng/ml

Instrument :
ECD_P
ClientSampleId :




#13 AR-1232-3

R.T.: 4.475 min
Delta R.T.: -0.003 min
Response: 18257
Conc: 0.85 ng/ml




#14 AR-1232-4

R.T.: 5.316 min
Delta R.T.: -0.002 min
Response: 93482
Conc: 3.53 ng/ml



#14 AR-1232-4


R.T.: 4.567 min
Delta R.T.: -0.002 min
Response: 7954
Conc: 0.42 ng/ml



#15 AR-1232-5


R.T.: 5.428 min
Delta R.T.: 0.008 min
Response: 67858
Conc: 3.68 ng/ml

Instrument :
ECD_P
ClientSampleId :




#15 AR-1232-5

R.T.: 4.750 min
Delta R.T.: 0.000 min
Response: 12199
Conc: 0.57 ng/ml




#16 AR-1242-1

R.T.: 5.128 min
Delta R.T.: 0.002 min
Response: 27748
Conc: 0.46 ng/ml



#16 AR-1242-1


R.T.: 4.272 min
Delta R.T.: -0.004 min
Response: 25053
Conc: 0.54 ng/ml



#17 AR-1242-2


R.T.: 5.147 min
Delta R.T.: -0.002 min
Response: 61263
Conc: 0.68 ng/ml

Instrument :
ECD_P
ClientSampleId :




#17 AR-1242-2

R.T.: 4.295 min
Delta R.T.: 0.001 min
Response: 44592
Conc: 0.69 ng/ml




#18 AR-1242-3

R.T.: 5.219 min
Delta R.T.: 0.005 min
Response: 56574
Conc: 1.02 ng/ml



#18 AR-1242-3


R.T.: 4.475 min
Delta R.T.: -0.004 min
Response: 18257
Conc: 0.53 ng/ml



#19 AR-1242-4


R.T.: 5.316 min
Delta R.T.: -0.004 min
Response: 93482
Conc: 2.06 ng/ml

Instrument :
ECD_P
ClientSampleId :




#19 AR-1242-4

R.T.: 4.567 min
Delta R.T.: -0.003 min
Response: 7954
Conc: 0.24 ng/ml




#20 AR-1242-5

R.T.: 6.122 min
Delta R.T.: 0.003 min
Response: 125016
Conc: 2.69 ng/ml



#20 AR-1242-5


R.T.: 5.126 min
Delta R.T.: 0.000 min
Response: 15443
Conc: 0.35 ng/ml



#21 AR-1248-1


R.T.: 5.128 min
Delta R.T.: 0.004 min
Response: 27748
Conc: 0.64 ng/ml

Instrument :
ECD_P
ClientSampleId :




#21 AR-1248-1

R.T.: 4.272 min
Delta R.T.: -0.004 min
Response: 25053
Conc: 0.73 ng/ml




#22 AR-1248-2

R.T.: 5.428 min
Delta R.T.: 0.008 min
Response: 67858
Conc: 1.14 ng/ml



#22 AR-1248-2


R.T.: 4.526 min
Delta R.T.: -0.001 min
Response: 22461
Conc: 0.48 ng/ml



#23 AR-1248-3


R.T.: 5.643 min
Delta R.T.: 0.005 min
Response: 134812
Conc: 1.93 ng/ml

Instrument :
ECD_P
ClientSampleId :




#23 AR-1248-3

R.T.: 4.567 min
Delta R.T.: -0.003 min
Response: 7954
Conc: 0.16 ng/ml




#24 AR-1248-4

R.T.: 6.074 min
Delta R.T.: -0.003 min
Response: 34290
Conc: 0.43 ng/ml



#24 AR-1248-4


R.T.: 4.750 min
Delta R.T.: 0.000 min
Response: 12199
Conc: 0.21 ng/ml



#25 AR-1248-5


R.T.: 6.122 min
Delta R.T.: 0.005 min
Response: 125016
Conc: 1.60 ng/ml

Instrument :
ECD_P
ClientSampleId :




#25 AR-1248-5

R.T.: 5.165 min
Delta R.T.: -0.004 min
Response: 77445
Conc: 1.32 ng/ml




#26 AR-1254-1

R.T.: 6.053 min
Delta R.T.: 0.003 min
Response: 77529
Conc: 0.94 ng/ml



#26 AR-1254-1


R.T.: 5.126 min
Delta R.T.: 0.001 min
Response: 15443
Conc: 0.18 ng/ml



#27 AR-1254-2


R.T.: 6.293 min
Delta R.T.: 0.006 min
Response: 443693
Conc: 3.60 ng/ml

Instrument :
ECD_P
ClientSampleId :




#27 AR-1254-2

R.T.: 5.282 min
Delta R.T.: -0.003 min
Response: 153970
Conc: 2.04 ng/ml




#28 AR-1254-3

R.T.: 6.689 min
Delta R.T.: 0.000 min
Response: 152664
Conc: 1.27 ng/ml



#28 AR-1254-3


R.T.: 5.714 min
Delta R.T.: -0.002 min
Response: 135566
Conc: 1.15 ng/ml



#29 AR-1254-4


R.T.: 7.003 min
Delta R.T.: 0.000 min
Response: 84632
Conc: 0.96 ng/ml

Instrument :
ECD_P
ClientSampleId :




#29 AR-1254-4

R.T.: 5.961 min
Delta R.T.: -0.004 min
Response: 96168
Conc: 1.27 ng/ml




#30 AR-1254-5

R.T.: 7.452 min
Delta R.T.: -0.010 min
Response: 329024
Conc: 3.51 ng/ml



#30 AR-1254-5


R.T.: 6.412 min
Delta R.T.: -0.003 min
Response: 254030
Conc: 2.48 ng/ml



#31 AR-1260-1


R.T.: 6.866 min
Delta R.T.: 0.002 min
Response: 318102
Conc: 3.60 ng/ml

Instrument :
ECD_P
ClientSampleId :




#31 AR-1260-1

R.T.: 5.852 min
Delta R.T.: -0.003 min
Response: 266504
Conc: 3.37 ng/ml




#32 AR-1260-2

R.T.: 7.143 min
Delta R.T.: -0.005 min
Response: 376995
Conc: 3.68 ng/ml



#32 AR-1260-2


R.T.: 6.060 min
Delta R.T.: -0.002 min
Response: 260699
Conc: 2.78 ng/ml



#33 AR-1260-3


R.T.: 7.536 min
Delta R.T.: -0.008 min
Response: 66409
Conc: 0.81 ng/ml

Instrument :
ECD_P
ClientSampleId :




#33 AR-1260-3

R.T.: 6.221 min
Delta R.T.: -0.003 min
Response: 229794
Conc: 2.59 ng/ml




#34 AR-1260-4

R.T.: 7.791 min
Delta R.T.: 0.000 min
Response: 134780
Conc: 1.59 ng/ml



#34 AR-1260-4


R.T.: 6.733 min
Delta R.T.: 0.000 min
Response: 264370
Conc: 3.68 ng/ml



#35 AR-1260-5


R.T.: 8.123 min
Delta R.T.: -0.009 min
Response: 125382
Conc: 0.76 ng/ml

Instrument :
ECD_P
ClientSampleId :




#35 AR-1260-5

R.T.: 7.003 min
Delta R.T.: 0.000 min
Response: 248892
Conc: 1.47 ng/ml




#36 AR-1262-1

R.T.: 7.536 min
Delta R.T.: -0.006 min
Response: 66409
Conc: 0.58 ng/ml



#36 AR-1262-1


R.T.: 6.452 min
Delta R.T.: -0.003 min
Response: 230013
Conc: 2.17 ng/ml



#37 AR-1262-2


R.T.: 8.123 min
Delta R.T.: -0.006 min
Response: 125382
Conc: 0.70 ng/ml

Instrument :
ECD_P
ClientSampleId :




#37 AR-1262-2

R.T.: 6.733 min
Delta R.T.: 0.000 min
Response: 264370
Conc: 2.81 ng/ml




#38 AR-1262-3

R.T.: 8.451 min
Delta R.T.: -0.004 min
Response: 103340
Conc: 0.79 ng/ml



#38 AR-1262-3


R.T.: 7.300 min
Delta R.T.: -0.007 min
Response: 162372
Conc: 2.12 ng/ml



#39 AR-1262-4


R.T.: 8.556 min
Delta R.T.: 0.005 min
Response: 333253
Conc: 5.29 ng/ml

Instrument :
ECD_P
ClientSampleId :




#39 AR-1262-4

R.T.: 7.380 min
Delta R.T.: 0.002 min
Response: 365529
Conc: 2.57 ng/ml




#40 AR-1262-5

R.T.: 9.226 min
Delta R.T.: 0.002 min
Response: 71225
Conc: 1.04 ng/ml



#40 AR-1262-5


R.T.: 7.922 min
Delta R.T.: 0.002 min
Response: 333173
Conc: 4.76 ng/ml



#41 AR-1268-1


R.T.: 8.461 min
Delta R.T.: 0.003 min
Response: 100842
Conc: 0.37 ng/ml

Instrument :
ECD_P
ClientSampleId :




#41 AR-1268-1

R.T.: 7.300 min
Delta R.T.: -0.007 min
Response: 162372
Conc: 0.73 ng/ml




#42 AR-1268-2

R.T.: 8.556 min
Delta R.T.: -0.002 min
Response: 333253
Conc: 1.32 ng/ml



#42 AR-1268-2


R.T.: 7.380 min
Delta R.T.: 0.001 min
Response: 365529
Conc: 1.80 ng/ml



#43 AR-1268-3


R.T.: 8.797 min
Delta R.T.: 0.008 min
Response: 35819
Conc: 0.16 ng/ml

Instrument :
ECD_P
ClientSampleId :




#43 AR-1268-3

R.T.: 7.594 min
Delta R.T.: -0.003 min
Response: 40295
Conc: 0.24 ng/ml




#44 AR-1268-4

R.T.: 9.226 min
Delta R.T.: -0.004 min
Response: 71225
Conc: 0.79 ng/ml



#44 AR-1268-4


R.T.: 7.922 min
Delta R.T.: 0.002 min
Response: 333173
Conc: 4.22 ng/ml



#45 AR-1268-5

R.T.: 9.647 min
Delta R.T.: 0.000 min
Response: 94043
Conc: 0.14 ng/ml

Instrument :
ECD_P
ClientSampleId :



#45 AR-1268-5

R.T.: 8.209 min
Delta R.T.: -0.012 min
Response: 190286
Conc: 0.34 ng/ml