

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP041522\
 Data File : PP046102.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 15 Apr 2022 08:40
 Operator : YP\AJ
 Sample : N2395-03 10X
 Misc :
 ALS Vial : 69 Sample Multiplier: 1

Instrument :
 ECD_P
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Apr 15 16:48:21 2022
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP041222.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Tue Apr 12 05:31:12 2022
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.877	3.138	3455622	3019071	1.405	1.900 #
2)	SA Decachlor...	9.972	8.472	3229341	3506590	1.967	2.460 #
Target Compounds							
3)	L1 AR-1016-1	5.127	4.278	86676	28375	1.131	0.483 #
4)	L1 AR-1016-2	5.148	4.296	88135	30176	0.762	0.361 #
5)	L1 AR-1016-3	5.213	4.471	59991	18588	0.871	0.421 #
6)	L1 AR-1016-4	5.325	4.520	122235	20305	2.077	0.569 #
7)	L1 AR-1016-5	5.631	4.753	36731	14015	0.666	0.295 #
8)	L2 AR-1221-1	4.106	3.363	73636	18582	2.827	0.915 #
9)	L2 AR-1221-2	4.197	3.450	88264	32929	4.641	2.166 #
10)	L2 AR-1221-3	4.274	3.533	89781	14841	1.461	0.322 #
11)	L3 AR-1232-1	4.274	3.533	89781	14841	1.582	0.350 #
12)	L3 AR-1232-2	4.838	4.296	43911	30176	1.647	0.753 #
13)	L3 AR-1232-3	5.148	4.471	88135	18588	1.637	0.865 #
14)	L3 AR-1232-4	5.325	4.556	122235	72279	4.621	3.815
15)	L3 AR-1232-5	5.433	4.753	210105	14015	11.398	0.655 #
16)	L4 AR-1242-1	5.127	4.278	86676	28375	1.450	0.613 #
17)	L4 AR-1242-2	5.148	4.296	88135	30176	0.982	0.465 #
18)	L4 AR-1242-3	5.213	4.471	59991	18588	1.081	0.537 #
19)	L4 AR-1242-4	5.325	4.556	122235	72279	2.694	2.150
20)	L4 AR-1242-5	6.134	5.145f	774875	91978	16.683	2.094 #
21)	L5 AR-1248-1	5.127	4.278	86676	28375	2.009	0.827 #
22)	L5 AR-1248-2	5.433	4.520	210105	20305	3.515	0.433 #
23)	L5 AR-1248-3	5.631	4.556	36731	72279	0.525	1.479 #
24)	L5 AR-1248-4	6.078	4.753	566618	14015	7.167	0.241 #
25)	L5 AR-1248-5	6.102f	5.174	293390	18080	3.747	0.308 #
26)	L6 AR-1254-1	6.043	5.108f	384517	7425	4.652	0.084 #
27)	L6 AR-1254-2	6.288	5.281	157528	21526	1.279	0.285 #
28)	L6 AR-1254-3	6.685	5.719	160807	16526	1.338	0.141 #
29)	L6 AR-1254-4	7.009	5.962	87332	17114	0.990	0.227 #
30)	L6 AR-1254-5	7.471	6.411	258347	19457	2.758	0.190 #
31)	L7 AR-1260-1	6.855	5.852	83064	11145	0.941	0.141 #
32)	L7 AR-1260-2	7.143	6.062	175095	25992	1.709	0.278 #
33)	L7 AR-1260-3	7.541	6.216	78165	524483	0.949	5.921 #
34)	L7 AR-1260-4	7.792	6.738	55715	15958	0.657	0.222 #
35)	L7 AR-1260-5	8.125	7.000	29770	44568	0.181	0.262 #
36)	L8 AR-1262-1	7.541	6.454	78165	35064	0.679	0.332 #
37)	L8 AR-1262-2	8.125	6.738	29770	15958	0.166	0.169
38)	L8 AR-1262-3	8.463	7.313	186333	39435	1.430	0.515 #
39)	L8 AR-1262-4	8.551	7.374	187053	33084	2.970	0.233 #
40)	L8 AR-1262-5	9.221	7.923	55446	97039	0.812	1.385 #
41)	L9 AR-1268-1	8.463	7.313	186333	39435	0.685	0.178 #

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP041522\
 Data File : PP046102.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 15 Apr 2022 08:40
 Operator : YP\AJ
 Sample : N2395-03 10X
 Misc :
 ALS Vial : 69 Sample Multiplier: 1

Instrument :
 ECD_P
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Apr 15 16:48:21 2022
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP041222.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Tue Apr 12 05:31:12 2022
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml
42) L9	AR-1268-2	8.551	7.374	187053	33084	0.739	0.163 #
43) L9	AR-1268-3	8.787	7.593	66806	13231	0.294	0.078 #
44) L9	AR-1268-4	9.231	7.923	65550	97039	0.726	1.230 #
45) L9	AR-1268-5	9.642	8.230	125363	50792	0.184	0.092 #


(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP041522\
Data File : PP046102.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 15 Apr 2022 08:40
Operator : YP\AJ
Sample : N2395-03 10X
Misc :
ALS Vial : 69 Sample Multiplier: 1

Instrument :
ECD_P
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Apr 15 16:48:21 2022
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP041222.M
Quant Title : GC EXTRACTABLES
QLast Update : Tue Apr 12 05:31:12 2022
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 3.877 min
Delta R.T.: 0.000 min
Response: 3455622
Conc: 1.40 ng/ml

Instrument :
ECD_P
ClientSampleId :




#1 Tetrachloro-m-xylene

R.T.: 3.138 min
Delta R.T.: 0.000 min
Response: 3019071
Conc: 1.90 ng/ml




#2 Decachlorobiphenyl

R.T.: 9.972 min
Delta R.T.: -0.006 min
Response: 3229341
Conc: 1.97 ng/ml



#2 Decachlorobiphenyl


R.T.: 8.472 min
Delta R.T.: -0.005 min
Response: 3506590
Conc: 2.46 ng/ml



#3 AR-1016-1


R.T.: 5.127 min
Delta R.T.: 0.003 min
Response: 86676
Conc: 1.13 ng/ml

Instrument :
ECD_P
ClientSampleId :




#3 AR-1016-1

R.T.: 4.278 min
Delta R.T.: 0.002 min
Response: 28375
Conc: 0.48 ng/ml




#4 AR-1016-2

R.T.: 5.148 min
Delta R.T.: 0.000 min
Response: 88135
Conc: 0.76 ng/ml



#4 AR-1016-2


R.T.: 4.296 min
Delta R.T.: 0.002 min
Response: 30176
Conc: 0.36 ng/ml



#5 AR-1016-3


R.T.: 5.213 min
Delta R.T.: 0.000 min
Response: 59991
Conc: 0.87 ng/ml

Instrument :
ECD_P
ClientSampleId :




#5 AR-1016-3

R.T.: 4.471 min
Delta R.T.: -0.007 min
Response: 18588
Conc: 0.42 ng/ml




#6 AR-1016-4

R.T.: 5.325 min
Delta R.T.: 0.006 min
Response: 122235
Conc: 2.08 ng/ml



#6 AR-1016-4


R.T.: 4.520 min
Delta R.T.: -0.007 min
Response: 20305
Conc: 0.57 ng/ml



#7 AR-1016-5


R.T.: 5.631 min
Delta R.T.: -0.007 min
Response: 36731
Conc: 0.67 ng/ml

Instrument :
ECD_P
ClientSampleId :




#7 AR-1016-5

R.T.: 4.753 min
Delta R.T.: 0.003 min
Response: 14015
Conc: 0.30 ng/ml




#8 AR-1221-1

R.T.: 4.106 min
Delta R.T.: 0.004 min
Response: 73636
Conc: 2.83 ng/ml



#8 AR-1221-1


R.T.: 3.363 min
Delta R.T.: 0.000 min
Response: 18582
Conc: 0.91 ng/ml



#9 AR-1221-2


R.T.: 4.197 min
Delta R.T.: 0.003 min
Response: 88264
Conc: 4.64 ng/ml

Instrument :
ECD_P
ClientSampleId :




#9 AR-1221-2

R.T.: 3.450 min
Delta R.T.: -0.002 min
Response: 32929
Conc: 2.17 ng/ml




#10 AR-1221-3

R.T.: 4.274 min
Delta R.T.: 0.000 min
Response: 89781
Conc: 1.46 ng/ml



#10 AR-1221-3


R.T.: 3.533 min
Delta R.T.: 0.002 min
Response: 14841
Conc: 0.32 ng/ml



#11 AR-1232-1


R.T.: 4.274 min
Delta R.T.: 0.002 min
Response: 89781
Conc: 1.58 ng/ml

Instrument :
ECD_P
ClientSampleId :




#11 AR-1232-1

R.T.: 3.533 min
Delta R.T.: 0.003 min
Response: 14841
Conc: 0.35 ng/ml




#12 AR-1232-2

R.T.: 4.838 min
Delta R.T.: 0.003 min
Response: 43911
Conc: 1.65 ng/ml



#12 AR-1232-2


R.T.: 4.296 min
Delta R.T.: 0.002 min
Response: 30176
Conc: 0.75 ng/ml



#13 AR-1232-3


R.T.: 5.148 min
Delta R.T.: 0.002 min
Response: 88135
Conc: 1.64 ng/ml

Instrument :
ECD_P
ClientSampleId :




#13 AR-1232-3

R.T.: 4.471 min
Delta R.T.: -0.007 min
Response: 18588
Conc: 0.87 ng/ml




#14 AR-1232-4

R.T.: 5.325 min
Delta R.T.: 0.006 min
Response: 122235
Conc: 4.62 ng/ml



#14 AR-1232-4


R.T.: 4.556 min
Delta R.T.: -0.013 min
Response: 72279
Conc: 3.82 ng/ml



#15 AR-1232-5


R.T.: 5.433 min
Delta R.T.: 0.013 min
Response: 210105
Conc: 11.40 ng/ml

Instrument :
ECD_P
ClientSampleId :




#15 AR-1232-5

R.T.: 4.753 min
Delta R.T.: 0.003 min
Response: 14015
Conc: 0.66 ng/ml




#16 AR-1242-1

R.T.: 5.127 min
Delta R.T.: 0.001 min
Response: 86676
Conc: 1.45 ng/ml



#16 AR-1242-1


R.T.: 4.278 min
Delta R.T.: 0.002 min
Response: 28375
Conc: 0.61 ng/ml



#17 AR-1242-2


R.T.: 5.148 min
Delta R.T.: 0.000 min
Response: 88135
Conc: 0.98 ng/ml

Instrument :
ECD_P
ClientSampleId :




#17 AR-1242-2

R.T.: 4.296 min
Delta R.T.: 0.002 min
Response: 30176
Conc: 0.47 ng/ml




#18 AR-1242-3

R.T.: 5.213 min
Delta R.T.: -0.002 min
Response: 59991
Conc: 1.08 ng/ml



#18 AR-1242-3


R.T.: 4.471 min
Delta R.T.: -0.007 min
Response: 18588
Conc: 0.54 ng/ml



#19 AR-1242-4


R.T.: 5.325 min
Delta R.T.: 0.005 min
Response: 122235
Conc: 2.69 ng/ml

Instrument :
ECD_P
ClientSampleId :




#19 AR-1242-4

R.T.: 4.556 min
Delta R.T.: -0.014 min
Response: 72279
Conc: 2.15 ng/ml




#20 AR-1242-5

R.T.: 6.134 min
Delta R.T.: 0.015 min
Response: 774875
Conc: 16.68 ng/ml



#20 AR-1242-5


R.T.: 5.145 min
Delta R.T.: 0.018 min
Response: 91978
Conc: 2.09 ng/ml



#21 AR-1248-1


R.T.: 5.127 min
Delta R.T.: 0.003 min
Response: 86676
Conc: 2.01 ng/ml

Instrument :
ECD_P
ClientSampleId :




#21 AR-1248-1

R.T.: 4.278 min
Delta R.T.: 0.002 min
Response: 28375
Conc: 0.83 ng/ml




#22 AR-1248-2

R.T.: 5.433 min
Delta R.T.: 0.013 min
Response: 210105
Conc: 3.51 ng/ml



#22 AR-1248-2


R.T.: 4.520 min
Delta R.T.: -0.007 min
Response: 20305
Conc: 0.43 ng/ml



#23 AR-1248-3


R.T.: 5.631 min
Delta R.T.: -0.007 min
Response: 36731
Conc: 0.53 ng/ml

Instrument :
ECD_P
ClientSampleId :




#23 AR-1248-3

R.T.: 4.556 min
Delta R.T.: -0.014 min
Response: 72279
Conc: 1.48 ng/ml




#24 AR-1248-4

R.T.: 6.078 min
Delta R.T.: 0.000 min
Response: 566618
Conc: 7.17 ng/ml



#24 AR-1248-4


R.T.: 4.753 min
Delta R.T.: 0.003 min
Response: 14015
Conc: 0.24 ng/ml



#25 AR-1248-5


R.T.: 6.102 min
Delta R.T.: -0.015 min
Response: 293390
Conc: 3.75 ng/ml

Instrument :
ECD_P
ClientSampleId :




#25 AR-1248-5

R.T.: 5.174 min
Delta R.T.: 0.005 min
Response: 18080
Conc: 0.31 ng/ml




#26 AR-1254-1

R.T.: 6.043 min
Delta R.T.: -0.006 min
Response: 384517
Conc: 4.65 ng/ml



#26 AR-1254-1


R.T.: 5.108 min
Delta R.T.: -0.017 min
Response: 7425
Conc: 0.08 ng/ml



#27 AR-1254-2


R.T.: 6.288 min
Delta R.T.: 0.000 min
Response: 157528
Conc: 1.28 ng/ml

Instrument :
ECD_P
ClientSampleId :




#27 AR-1254-2

R.T.: 5.281 min
Delta R.T.: -0.005 min
Response: 21526
Conc: 0.29 ng/ml




#28 AR-1254-3

R.T.: 6.685 min
Delta R.T.: -0.004 min
Response: 160807
Conc: 1.34 ng/ml



#28 AR-1254-3


R.T.: 5.719 min
Delta R.T.: 0.004 min
Response: 16526
Conc: 0.14 ng/ml



#29 AR-1254-4


R.T.: 7.009 min
Delta R.T.: 0.007 min
Response: 87332
Conc: 0.99 ng/ml

Instrument :
ECD_P
ClientSampleId :




#29 AR-1254-4

R.T.: 5.962 min
Delta R.T.: -0.003 min
Response: 17114
Conc: 0.23 ng/ml




#30 AR-1254-5

R.T.: 7.471 min
Delta R.T.: 0.009 min
Response: 258347
Conc: 2.76 ng/ml



#30 AR-1254-5


R.T.: 6.411 min
Delta R.T.: -0.004 min
Response: 19457
Conc: 0.19 ng/ml



#31 AR-1260-1


R.T.: 6.855 min
Delta R.T.: -0.009 min
Response: 83064
Conc: 0.94 ng/ml

Instrument :
ECD_P
ClientSampleId :




#31 AR-1260-1

R.T.: 5.852 min
Delta R.T.: -0.003 min
Response: 11145
Conc: 0.14 ng/ml




#32 AR-1260-2

R.T.: 7.143 min
Delta R.T.: -0.005 min
Response: 175095
Conc: 1.71 ng/ml



#32 AR-1260-2


R.T.: 6.062 min
Delta R.T.: 0.000 min
Response: 25992
Conc: 0.28 ng/ml



#33 AR-1260-3


R.T.: 7.541 min
Delta R.T.: -0.002 min
Response: 78165
Conc: 0.95 ng/ml

Instrument :
ECD_P
ClientSampleId :




#33 AR-1260-3

R.T.: 6.216 min
Delta R.T.: -0.008 min
Response: 524483
Conc: 5.92 ng/ml




#34 AR-1260-4

R.T.: 7.792 min
Delta R.T.: 0.001 min
Response: 55715
Conc: 0.66 ng/ml



#34 AR-1260-4


R.T.: 6.738 min
Delta R.T.: 0.004 min
Response: 15958
Conc: 0.22 ng/ml



#35 AR-1260-5


R.T.: 8.125 min
Delta R.T.: -0.007 min
Response: 29770
Conc: 0.18 ng/ml

Instrument :
ECD_P
ClientSampleId :




#35 AR-1260-5

R.T.: 7.000 min
Delta R.T.: -0.003 min
Response: 44568
Conc: 0.26 ng/ml




#36 AR-1262-1

R.T.: 7.541 min
Delta R.T.: 0.000 min
Response: 78165
Conc: 0.68 ng/ml



#36 AR-1262-1


R.T.: 6.454 min
Delta R.T.: 0.000 min
Response: 35064
Conc: 0.33 ng/ml



#37 AR-1262-2


R.T.: 8.125 min
Delta R.T.: -0.004 min
Response: 29770
Conc: 0.17 ng/ml

Instrument :
ECD_P
ClientSampleId :




#37 AR-1262-2

R.T.: 6.738 min
Delta R.T.: 0.004 min
Response: 15958
Conc: 0.17 ng/ml




#38 AR-1262-3

R.T.: 8.463 min
Delta R.T.: 0.008 min
Response: 186333
Conc: 1.43 ng/ml



#38 AR-1262-3


R.T.: 7.313 min
Delta R.T.: 0.007 min
Response: 39435
Conc: 0.52 ng/ml



#39 AR-1262-4


R.T.: 8.551 min
Delta R.T.: 0.000 min
Response: 187053
Conc: 2.97 ng/ml

Instrument :
ECD_P
ClientSampleId :




#39 AR-1262-4

R.T.: 7.374 min
Delta R.T.: -0.004 min
Response: 33084
Conc: 0.23 ng/ml




#40 AR-1262-5

R.T.: 9.221 min
Delta R.T.: -0.003 min
Response: 55446
Conc: 0.81 ng/ml



#40 AR-1262-5


R.T.: 7.923 min
Delta R.T.: 0.003 min
Response: 97039
Conc: 1.39 ng/ml



#41 AR-1268-1


R.T.: 8.463 min
Delta R.T.: 0.005 min
Response: 186333
Conc: 0.69 ng/ml

Instrument :
ECD_P
ClientSampleId :




#41 AR-1268-1

R.T.: 7.313 min
Delta R.T.: 0.006 min
Response: 39435
Conc: 0.18 ng/ml




#42 AR-1268-2

R.T.: 8.551 min
Delta R.T.: -0.006 min
Response: 187053
Conc: 0.74 ng/ml



#42 AR-1268-2


R.T.: 7.374 min
Delta R.T.: -0.005 min
Response: 33084
Conc: 0.16 ng/ml



#43 AR-1268-3


R.T.: 8.787 min
Delta R.T.: -0.002 min
Response: 66806
Conc: 0.29 ng/ml

Instrument :
ECD_P
ClientSampleId :




#43 AR-1268-3

R.T.: 7.593 min
Delta R.T.: -0.003 min
Response: 13231
Conc: 0.08 ng/ml




#44 AR-1268-4

R.T.: 9.231 min
Delta R.T.: 0.000 min
Response: 65550
Conc: 0.73 ng/ml



#44 AR-1268-4


R.T.: 7.923 min
Delta R.T.: 0.003 min
Response: 97039
Conc: 1.23 ng/ml



#45 AR-1268-5

R.T.: 9.642 min
Delta R.T.: -0.004 min
Response: 125363
Conc: 0.18 ng/ml

Instrument :
ECD_P
ClientSampleId :



#45 AR-1268-5

R.T.: 8.230 min
Delta R.T.: 0.009 min
Response: 50792
Conc: 0.09 ng/ml