

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP041522\
 Data File : PP046116.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 15 Apr 2022 13:03
 Operator : YP\AJ
 Sample : N2395-12 10X
 Misc :
 ALS Vial : 78 Sample Multiplier: 1

Instrument :
 ECD_P
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Apr 15 16:52:12 2022
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP041222.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Tue Apr 12 05:31:12 2022
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.875	3.138	2881299	2870823	1.171	1.807 #
2)	SA Decachlor...	9.977	8.475	2121818	2674392	1.293	1.876 #
Target Compounds							
3)	L1 AR-1016-1	5.123	4.270	204364	46769	2.666	0.796 #
4)	L1 AR-1016-2	5.147	4.295	240118	62136	2.076	0.744 #
5)	L1 AR-1016-3	5.212	4.481	206395	7612	2.996	0.172 #
6)	L1 AR-1016-4	5.311	4.526	207986	88417	3.535	2.478 #
7)	L1 AR-1016-5	5.633	4.746	41721	61347	0.757	1.291 #
8)	L2 AR-1221-1	4.116	3.366	155612	55812	5.973	2.747 #
9)	L2 AR-1221-2	4.194	3.446	87145	256993	4.582	16.908 #
10)	L2 AR-1221-3	4.272	3.531	149639	46996	2.434	1.018 #
11)	L3 AR-1232-1	4.272	3.531	149639	46996	2.637	1.108 #
12)	L3 AR-1232-2	4.828	4.295	41020	62136	1.538	1.550
13)	L3 AR-1232-3	5.147	4.476	240118	13772	4.461	0.641 #
14)	L3 AR-1232-4	5.311	4.566	207986	20330	7.862	1.073 #
15)	L3 AR-1232-5	5.415	4.746	302757	61347	16.425	2.869 #
16)	L4 AR-1242-1	5.123	4.270	204364	46769	3.420	1.011 #
17)	L4 AR-1242-2	5.147	4.295	240118	62136	2.675	0.958 #
18)	L4 AR-1242-3	5.212	4.481	206395	7612	3.721	0.220 #
19)	L4 AR-1242-4	5.311	4.566	207986	20330	4.583	0.605 #
20)	L4 AR-1242-5	6.117	5.122	315651	140444	6.796	3.198 #
21)	L5 AR-1248-1	5.123	4.270	204364	46769	4.737	1.364 #
22)	L5 AR-1248-2	5.415	4.526	302757	88417	5.064	1.887 #
23)	L5 AR-1248-3	5.633	4.566	41721	20330	0.596	0.416 #
24)	L5 AR-1248-4	6.080	4.746	242350	61347	3.065	1.056 #
25)	L5 AR-1248-5	6.117	5.169	315651	23297	4.032	0.397 #
26)	L6 AR-1254-1	6.044	5.122	1083358	140444	13.108	1.592 #
27)	L6 AR-1254-2	6.286	5.284	332663	177358	2.701	2.350
28)	L6 AR-1254-3	6.685	5.715	951528	174500	7.916	1.484 #
29)	L6 AR-1254-4	6.987	5.958	90289	152168	1.024	2.016 #
30)	L6 AR-1254-5	7.454	6.411	192143	302489	2.051	2.952 #
31)	L7 AR-1260-1	6.847f	5.854	1929485	142479	21.858	1.800 #
32)	L7 AR-1260-2	7.148	6.064	1409755	130870	13.761	1.398 #
33)	L7 AR-1260-3	7.549	6.216	145949	662978	1.772	7.484 #
34)	L7 AR-1260-4	7.813f	6.737	1098125	44108	12.959	0.614 #
35)	L7 AR-1260-5	8.135	7.003	95437	49437	0.581	0.291 #
36)	L8 AR-1262-1	7.549	6.462	145949	267166	1.268	2.526 #
37)	L8 AR-1262-2	8.135	6.737	95437	44108	0.533	0.468
38)	L8 AR-1262-3	8.452	7.309	344644	6115	2.645	0.080 #
39)	L8 AR-1262-4	8.562	7.377	173434	74694	2.754	0.525 #
40)	L8 AR-1262-5	9.243f	7.928	188609	603461	2.762	8.614 #
41)	L9 AR-1268-1	8.462	7.309	94363	6115	0.347	0.028 #

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP041522\
 Data File : PP046116.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 15 Apr 2022 13:03
 Operator : YP\AJ
 Sample : N2395-12 10X
 Misc :
 ALS Vial : 78 Sample Multiplier: 1

Instrument :
 ECD_P
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Apr 15 16:52:12 2022
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP041222.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Tue Apr 12 05:31:12 2022
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml
42) L9	AR-1268-2	8.562	7.377	173434	74694	0.686	0.369 #
43) L9	AR-1268-3	8.799	7.594	233285	20460	1.027	0.120 #
44) L9	AR-1268-4	9.243	7.928	188609	603461	2.090	7.646 #
45) L9	AR-1268-5	9.653	8.221	42436	26989	0.062	0.049



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP041522\
Data File : PP046116.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 15 Apr 2022 13:03
Operator : YP\AJ
Sample : N2395-12 10X
Misc :
ALS Vial : 78 Sample Multiplier: 1

Instrument :
ECD_P
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Apr 15 16:52:12 2022
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP041222.M
Quant Title : GC EXTRACTABLES
QLast Update : Tue Apr 12 05:31:12 2022
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 3.875 min
Delta R.T.: 0.000 min
Response: 2881299
Conc: 1.17 ng/ml

Instrument :
ECD_P
ClientSampleId :




#1 Tetrachloro-m-xylene

R.T.: 3.138 min
Delta R.T.: 0.000 min
Response: 2870823
Conc: 1.81 ng/ml




#2 Decachlorobiphenyl

R.T.: 9.977 min
Delta R.T.: -0.001 min
Response: 2121818
Conc: 1.29 ng/ml



#2 Decachlorobiphenyl


R.T.: 8.475 min
Delta R.T.: -0.002 min
Response: 2674392
Conc: 1.88 ng/ml



#3 AR-1016-1


R.T.: 5.123 min
Delta R.T.: 0.000 min
Response: 204364
Conc: 2.67 ng/ml

Instrument :
ECD_P
ClientSampleId :




#3 AR-1016-1

R.T.: 4.270 min
Delta R.T.: -0.005 min
Response: 46769
Conc: 0.80 ng/ml




#4 AR-1016-2

R.T.: 5.147 min
Delta R.T.: 0.000 min
Response: 240118
Conc: 2.08 ng/ml



#4 AR-1016-2


R.T.: 4.295 min
Delta R.T.: 0.001 min
Response: 62136
Conc: 0.74 ng/ml



#5 AR-1016-3


R.T.: 5.212 min
Delta R.T.: -0.001 min
Response: 206395
Conc: 3.00 ng/ml

Instrument :
ECD_P
ClientSampleId :




#5 AR-1016-3

R.T.: 4.481 min
Delta R.T.: 0.003 min
Response: 7612
Conc: 0.17 ng/ml




#6 AR-1016-4

R.T.: 5.311 min
Delta R.T.: -0.008 min
Response: 207986
Conc: 3.53 ng/ml



#6 AR-1016-4


R.T.: 4.526 min
Delta R.T.: 0.000 min
Response: 88417
Conc: 2.48 ng/ml



#7 AR-1016-5


R.T.: 5.633 min
Delta R.T.: -0.006 min
Response: 41721
Conc: 0.76 ng/ml

Instrument :
ECD_P
ClientSampleId :




#7 AR-1016-5

R.T.: 4.746 min
Delta R.T.: -0.004 min
Response: 61347
Conc: 1.29 ng/ml




#8 AR-1221-1

R.T.: 4.116 min
Delta R.T.: 0.014 min
Response: 155612
Conc: 5.97 ng/ml



#8 AR-1221-1


R.T.: 3.366 min
Delta R.T.: 0.003 min
Response: 55812
Conc: 2.75 ng/ml



#9 AR-1221-2


R.T.: 4.194 min
Delta R.T.: 0.000 min
Response: 87145
Conc: 4.58 ng/ml

Instrument :
ECD_P
ClientSampleId :




#9 AR-1221-2

R.T.: 3.446 min
Delta R.T.: -0.007 min
Response: 256993
Conc: 16.91 ng/ml




#10 AR-1221-3

R.T.: 4.272 min
Delta R.T.: -0.002 min
Response: 149639
Conc: 2.43 ng/ml



#10 AR-1221-3


R.T.: 3.531 min
Delta R.T.: 0.000 min
Response: 46996
Conc: 1.02 ng/ml



#11 AR-1232-1


R.T.: 4.272 min
Delta R.T.: 0.000 min
Response: 149639
Conc: 2.64 ng/ml

Instrument :
ECD_P
ClientSampleId :




#11 AR-1232-1

R.T.: 3.531 min
Delta R.T.: 0.000 min
Response: 46996
Conc: 1.11 ng/ml




#12 AR-1232-2

R.T.: 4.828 min
Delta R.T.: -0.007 min
Response: 41020
Conc: 1.54 ng/ml



#12 AR-1232-2


R.T.: 4.295 min
Delta R.T.: 0.001 min
Response: 62136
Conc: 1.55 ng/ml



#13 AR-1232-3


R.T.: 5.147 min
Delta R.T.: 0.000 min
Response: 240118
Conc: 4.46 ng/ml

Instrument :
ECD_P
ClientSampleId :




#13 AR-1232-3

R.T.: 4.476 min
Delta R.T.: -0.002 min
Response: 13772
Conc: 0.64 ng/ml




#14 AR-1232-4

R.T.: 5.311 min
Delta R.T.: -0.007 min
Response: 207986
Conc: 7.86 ng/ml



#14 AR-1232-4


R.T.: 4.566 min
Delta R.T.: -0.003 min
Response: 20330
Conc: 1.07 ng/ml



#15 AR-1232-5


R.T.: 5.415 min
Delta R.T.: -0.005 min
Response: 302757
Conc: 16.42 ng/ml

Instrument :
ECD_P
ClientSampleId :




#15 AR-1232-5

R.T.: 4.746 min
Delta R.T.: -0.004 min
Response: 61347
Conc: 2.87 ng/ml




#16 AR-1242-1

R.T.: 5.123 min
Delta R.T.: -0.003 min
Response: 204364
Conc: 3.42 ng/ml



#16 AR-1242-1


R.T.: 4.270 min
Delta R.T.: -0.005 min
Response: 46769
Conc: 1.01 ng/ml



#17 AR-1242-2


R.T.: 5.147 min
Delta R.T.: -0.002 min
Response: 240118
Conc: 2.67 ng/ml

Instrument :
ECD_P
ClientSampleId :




#17 AR-1242-2

R.T.: 4.295 min
Delta R.T.: 0.001 min
Response: 62136
Conc: 0.96 ng/ml




#18 AR-1242-3

R.T.: 5.212 min
Delta R.T.: -0.002 min
Response: 206395
Conc: 3.72 ng/ml



#18 AR-1242-3


R.T.: 4.481 min
Delta R.T.: 0.003 min
Response: 7612
Conc: 0.22 ng/ml



#19 AR-1242-4


R.T.: 5.311 min
Delta R.T.: -0.009 min
Response: 207986
Conc: 4.58 ng/ml

Instrument :
ECD_P
ClientSampleId :




#19 AR-1242-4

R.T.: 4.566 min
Delta R.T.: -0.004 min
Response: 20330
Conc: 0.60 ng/ml




#20 AR-1242-5

R.T.: 6.117 min
Delta R.T.: -0.002 min
Response: 315651
Conc: 6.80 ng/ml



#20 AR-1242-5


R.T.: 5.122 min
Delta R.T.: -0.004 min
Response: 140444
Conc: 3.20 ng/ml



#21 AR-1248-1


R.T.: 5.123 min
Delta R.T.: 0.000 min
Response: 204364
Conc: 4.74 ng/ml

Instrument :
ECD_P
ClientSampleId :




#21 AR-1248-1

R.T.: 4.270 min
Delta R.T.: -0.005 min
Response: 46769
Conc: 1.36 ng/ml




#22 AR-1248-2

R.T.: 5.415 min
Delta R.T.: -0.005 min
Response: 302757
Conc: 5.06 ng/ml



#22 AR-1248-2


R.T.: 4.526 min
Delta R.T.: 0.000 min
Response: 88417
Conc: 1.89 ng/ml



#23 AR-1248-3


R.T.: 5.633 min
Delta R.T.: -0.005 min
Response: 41721
Conc: 0.60 ng/ml

Instrument :
ECD_P
ClientSampleId :




#23 AR-1248-3

R.T.: 4.566 min
Delta R.T.: -0.003 min
Response: 20330
Conc: 0.42 ng/ml




#24 AR-1248-4

R.T.: 6.080 min
Delta R.T.: 0.004 min
Response: 242350
Conc: 3.07 ng/ml



#24 AR-1248-4


R.T.: 4.746 min
Delta R.T.: -0.005 min
Response: 61347
Conc: 1.06 ng/ml



#25 AR-1248-5


R.T.: 6.117 min
Delta R.T.: 0.000 min
Response: 315651
Conc: 4.03 ng/ml

Instrument :
ECD_P
ClientSampleId :




#25 AR-1248-5

R.T.: 5.169 min
Delta R.T.: 0.000 min
Response: 23297
Conc: 0.40 ng/ml




#26 AR-1254-1

R.T.: 6.044 min
Delta R.T.: -0.006 min
Response: 1083358
Conc: 13.11 ng/ml



#26 AR-1254-1


R.T.: 5.122 min
Delta R.T.: -0.003 min
Response: 140444
Conc: 1.59 ng/ml



#27 AR-1254-2


R.T.: 6.286 min
Delta R.T.: -0.002 min
Response: 332663
Conc: 2.70 ng/ml

Instrument :
ECD_P
ClientSampleId :




#27 AR-1254-2

R.T.: 5.284 min
Delta R.T.: 0.000 min
Response: 177358
Conc: 2.35 ng/ml




#28 AR-1254-3

R.T.: 6.685 min
Delta R.T.: -0.003 min
Response: 951528
Conc: 7.92 ng/ml



#28 AR-1254-3


R.T.: 5.715 min
Delta R.T.: 0.000 min
Response: 174500
Conc: 1.48 ng/ml



#29 AR-1254-4


R.T.: 6.987 min
Delta R.T.: -0.015 min
Response: 90289
Conc: 1.02 ng/ml

Instrument :
ECD_P
ClientSampleId :




#29 AR-1254-4

R.T.: 5.958 min
Delta R.T.: -0.007 min
Response: 152168
Conc: 2.02 ng/ml




#30 AR-1254-5

R.T.: 7.454 min
Delta R.T.: -0.009 min
Response: 192143
Conc: 2.05 ng/ml



#30 AR-1254-5


R.T.: 6.411 min
Delta R.T.: -0.004 min
Response: 302489
Conc: 2.95 ng/ml



#31 AR-1260-1


R.T.: 6.847 min
Delta R.T.: -0.017 min
Response: 1929485
Conc: 21.86 ng/ml

Instrument :
ECD_P
ClientSampleId :




#31 AR-1260-1

R.T.: 5.854 min
Delta R.T.: -0.001 min
Response: 142479
Conc: 1.80 ng/ml




#32 AR-1260-2

R.T.: 7.148 min
Delta R.T.: 0.000 min
Response: 1409755
Conc: 13.76 ng/ml



#32 AR-1260-2


R.T.: 6.064 min
Delta R.T.: 0.002 min
Response: 130870
Conc: 1.40 ng/ml



#33 AR-1260-3


R.T.: 7.549 min
Delta R.T.: 0.006 min
Response: 145949
Conc: 1.77 ng/ml

Instrument :
ECD_P
ClientSampleId :




#33 AR-1260-3

R.T.: 6.216 min
Delta R.T.: -0.008 min
Response: 662978
Conc: 7.48 ng/ml




#34 AR-1260-4

R.T.: 7.813 min
Delta R.T.: 0.023 min
Response: 1098125
Conc: 12.96 ng/ml



#34 AR-1260-4


R.T.: 6.737 min
Delta R.T.: 0.003 min
Response: 44108
Conc: 0.61 ng/ml



#35 AR-1260-5


R.T.: 8.135 min
Delta R.T.: 0.003 min
Response: 95437
Conc: 0.58 ng/ml

Instrument :
ECD_P
ClientSampleId :




#35 AR-1260-5

R.T.: 7.003 min
Delta R.T.: 0.000 min
Response: 49437
Conc: 0.29 ng/ml




#36 AR-1262-1

R.T.: 7.549 min
Delta R.T.: 0.008 min
Response: 145949
Conc: 1.27 ng/ml



#36 AR-1262-1


R.T.: 6.462 min
Delta R.T.: 0.007 min
Response: 267166
Conc: 2.53 ng/ml



#37 AR-1262-2


R.T.: 8.135 min
Delta R.T.: 0.006 min
Response: 95437
Conc: 0.53 ng/ml

Instrument :
ECD_P
ClientSampleId :




#37 AR-1262-2

R.T.: 6.737 min
Delta R.T.: 0.003 min
Response: 44108
Conc: 0.47 ng/ml




#38 AR-1262-3

R.T.: 8.452 min
Delta R.T.: -0.003 min
Response: 344644
Conc: 2.64 ng/ml



#38 AR-1262-3


R.T.: 7.309 min
Delta R.T.: 0.002 min
Response: 6115
Conc: 0.08 ng/ml



#39 AR-1262-4


R.T.: 8.562 min
Delta R.T.: 0.012 min
Response: 173434
Conc: 2.75 ng/ml

Instrument :
ECD_P
ClientSampleId :




#39 AR-1262-4

R.T.: 7.377 min
Delta R.T.: 0.000 min
Response: 74694
Conc: 0.53 ng/ml




#40 AR-1262-5

R.T.: 9.243 min
Delta R.T.: 0.019 min
Response: 188609
Conc: 2.76 ng/ml



#40 AR-1262-5


R.T.: 7.928 min
Delta R.T.: 0.008 min
Response: 603461
Conc: 8.61 ng/ml



#41 AR-1268-1


R.T.: 8.462 min
Delta R.T.: 0.004 min
Response: 94363
Conc: 0.35 ng/ml

Instrument :
ECD_P
ClientSampleId :




#41 AR-1268-1

R.T.: 7.309 min
Delta R.T.: 0.002 min
Response: 6115
Conc: 0.03 ng/ml




#42 AR-1268-2

R.T.: 8.562 min
Delta R.T.: 0.005 min
Response: 173434
Conc: 0.69 ng/ml



#42 AR-1268-2


R.T.: 7.377 min
Delta R.T.: -0.002 min
Response: 74694
Conc: 0.37 ng/ml



#43 AR-1268-3


R.T.: 8.799 min
Delta R.T.: 0.010 min
Response: 233285
Conc: 1.03 ng/ml

Instrument :
ECD_P
ClientSampleId :




#43 AR-1268-3

R.T.: 7.594 min
Delta R.T.: -0.003 min
Response: 20460
Conc: 0.12 ng/ml




#44 AR-1268-4

R.T.: 9.243 min
Delta R.T.: 0.013 min
Response: 188609
Conc: 2.09 ng/ml



#44 AR-1268-4


R.T.: 7.928 min
Delta R.T.: 0.008 min
Response: 603461
Conc: 7.65 ng/ml



#45 AR-1268-5

R.T.: 9.653 min
Delta R.T.: 0.007 min
Response: 42436
Conc: 0.06 ng/ml

Instrument :
ECD_P
ClientSampleId :



#45 AR-1268-5

R.T.: 8.221 min
Delta R.T.: 0.000 min
Response: 26989
Conc: 0.05 ng/ml