

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP041622\
 Data File : PP046130.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 15 Apr 2022 18:41
 Operator : YP\AJ
 Sample : N2395-16 10X
 Misc :
 ALS Vial : 82 Sample Multiplier: 1

Instrument :
 ECD_P
 ClientSampleId :
 LAW-2022-19B

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Apr 18 00:57:09 2022
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP041222.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Tue Apr 12 05:31:12 2022
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds						
1) SA Tetrachlo...	3.874	3.137	4005746	3330843	1.629	2.096 #
2) SA Decachlor...	9.970	8.472	3393068	2847369	2.067	1.998

Target Compounds



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP041622\
Data File : PP046130.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 15 Apr 2022 18:41
Operator : YP\AJ
Sample : N2395-16 10X
Misc :
ALS Vial : 82 Sample Multiplier: 1

Instrument :
ECD_P
ClientSampleId :
LAW-2022-19B

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Apr 18 00:57:09 2022
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP041222.M
Quant Title : GC EXTRACTABLES
QLast Update : Tue Apr 12 05:31:12 2022
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 3.874 min
Delta R.T.: -0.002 min
Response: 4005746
Conc: 1.63 ng/ml

Instrument :
ECD_P
ClientSampleId :
LAW-2022-19B




#1 Tetrachloro-m-xylene

R.T.: 3.137 min
Delta R.T.: -0.001 min
Response: 3330843
Conc: 2.10 ng/ml



#2 Decachlorobiphenyl

R.T.: 9.970 min
Delta R.T.: -0.007 min
Response: 3393068
Conc: 2.07 ng/ml



#2 Decachlorobiphenyl

R.T.: 8.472 min
Delta R.T.: -0.005 min
Response: 2847369
Conc: 2.00 ng/ml