

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP041822\
 Data File : PP046225.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 18 Apr 2022 12:59
 Operator : YP\AJ
 Sample : N2395-11 10X
 Misc :
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 ECD_P
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Apr 18 15:00:17 2022
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP041222.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Tue Apr 12 05:31:12 2022
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.872	3.136	3143581	3353646	1.278	2.111 #
2)	SA Decachlor...	9.970	8.475	3271878	2485918	1.993	1.744
Target Compounds							
3)	L1 AR-1016-1	5.123	4.280	101382	25317	1.322	0.431 #
4)	L1 AR-1016-2	5.151	4.293	36004	49547	0.311	0.593 #
5)	L1 AR-1016-3	5.215	4.472	73596	113152	1.068	2.562 #
6)	L1 AR-1016-4	5.327	4.521	97856	375661	1.663	10.527 #
7)	L1 AR-1016-5	5.633	4.745	121574	878195	2.205	18.486 #
8)	L2 AR-1221-1	4.108	3.369	25823	6581	0.991	0.324 #
9)	L2 AR-1221-2	4.194	3.444	105141	50079	5.529	3.295 #
10)	L2 AR-1221-3	4.273	3.528	82696	39189	1.345	0.849 #
11)	L3 AR-1232-1	4.273	3.528	82696	39189	1.457	0.924 #
12)	L3 AR-1232-2	4.835	4.293	91017	49547	3.413	1.236 #
13)	L3 AR-1232-3	5.151	4.472	36004	113152	0.669	5.266 #
14)	L3 AR-1232-4	5.327	4.566	97856	49941	3.699	2.636 #
15)	L3 AR-1232-5	5.417	4.745	554451	878195	30.079	41.068 #
16)	L4 AR-1242-1	5.123	4.280	101382	25317	1.696	0.547 #
17)	L4 AR-1242-2	5.151	4.293	36004	49547	0.401	0.764 #
18)	L4 AR-1242-3	5.215	4.472	73596	113152	1.327	3.270 #
19)	L4 AR-1242-4	5.327	4.566	97856	49941	2.156	1.486 #
20)	L4 AR-1242-5	6.114	5.142f	325710	5469228	7.012	124.532 #
21)	L5 AR-1248-1	5.123	4.280	101382	25317	2.350	0.738 #
22)	L5 AR-1248-2	5.417	4.521	554451	375661	9.275	8.019
23)	L5 AR-1248-3	5.633	4.566	121574	49941	1.738	1.022 #
24)	L5 AR-1248-4	6.080	4.745	170480	878195	2.156	15.115 #
25)	L5 AR-1248-5	6.114	5.182	325710	18848	4.160	0.321 #
26)	L6 AR-1254-1	6.043	5.142f	3968645	5469228	48.018	62.003 #
27)	L6 AR-1254-2	6.279	5.280	976213	641322	7.927	8.497
28)	L6 AR-1254-3	6.683	5.709	1967905	1272940	16.371	10.823 #
29)	L6 AR-1254-4	6.991	5.958	1662801	582007	18.853	7.712 #
30)	L6 AR-1254-5	7.449	6.406	1241143	655972	13.249	6.403 #
31)	L7 AR-1260-1	6.864	5.848	150088	672598	1.700	8.498 #
32)	L7 AR-1260-2	7.141	6.081f	814166	14947	7.947	0.160 #
33)	L7 AR-1260-3	7.543	6.214	140195	520281	1.702	5.873 #
34)	L7 AR-1260-4	7.792	6.728	161611	105462	1.907	1.469
35)	L7 AR-1260-5	8.144	6.997	17100	255235	0.104	1.503 #
36)	L8 AR-1262-1	7.543	6.454	140195	77658	1.218	0.734 #
37)	L8 AR-1262-2	8.116	6.728	192350	105462	1.074	1.120
38)	L8 AR-1262-3	8.450	7.309	207344	17637	1.591	0.230 #
39)	L8 AR-1262-4	8.552	7.369	264395	232143	4.198	1.632 #
40)	L8 AR-1262-5	9.225	7.918	131625	67274	1.928	0.960 #
41)	L9 AR-1268-1	8.450	7.309	207344	17637	0.762	0.079 #

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP041822\
 Data File : PP046225.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 18 Apr 2022 12:59
 Operator : YP\AJ
 Sample : N2395-11 10X
 Misc :
 ALS Vial : 9 Sample Multiplier: 1

Instrument :
 ECD_P
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Apr 18 15:00:17 2022
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP041222.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Tue Apr 12 05:31:12 2022
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml
42) L9	AR-1268-2	8.552	7.369	264395	232143	1.045	1.146
43) L9	AR-1268-3	8.794	7.589	113020	61647	0.497	0.362 #
44) L9	AR-1268-4	9.225	7.918	131625	67274	1.458	0.852 #
45) L9	AR-1268-5	9.652	8.219	211757	15055	0.311	0.027 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP041822\
Data File : PP046225.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 18 Apr 2022 12:59
Operator : YP\AJ
Sample : N2395-11 10X
Misc :
ALS Vial : 9 Sample Multiplier: 1

Instrument :
ECD_P
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Apr 18 15:00:17 2022
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP041222.M
Quant Title : GC EXTRACTABLES
QLast Update : Tue Apr 12 05:31:12 2022
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 3.872 min
Delta R.T.: -0.004 min
Response: 3143581
Conc: 1.28 ng/ml

Instrument :
ECD_P
ClientSampleId :




#1 Tetrachloro-m-xylene

R.T.: 3.136 min
Delta R.T.: -0.002 min
Response: 3353646
Conc: 2.11 ng/ml




#2 Decachlorobiphenyl

R.T.: 9.970 min
Delta R.T.: -0.008 min
Response: 3271878
Conc: 1.99 ng/ml



#2 Decachlorobiphenyl


R.T.: 8.475 min
Delta R.T.: -0.002 min
Response: 2485918
Conc: 1.74 ng/ml



#3 AR-1016-1


R.T.: 5.123 min
Delta R.T.: -0.001 min
Response: 101382
Conc: 1.32 ng/ml

Instrument :
ECD_P
ClientSampleId :




#3 AR-1016-1

R.T.: 4.280 min
Delta R.T.: 0.005 min
Response: 25317
Conc: 0.43 ng/ml




#4 AR-1016-2

R.T.: 5.151 min
Delta R.T.: 0.003 min
Response: 36004
Conc: 0.31 ng/ml



#4 AR-1016-2


R.T.: 4.293 min
Delta R.T.: -0.001 min
Response: 49547
Conc: 0.59 ng/ml



#5 AR-1016-3


R.T.: 5.215 min
Delta R.T.: 0.002 min
Response: 73596
Conc: 1.07 ng/ml

Instrument :
ECD_P
ClientSampleId :




#5 AR-1016-3

R.T.: 4.472 min
Delta R.T.: -0.007 min
Response: 113152
Conc: 2.56 ng/ml




#6 AR-1016-4

R.T.: 5.327 min
Delta R.T.: 0.008 min
Response: 97856
Conc: 1.66 ng/ml



#6 AR-1016-4


R.T.: 4.521 min
Delta R.T.: -0.006 min
Response: 375661
Conc: 10.53 ng/ml



#7 AR-1016-5


R.T.: 5.633 min
Delta R.T.: -0.005 min
Response: 121574
Conc: 2.20 ng/ml

Instrument :
ECD_P
ClientSampleId :




#7 AR-1016-5

R.T.: 4.745 min
Delta R.T.: -0.005 min
Response: 878195
Conc: 18.49 ng/ml




#8 AR-1221-1

R.T.: 4.108 min
Delta R.T.: 0.006 min
Response: 25823
Conc: 0.99 ng/ml



#8 AR-1221-1


R.T.: 3.369 min
Delta R.T.: 0.006 min
Response: 6581
Conc: 0.32 ng/ml



#9 AR-1221-2


R.T.: 4.194 min
Delta R.T.: 0.000 min
Response: 105141
Conc: 5.53 ng/ml

Instrument :
ECD_P
ClientSampleId :




#9 AR-1221-2

R.T.: 3.444 min
Delta R.T.: -0.009 min
Response: 50079
Conc: 3.29 ng/ml




#10 AR-1221-3

R.T.: 4.273 min
Delta R.T.: 0.000 min
Response: 82696
Conc: 1.35 ng/ml



#10 AR-1221-3


R.T.: 3.528 min
Delta R.T.: -0.004 min
Response: 39189
Conc: 0.85 ng/ml



#11 AR-1232-1


R.T.: 4.273 min
Delta R.T.: 0.000 min
Response: 82696
Conc: 1.46 ng/ml

Instrument :
ECD_P
ClientSampleId :




#11 AR-1232-1

R.T.: 3.528 min
Delta R.T.: -0.003 min
Response: 39189
Conc: 0.92 ng/ml




#12 AR-1232-2

R.T.: 4.835 min
Delta R.T.: 0.000 min
Response: 91017
Conc: 3.41 ng/ml



#12 AR-1232-2


R.T.: 4.293 min
Delta R.T.: 0.000 min
Response: 49547
Conc: 1.24 ng/ml



#13 AR-1232-3


R.T.: 5.151 min
Delta R.T.: 0.004 min
Response: 36004
Conc: 0.67 ng/ml

Instrument :
ECD_P
ClientSampleId :




#13 AR-1232-3

R.T.: 4.472 min
Delta R.T.: -0.006 min
Response: 113152
Conc: 5.27 ng/ml




#14 AR-1232-4

R.T.: 5.327 min
Delta R.T.: 0.009 min
Response: 97856
Conc: 3.70 ng/ml



#14 AR-1232-4


R.T.: 4.566 min
Delta R.T.: -0.003 min
Response: 49941
Conc: 2.64 ng/ml



#15 AR-1232-5


R.T.: 5.417 min
Delta R.T.: -0.003 min
Response: 554451
Conc: 30.08 ng/ml

Instrument :
ECD_P
ClientSampleId :




#15 AR-1232-5

R.T.: 4.745 min
Delta R.T.: -0.005 min
Response: 878195
Conc: 41.07 ng/ml




#16 AR-1242-1

R.T.: 5.123 min
Delta R.T.: -0.003 min
Response: 101382
Conc: 1.70 ng/ml



#16 AR-1242-1


R.T.: 4.280 min
Delta R.T.: 0.005 min
Response: 25317
Conc: 0.55 ng/ml



#17 AR-1242-2


R.T.: 5.151 min
Delta R.T.: 0.002 min
Response: 36004
Conc: 0.40 ng/ml

Instrument :
ECD_P
ClientSampleId :




#17 AR-1242-2

R.T.: 4.293 min
Delta R.T.: -0.001 min
Response: 49547
Conc: 0.76 ng/ml




#18 AR-1242-3

R.T.: 5.215 min
Delta R.T.: 0.000 min
Response: 73596
Conc: 1.33 ng/ml



#18 AR-1242-3


R.T.: 4.472 min
Delta R.T.: -0.007 min
Response: 113152
Conc: 3.27 ng/ml



#19 AR-1242-4


R.T.: 5.327 min
Delta R.T.: 0.007 min
Response: 97856
Conc: 2.16 ng/ml

Instrument :
ECD_P
ClientSampleId :




#19 AR-1242-4

R.T.: 4.566 min
Delta R.T.: -0.004 min
Response: 49941
Conc: 1.49 ng/ml




#20 AR-1242-5

R.T.: 6.114 min
Delta R.T.: -0.005 min
Response: 325710
Conc: 7.01 ng/ml



#20 AR-1242-5


R.T.: 5.142 min
Delta R.T.: 0.016 min
Response: 5469228
Conc: 124.53 ng/ml



#21 AR-1248-1


R.T.: 5.123 min
Delta R.T.: -0.001 min
Response: 101382
Conc: 2.35 ng/ml

Instrument :
ECD_P
ClientSampleId :




#21 AR-1248-1

R.T.: 4.280 min
Delta R.T.: 0.005 min
Response: 25317
Conc: 0.74 ng/ml




#22 AR-1248-2

R.T.: 5.417 min
Delta R.T.: -0.003 min
Response: 554451
Conc: 9.27 ng/ml



#22 AR-1248-2


R.T.: 4.521 min
Delta R.T.: -0.006 min
Response: 375661
Conc: 8.02 ng/ml



#23 AR-1248-3


R.T.: 5.633 min
Delta R.T.: -0.005 min
Response: 121574
Conc: 1.74 ng/ml

Instrument :
ECD_P
ClientSampleId :




#23 AR-1248-3

R.T.: 4.566 min
Delta R.T.: -0.004 min
Response: 49941
Conc: 1.02 ng/ml




#24 AR-1248-4

R.T.: 6.080 min
Delta R.T.: 0.004 min
Response: 170480
Conc: 2.16 ng/ml



#24 AR-1248-4


R.T.: 4.745 min
Delta R.T.: -0.005 min
Response: 878195
Conc: 15.11 ng/ml



#25 AR-1248-5


R.T.: 6.114 min
Delta R.T.: -0.003 min
Response: 325710
Conc: 4.16 ng/ml

Instrument :
ECD_P
ClientSampleId :




#25 AR-1248-5

R.T.: 5.182 min
Delta R.T.: 0.013 min
Response: 18848
Conc: 0.32 ng/ml




#26 AR-1254-1

R.T.: 6.043 min
Delta R.T.: -0.006 min
Response: 3968645
Conc: 48.02 ng/ml



#26 AR-1254-1


R.T.: 5.142 min
Delta R.T.: 0.017 min
Response: 5469228
Conc: 62.00 ng/ml



#27 AR-1254-2


R.T.: 6.279 min
Delta R.T.: -0.008 min
Response: 976213
Conc: 7.93 ng/ml

Instrument :
ECD_P
ClientSampleId :




#27 AR-1254-2

R.T.: 5.280 min
Delta R.T.: -0.006 min
Response: 641322
Conc: 8.50 ng/ml




#28 AR-1254-3

R.T.: 6.683 min
Delta R.T.: -0.005 min
Response: 1967905
Conc: 16.37 ng/ml



#28 AR-1254-3


R.T.: 5.709 min
Delta R.T.: -0.007 min
Response: 1272940
Conc: 10.82 ng/ml



#29 AR-1254-4


R.T.: 6.991 min
Delta R.T.: -0.011 min
Response: 1662801
Conc: 18.85 ng/ml

Instrument :
ECD_P
ClientSampleId :




#29 AR-1254-4

R.T.: 5.958 min
Delta R.T.: -0.007 min
Response: 582007
Conc: 7.71 ng/ml




#30 AR-1254-5

R.T.: 7.449 min
Delta R.T.: -0.014 min
Response: 1241143
Conc: 13.25 ng/ml



#30 AR-1254-5


R.T.: 6.406 min
Delta R.T.: -0.009 min
Response: 655972
Conc: 6.40 ng/ml



#31 AR-1260-1


R.T.: 6.864 min
Delta R.T.: 0.000 min
Response: 150088
Conc: 1.70 ng/ml

Instrument :
ECD_P
ClientSampleId :




#31 AR-1260-1

R.T.: 5.848 min
Delta R.T.: -0.008 min
Response: 672598
Conc: 8.50 ng/ml




#32 AR-1260-2

R.T.: 7.141 min
Delta R.T.: -0.007 min
Response: 814166
Conc: 7.95 ng/ml



#32 AR-1260-2


R.T.: 6.081 min
Delta R.T.: 0.019 min
Response: 14947
Conc: 0.16 ng/ml



#33 AR-1260-3


R.T.: 7.543 min
Delta R.T.: 0.000 min
Response: 140195
Conc: 1.70 ng/ml

Instrument :
ECD_P
ClientSampleId :




#33 AR-1260-3

R.T.: 6.214 min
Delta R.T.: -0.009 min
Response: 520281
Conc: 5.87 ng/ml




#34 AR-1260-4

R.T.: 7.792 min
Delta R.T.: 0.001 min
Response: 161611
Conc: 1.91 ng/ml



#34 AR-1260-4


R.T.: 6.728 min
Delta R.T.: -0.006 min
Response: 105462
Conc: 1.47 ng/ml



#35 AR-1260-5


R.T.: 8.144 min
Delta R.T.: 0.012 min
Response: 17100
Conc: 0.10 ng/ml

Instrument :
ECD_P
ClientSampleId :




#35 AR-1260-5

R.T.: 6.997 min
Delta R.T.: -0.006 min
Response: 255235
Conc: 1.50 ng/ml




#36 AR-1262-1

R.T.: 7.543 min
Delta R.T.: 0.002 min
Response: 140195
Conc: 1.22 ng/ml



#36 AR-1262-1


R.T.: 6.454 min
Delta R.T.: 0.000 min
Response: 77658
Conc: 0.73 ng/ml



#37 AR-1262-2


R.T.: 8.116 min
Delta R.T.: -0.013 min
Response: 192350
Conc: 1.07 ng/ml

Instrument :
ECD_P
ClientSampleId :




#37 AR-1262-2

R.T.: 6.728 min
Delta R.T.: -0.006 min
Response: 105462
Conc: 1.12 ng/ml




#38 AR-1262-3

R.T.: 8.450 min
Delta R.T.: -0.006 min
Response: 207344
Conc: 1.59 ng/ml



#38 AR-1262-3


R.T.: 7.309 min
Delta R.T.: 0.003 min
Response: 17637
Conc: 0.23 ng/ml



#39 AR-1262-4


R.T.: 8.552 min
Delta R.T.: 0.001 min
Response: 264395
Conc: 4.20 ng/ml

Instrument :
ECD_P
ClientSampleId :




#39 AR-1262-4

R.T.: 7.369 min
Delta R.T.: -0.009 min
Response: 232143
Conc: 1.63 ng/ml




#40 AR-1262-5

R.T.: 9.225 min
Delta R.T.: 0.001 min
Response: 131625
Conc: 1.93 ng/ml



#40 AR-1262-5


R.T.: 7.918 min
Delta R.T.: -0.002 min
Response: 67274
Conc: 0.96 ng/ml



#41 AR-1268-1


R.T.: 8.450 min
Delta R.T.: -0.009 min
Response: 207344
Conc: 0.76 ng/ml

Instrument :
ECD_P
ClientSampleId :




#41 AR-1268-1

R.T.: 7.309 min
Delta R.T.: 0.002 min
Response: 17637
Conc: 0.08 ng/ml




#42 AR-1268-2

R.T.: 8.552 min
Delta R.T.: -0.005 min
Response: 264395
Conc: 1.05 ng/ml



#42 AR-1268-2


R.T.: 7.369 min
Delta R.T.: -0.010 min
Response: 232143
Conc: 1.15 ng/ml



#43 AR-1268-3


R.T.: 8.794 min
Delta R.T.: 0.005 min
Response: 113020
Conc: 0.50 ng/ml

Instrument :
ECD_P
ClientSampleId :




#43 AR-1268-3

R.T.: 7.589 min
Delta R.T.: -0.007 min
Response: 61647
Conc: 0.36 ng/ml




#44 AR-1268-4

R.T.: 9.225 min
Delta R.T.: -0.005 min
Response: 131625
Conc: 1.46 ng/ml



#44 AR-1268-4


R.T.: 7.918 min
Delta R.T.: -0.002 min
Response: 67274
Conc: 0.85 ng/ml



#45 AR-1268-5

R.T.: 9.652 min
Delta R.T.: 0.006 min
Response: 211757
Conc: 0.31 ng/ml

Instrument :
ECD_P
ClientSampleId :



#45 AR-1268-5

R.T.: 8.219 min
Delta R.T.: -0.002 min
Response: 15055
Conc: 0.03 ng/ml