

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP041922\
 Data File : PP046323.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 20 Apr 2022 01:34
 Operator : YP\AJ
 Sample : N2451-06
 Misc :
 ALS Vial : 36 Sample Multiplier: 1

Instrument :
 ECD_P
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Apr 20 05:36:11 2022
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP041222.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Tue Apr 19 10:41:05 2022
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.872	3.136	49351113	37140441	20.064	23.374
2)	SA Decachlor...	9.961	8.464	30998537	31388489	18.883	22.022
Target Compounds							
3)	L1 AR-1016-1	5.114	4.270	212448	22172	2.771	0.378 #
4)	L1 AR-1016-2	5.133	4.288	504282	55392	4.361	0.663 #
5)	L1 AR-1016-3	5.200	4.477	212651	139841	3.086	3.166
6)	L1 AR-1016-4	5.309	4.521	249953	25363	4.248	0.711 #
7)	L1 AR-1016-5	5.630	4.765f	107133	2326266	1.943	48.968 #
8)	L2 AR-1221-1	4.092	3.360	2433556	137532	93.413	6.770 #
9)	L2 AR-1221-2	4.194	3.427f	679275	2885827	35.718	189.865 #
10)	L2 AR-1221-3	4.268	3.532	243104	122611	3.955	2.657 #
11)	L3 AR-1232-1	4.268	3.532	243104	122611	4.284	2.890 #
12)	L3 AR-1232-2	4.842	4.288	251548	55392	9.433	1.382 #
13)	L3 AR-1232-3	5.158	4.477	631531	139841	11.732	6.508 #
14)	L3 AR-1232-4	5.309	4.577	249953	196652	9.449	10.380
15)	L3 AR-1232-5	5.426	4.765f	25816	2326266	1.401	108.785 #
16)	L4 AR-1242-1	5.133	4.279	504282	23763	8.438	0.514 #
17)	L4 AR-1242-2	5.158	4.288	631531	55392	7.035	0.854 #
18)	L4 AR-1242-3	5.211	4.477	208569	139841	3.760	4.041
19)	L4 AR-1242-4	5.309	4.577	249953	196652	5.508	5.850
20)	L4 AR-1242-5	6.127	5.140	430208	2764045	9.262	62.936 #
21)	L5 AR-1248-1	5.133	4.279	504282	23763	11.690	0.693 #
22)	L5 AR-1248-2	5.426	4.532	25816	11024	0.432	0.235 #
23)	L5 AR-1248-3	5.639	4.577	120981	196652	1.729	4.023 #
24)	L5 AR-1248-4	6.083	4.765	291168	2326266	3.683	40.038 #
25)	L5 AR-1248-5	6.127	5.174	430208	56994	5.495	0.971 #
26)	L6 AR-1254-1	6.043	5.140	1253973	2764045	15.172	31.335 #
27)	L6 AR-1254-2	6.300	5.283	76894	22647	0.624	0.300 #
28)	L6 AR-1254-3	6.693	5.712	186380	205010	1.550	1.743
29)	L6 AR-1254-4	6.993	5.966	1361888	71686	15.442	0.950 #
30)	L6 AR-1254-5	7.464	6.425	162018	18036	1.730	0.176 #
31)	L7 AR-1260-1	6.863	5.847	99788	141868	1.130	1.792 #
32)	L7 AR-1260-2	7.127	6.057	363495	33226	3.548	0.355 #
33)	L7 AR-1260-3	7.545	6.216	153358	51770	1.861	0.584 #
34)	L7 AR-1260-4	7.783	6.721	127993	9312	1.510	0.130 #
36)	L8 AR-1262-1	7.545	6.456	153358	24444	1.333	0.231 #
38)	L8 AR-1262-3	0.000	7.307	0	106684	N.D.	1.393 #
39)	L8 AR-1262-4	8.554	7.375	493418	23150	7.834	0.163 #
40)	L8 AR-1262-5	9.212	7.925	143848	394564	2.107	5.632 #
41)	L9 AR-1268-1	0.000	7.307	0	106684	N.D.	0.481 #
42)	L9 AR-1268-2	8.554	7.375	493418	23150	1.950	0.114 #
43)	L9 AR-1268-3	8.774	7.595	76511	16919	0.337	0.099 #

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP041922\
 Data File : PP046323.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 20 Apr 2022 01:34
 Operator : YP\AJ
 Sample : N2451-06
 Misc :
 ALS Vial : 36 Sample Multiplier: 1

Instrument :
 ECD_P
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Apr 20 05:36:11 2022
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP041222.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Tue Apr 19 10:41:05 2022
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml
44) L9	AR-1268-4	9.212f	7.925	143848	394564	1.594	4.999 #
45) L9	AR-1268-5	9.628f	8.225	1677419	38383	2.467	0.069 #


(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP041922\
Data File : PP046323.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 20 Apr 2022 01:34
Operator : YP\AJ
Sample : N2451-06
Misc :
ALS Vial : 36 Sample Multiplier: 1

Instrument :
ECD_P
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Apr 20 05:36:11 2022
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP041222.M
Quant Title : GC EXTRACTABLES
QLast Update : Tue Apr 19 10:41:05 2022
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 3.872 min
Delta R.T.: 0.003 min
Response: 49351113
Conc: 20.06 ng/ml

Instrument :
ECD_P
ClientSampleId :




#1 Tetrachloro-m-xylene

R.T.: 3.136 min
Delta R.T.: 0.003 min
Response: 37140441
Conc: 23.37 ng/ml




#2 Decachlorobiphenyl

R.T.: 9.961 min
Delta R.T.: -0.011 min
Response: 30998537
Conc: 18.88 ng/ml



#2 Decachlorobiphenyl


R.T.: 8.464 min
Delta R.T.: 0.000 min
Response: 31388489
Conc: 22.02 ng/ml



#3 AR-1016-1


R.T.: 5.114 min
Delta R.T.: -0.003 min
Response: 212448
Conc: 2.77 ng/ml

Instrument :
ECD_P
ClientSampleId :




#3 AR-1016-1

R.T.: 4.270 min
Delta R.T.: 0.002 min
Response: 22172
Conc: 0.38 ng/ml




#4 AR-1016-2

R.T.: 5.133 min
Delta R.T.: -0.006 min
Response: 504282
Conc: 4.36 ng/ml



#4 AR-1016-2


R.T.: 4.288 min
Delta R.T.: 0.002 min
Response: 55392
Conc: 0.66 ng/ml



#5 AR-1016-3


R.T.: 5.200 min
Delta R.T.: -0.005 min
Response: 212651
Conc: 3.09 ng/ml

Instrument :
ECD_P
ClientSampleId :




#5 AR-1016-3

R.T.: 4.477 min
Delta R.T.: 0.007 min
Response: 139841
Conc: 3.17 ng/ml




#6 AR-1016-4

R.T.: 5.309 min
Delta R.T.: -0.001 min
Response: 249953
Conc: 4.25 ng/ml



#6 AR-1016-4


R.T.: 4.521 min
Delta R.T.: 0.002 min
Response: 25363
Conc: 0.71 ng/ml



#7 AR-1016-5


R.T.: 5.630 min
Delta R.T.: 0.000 min
Response: 107133
Conc: 1.94 ng/ml

Instrument :
ECD_P
ClientSampleId :




#7 AR-1016-5

R.T.: 4.765 min
Delta R.T.: 0.024 min
Response: 2326266
Conc: 48.97 ng/ml




#8 AR-1221-1

R.T.: 4.092 min
Delta R.T.: -0.010 min
Response: 2433556
Conc: 93.41 ng/ml



#8 AR-1221-1


R.T.: 3.360 min
Delta R.T.: -0.004 min
Response: 137532
Conc: 6.77 ng/ml



#9 AR-1221-2


R.T.: 4.194 min
Delta R.T.: 0.000 min
Response: 679275
Conc: 35.72 ng/ml

Instrument :
ECD_P
ClientSampleId :




#9 AR-1221-2

R.T.: 3.427 min
Delta R.T.: -0.026 min
Response: 2885827
Conc: 189.87 ng/ml




#10 AR-1221-3

R.T.: 4.268 min
Delta R.T.: -0.005 min
Response: 243104
Conc: 3.95 ng/ml



#10 AR-1221-3


R.T.: 3.532 min
Delta R.T.: 0.000 min
Response: 122611
Conc: 2.66 ng/ml



#11 AR-1232-1


R.T.: 4.268 min
Delta R.T.: -0.004 min
Response: 243104
Conc: 4.28 ng/ml

Instrument :
ECD_P
ClientSampleId :




#11 AR-1232-1

R.T.: 3.532 min
Delta R.T.: 0.001 min
Response: 122611
Conc: 2.89 ng/ml




#12 AR-1232-2

R.T.: 4.842 min
Delta R.T.: 0.007 min
Response: 251548
Conc: 9.43 ng/ml



#12 AR-1232-2


R.T.: 4.288 min
Delta R.T.: -0.006 min
Response: 55392
Conc: 1.38 ng/ml



#13 AR-1232-3


R.T.: 5.158 min
Delta R.T.: 0.012 min
Response: 631531
Conc: 11.73 ng/ml

Instrument :
ECD_P
ClientSampleId :




#13 AR-1232-3

R.T.: 4.477 min
Delta R.T.: 0.000 min
Response: 139841
Conc: 6.51 ng/ml




#14 AR-1232-4

R.T.: 5.309 min
Delta R.T.: -0.009 min
Response: 249953
Conc: 9.45 ng/ml



#14 AR-1232-4


R.T.: 4.577 min
Delta R.T.: 0.007 min
Response: 196652
Conc: 10.38 ng/ml



#15 AR-1232-5


R.T.: 5.426 min
Delta R.T.: 0.007 min
Response: 25816
Conc: 1.40 ng/ml

Instrument :
ECD_P
ClientSampleId :




#15 AR-1232-5

R.T.: 4.765 min
Delta R.T.: 0.015 min
Response: 2326266
Conc: 108.78 ng/ml




#16 AR-1242-1

R.T.: 5.133 min
Delta R.T.: 0.008 min
Response: 504282
Conc: 8.44 ng/ml



#16 AR-1242-1


R.T.: 4.279 min
Delta R.T.: 0.003 min
Response: 23763
Conc: 0.51 ng/ml



#17 AR-1242-2


R.T.: 5.158 min
Delta R.T.: 0.010 min
Response: 631531
Conc: 7.04 ng/ml

Instrument :
ECD_P
ClientSampleId :




#17 AR-1242-2

R.T.: 4.288 min
Delta R.T.: -0.006 min
Response: 55392
Conc: 0.85 ng/ml




#18 AR-1242-3

R.T.: 5.211 min
Delta R.T.: -0.003 min
Response: 208569
Conc: 3.76 ng/ml



#18 AR-1242-3


R.T.: 4.477 min
Delta R.T.: -0.001 min
Response: 139841
Conc: 4.04 ng/ml



#19 AR-1242-4


R.T.: 5.309 min
Delta R.T.: -0.011 min
Response: 249953
Conc: 5.51 ng/ml

Instrument :
ECD_P
ClientSampleId :




#19 AR-1242-4

R.T.: 4.577 min
Delta R.T.: 0.007 min
Response: 196652
Conc: 5.85 ng/ml




#20 AR-1242-5

R.T.: 6.127 min
Delta R.T.: 0.008 min
Response: 430208
Conc: 9.26 ng/ml



#20 AR-1242-5


R.T.: 5.140 min
Delta R.T.: 0.014 min
Response: 2764045
Conc: 62.94 ng/ml



#21 AR-1248-1


R.T.: 5.133 min
Delta R.T.: 0.009 min
Response: 504282
Conc: 11.69 ng/ml

Instrument :
ECD_P
ClientSampleId :




#21 AR-1248-1

R.T.: 4.279 min
Delta R.T.: 0.003 min
Response: 23763
Conc: 0.69 ng/ml




#22 AR-1248-2

R.T.: 5.426 min
Delta R.T.: 0.006 min
Response: 25816
Conc: 0.43 ng/ml



#22 AR-1248-2


R.T.: 4.532 min
Delta R.T.: 0.005 min
Response: 11024
Conc: 0.24 ng/ml



#23 AR-1248-3


R.T.: 5.639 min
Delta R.T.: 0.000 min
Response: 120981
Conc: 1.73 ng/ml

Instrument :
ECD_P
ClientSampleId :




#23 AR-1248-3

R.T.: 4.577 min
Delta R.T.: 0.007 min
Response: 196652
Conc: 4.02 ng/ml




#24 AR-1248-4

R.T.: 6.083 min
Delta R.T.: 0.006 min
Response: 291168
Conc: 3.68 ng/ml



#24 AR-1248-4


R.T.: 4.765 min
Delta R.T.: 0.015 min
Response: 2326266
Conc: 40.04 ng/ml



#25 AR-1248-5


R.T.: 6.127 min
Delta R.T.: 0.009 min
Response: 430208
Conc: 5.49 ng/ml

Instrument :
ECD_P
ClientSampleId :




#25 AR-1248-5

R.T.: 5.174 min
Delta R.T.: 0.005 min
Response: 56994
Conc: 0.97 ng/ml




#26 AR-1254-1

R.T.: 6.043 min
Delta R.T.: -0.006 min
Response: 1253973
Conc: 15.17 ng/ml



#26 AR-1254-1


R.T.: 5.140 min
Delta R.T.: 0.015 min
Response: 2764045
Conc: 31.34 ng/ml



#27 AR-1254-2


R.T.: 6.300 min
Delta R.T.: 0.012 min
Response: 76894
Conc: 0.62 ng/ml

Instrument :
ECD_P
ClientSampleId :




#27 AR-1254-2

R.T.: 5.283 min
Delta R.T.: -0.002 min
Response: 22647
Conc: 0.30 ng/ml




#28 AR-1254-3

R.T.: 6.693 min
Delta R.T.: 0.005 min
Response: 186380
Conc: 1.55 ng/ml



#28 AR-1254-3


R.T.: 5.712 min
Delta R.T.: -0.003 min
Response: 205010
Conc: 1.74 ng/ml



#29 AR-1254-4


R.T.: 6.993 min
Delta R.T.: -0.009 min
Response: 1361888
Conc: 15.44 ng/ml

Instrument :
ECD_P
ClientSampleId :




#29 AR-1254-4

R.T.: 5.966 min
Delta R.T.: 0.001 min
Response: 71686
Conc: 0.95 ng/ml




#30 AR-1254-5

R.T.: 7.464 min
Delta R.T.: 0.002 min
Response: 162018
Conc: 1.73 ng/ml



#30 AR-1254-5


R.T.: 6.425 min
Delta R.T.: 0.010 min
Response: 18036
Conc: 0.18 ng/ml



#31 AR-1260-1


R.T.: 6.863 min
Delta R.T.: 0.007 min
Response: 99788
Conc: 1.13 ng/ml

Instrument :
ECD_P
ClientSampleId :




#31 AR-1260-1

R.T.: 5.847 min
Delta R.T.: 0.003 min
Response: 141868
Conc: 1.79 ng/ml




#32 AR-1260-2

R.T.: 7.127 min
Delta R.T.: -0.012 min
Response: 363495
Conc: 3.55 ng/ml



#32 AR-1260-2


R.T.: 6.057 min
Delta R.T.: 0.005 min
Response: 33226
Conc: 0.35 ng/ml



#33 AR-1260-3


R.T.: 7.545 min
Delta R.T.: 0.012 min
Response: 153358
Conc: 1.86 ng/ml

Instrument :
ECD_P
ClientSampleId :




#33 AR-1260-3

R.T.: 6.216 min
Delta R.T.: 0.003 min
Response: 51770
Conc: 0.58 ng/ml




#34 AR-1260-4

R.T.: 7.783 min
Delta R.T.: 0.004 min
Response: 127993
Conc: 1.51 ng/ml



#34 AR-1260-4


R.T.: 6.721 min
Delta R.T.: -0.002 min
Response: 9312
Conc: 0.13 ng/ml



#35 AR-1260-5


R.T.: 8.113 min
Delta R.T.: -0.008 min
Response: -126305
Conc: N.D.

Instrument :
ECD_P
ClientSampleId :




#35 AR-1260-5

R.T.: 6.994 min
Delta R.T.: 0.003 min
Response: 44124
Conc: 0.26 ng/ml




#36 AR-1262-1

R.T.: 7.545 min
Delta R.T.: 0.004 min
Response: 153358
Conc: 1.33 ng/ml



#36 AR-1262-1


R.T.: 6.456 min
Delta R.T.: 0.001 min
Response: 24444
Conc: 0.23 ng/ml



#37 AR-1262-2


R.T.: 8.113 min
Delta R.T.: -0.017 min
Response: -126305
Conc: N.D.

Instrument :
ECD_P
ClientSampleId :




#37 AR-1262-2

R.T.: 6.731 min
Delta R.T.: -0.003 min
Response: 10080
Conc: 0.11 ng/ml




#38 AR-1262-3

R.T.: 0.000 min
Exp R.T. : 8.456 min
Response: 0
Conc: N.D.



#38 AR-1262-3


R.T.: 7.307 min
Delta R.T.: 0.000 min
Response: 106684
Conc: 1.39 ng/ml



#39 AR-1262-4


R.T.: 8.554 min
Delta R.T.: 0.003 min
Response: 493418
Conc: 7.83 ng/ml

Instrument :
ECD_P
ClientSampleId :




#39 AR-1262-4

R.T.: 7.375 min
Delta R.T.: -0.003 min
Response: 23150
Conc: 0.16 ng/ml




#40 AR-1262-5

R.T.: 9.212 min
Delta R.T.: -0.012 min
Response: 143848
Conc: 2.11 ng/ml



#40 AR-1262-5


R.T.: 7.925 min
Delta R.T.: 0.005 min
Response: 394564
Conc: 5.63 ng/ml



#41 AR-1268-1


R.T.: 0.000 min
Exp R.T.: 8.459 min
Response: 0
Conc: N.D.

Instrument :
ECD_P
ClientSampleId :




#41 AR-1268-1

R.T.: 7.307 min
Delta R.T.: 0.000 min
Response: 106684
Conc: 0.48 ng/ml




#42 AR-1268-2

R.T.: 8.554 min
Delta R.T.: -0.004 min
Response: 493418
Conc: 1.95 ng/ml



#42 AR-1268-2


R.T.: 7.375 min
Delta R.T.: -0.003 min
Response: 23150
Conc: 0.11 ng/ml



#43 AR-1268-3


R.T.: 8.774 min
Delta R.T.: -0.015 min
Response: 76511
Conc: 0.34 ng/ml

Instrument :
ECD_P
ClientSampleId :




#43 AR-1268-3

R.T.: 7.595 min
Delta R.T.: -0.001 min
Response: 16919
Conc: 0.10 ng/ml




#44 AR-1268-4

R.T.: 9.212 min
Delta R.T.: -0.018 min
Response: 143848
Conc: 1.59 ng/ml



#44 AR-1268-4


R.T.: 7.925 min
Delta R.T.: 0.005 min
Response: 394564
Conc: 5.00 ng/ml



#45 AR-1268-5

R.T.: 9.628 min
Delta R.T.: -0.019 min
Response: 1677419
Conc: 2.47 ng/ml

Instrument :
ECD_P
ClientSampleId :



#45 AR-1268-5

R.T.: 8.225 min
Delta R.T.: 0.004 min
Response: 38383
Conc: 0.07 ng/ml