

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP042522\
 Data File : PP046627.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 25 Apr 2022 23:58
 Operator : YP\AJ
 Sample : I.BLK
 Misc :
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 ECD_P
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Apr 26 02:13:35 2022
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP042222.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Fri Apr 22 19:00:06 2022
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds						
1) SA Tetrachlo...	3.862	3.127	62956805	89674970	26.081	27.337
2) SA Decachlor...	9.945	8.447	39742593	69443333	27.008	29.113
Target Compounds						
3) L1 AR-1016-1	5.121	4.268	196014	85100	2.603	0.741 #
4) L1 AR-1016-2	5.130	4.282	407988	59919	3.583	0.353 #
5) L1 AR-1016-3	5.180f	4.459	881690	133034	12.334	1.520 #
6) L1 AR-1016-4	5.304	4.515	442103	98703	7.353	1.418 #
7) L1 AR-1016-5	5.626	4.744	312172	2180748	5.896	25.640 #
8) L2 AR-1221-1	4.089	3.352	88480	26662	3.208	0.604 #
9) L2 AR-1221-2	4.187	3.438	544600	1177778	26.823	34.871 #
10) L2 AR-1221-3	4.262	3.517	66507	39134	1.020	0.394 #
11) L3 AR-1232-1	4.262	3.517	66507	39134	1.358	0.516 #
12) L3 AR-1232-2	4.827	4.282	97111	59919	4.001	0.831 #
13) L3 AR-1232-3	5.130	4.459	407988	133034	8.638	3.654 #
14) L3 AR-1232-4	5.304	4.561	442103	38926	18.169	1.222 #
15) L3 AR-1232-5	5.392f	4.744	482545	2180748	29.002	75.704 #
16) L4 AR-1242-1	5.121	4.268	196014	85100	3.092	0.863 #
17) L4 AR-1242-2	5.130	4.282	407988	59919	4.282	0.414 #
18) L4 AR-1242-3	5.224f	4.459	1015930	133034	16.970	1.790 #
19) L4 AR-1242-4	5.304	4.561	442103	38926	8.741	0.545 #
20) L4 AR-1242-5	6.106	5.106	256946	25982	5.099	0.269 #
21) L5 AR-1248-1	5.103	4.268	784911	85100	18.780	1.238 #
22) L5 AR-1248-2	5.392f	4.515	482545	98703	8.164	1.056 #
23) L5 AR-1248-3	5.626	4.561	312172	38926	4.469	0.399 #
24) L5 AR-1248-4	6.072	4.744	283943	2180748	3.703	18.525 #
25) L5 AR-1248-5	6.106	5.170f	256946	157184	3.304	1.290 #
27) L6 AR-1254-2	6.264	5.278	96269	115687	0.781	0.695
28) L6 AR-1254-3	6.680	5.696	326209	82698	2.465	0.332 #
29) L6 AR-1254-4	6.977	5.947	432007	124677	4.347	0.727 #
30) L6 AR-1254-5	7.455	6.395	160435	51999	1.824	0.238 #
31) L7 AR-1260-1	6.848	5.844	110107	98121	1.305	0.617 #
32) L7 AR-1260-2	7.132	6.057	230177	37726	2.286	0.185 #
33) L7 AR-1260-3	7.519	6.213	76413	32195	0.943	0.188 #
34) L7 AR-1260-4	7.778	6.715	142428	52908	1.788	0.364 #
35) L7 AR-1260-5	8.108	6.988	86907	70378	0.547	0.200 #
36) L8 AR-1262-1	7.519	6.436	76413	186680	0.632	0.756
37) L8 AR-1262-2	8.108	6.715	86907	52908	0.452	0.274 #
38) L8 AR-1262-3	8.442	7.291	63013	41733	0.469	0.257 #
39) L8 AR-1262-4	8.533	7.364	525852	39129	8.349	0.137 #
40) L8 AR-1262-5	9.210	7.904	48193	56627	0.698	0.432 #
41) L9 AR-1268-1	8.442	7.291	63013	41733	0.262	0.087 #
42) L9 AR-1268-2	8.533	7.364	525852	39129	2.375	0.092 #

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP042522\
Data File : PP046627.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 25 Apr 2022 23:58
Operator : YP\AJ
Sample : I.BLK
Misc :
ALS Vial : 2 Sample Multiplier: 1

Instrument :
ECD_P
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Apr 26 02:13:35 2022
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP042222.M
Quant Title : GC EXTRACTABLES
QLast Update : Fri Apr 22 19:00:06 2022
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml
43)	L9 AR-1268-3	8.759	7.574	216668	191423	1.128	0.541 #
44)	L9 AR-1268-4	9.210	7.904	48193	56627	0.625	0.385 #
45)	L9 AR-1268-5	9.616	8.197	407163	222464	0.727	0.218 #


(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP042522\
Data File : PP046627.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 25 Apr 2022 23:58
Operator : YP\AJ
Sample : I.BLK
Misc :
ALS Vial : 2 Sample Multiplier: 1

Instrument :
ECD_P
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Apr 26 02:13:35 2022
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP042222.M
Quant Title : GC EXTRACTABLES
QLast Update : Fri Apr 22 19:00:06 2022
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 3.862 min
Delta R.T.: -0.005 min
Response: 62956805
Conc: 26.08 ng/ml

Instrument :
ECD_P
ClientSampleId :




#1 Tetrachloro-m-xylene

R.T.: 3.127 min
Delta R.T.: -0.003 min
Response: 89674970
Conc: 27.34 ng/ml




#2 Decachlorobiphenyl

R.T.: 9.945 min
Delta R.T.: -0.010 min
Response: 39742593
Conc: 27.01 ng/ml



#2 Decachlorobiphenyl


R.T.: 8.447 min
Delta R.T.: -0.009 min
Response: 69443333
Conc: 29.11 ng/ml



#3 AR-1016-1


R.T.: 5.121 min
Delta R.T.: 0.008 min
Response: 196014
Conc: 2.60 ng/ml

Instrument :
ECD_P
ClientSampleId :




#3 AR-1016-1

R.T.: 4.268 min
Delta R.T.: 0.004 min
Response: 85100
Conc: 0.74 ng/ml




#4 AR-1016-2

R.T.: 5.130 min
Delta R.T.: -0.006 min
Response: 407988
Conc: 3.58 ng/ml



#4 AR-1016-2


R.T.: 4.282 min
Delta R.T.: 0.000 min
Response: 59919
Conc: 0.35 ng/ml



#5 AR-1016-3


R.T.: 5.180 min
Delta R.T.: -0.021 min
Response: 881690
Conc: 12.33 ng/ml

Instrument :
ECD_P
ClientSampleId :




#5 AR-1016-3

R.T.: 4.459 min
Delta R.T.: -0.007 min
Response: 133034
Conc: 1.52 ng/ml




#6 AR-1016-4

R.T.: 5.304 min
Delta R.T.: -0.001 min
Response: 442103
Conc: 7.35 ng/ml



#6 AR-1016-4


R.T.: 4.515 min
Delta R.T.: 0.000 min
Response: 98703
Conc: 1.42 ng/ml



#7 AR-1016-5


R.T.: 5.626 min
Delta R.T.: 0.002 min
Response: 312172
Conc: 5.90 ng/ml

Instrument :
ECD_P
ClientSampleId :




#7 AR-1016-5

R.T.: 4.744 min
Delta R.T.: 0.005 min
Response: 2180748
Conc: 25.64 ng/ml




#8 AR-1221-1

R.T.: 4.089 min
Delta R.T.: -0.002 min
Response: 88480
Conc: 3.21 ng/ml



#8 AR-1221-1


R.T.: 3.352 min
Delta R.T.: -0.002 min
Response: 26662
Conc: 0.60 ng/ml



#9 AR-1221-2


R.T.: 4.187 min
Delta R.T.: 0.004 min
Response: 544600
Conc: 26.82 ng/ml

Instrument :
ECD_P
ClientSampleId :




#9 AR-1221-2

R.T.: 3.438 min
Delta R.T.: -0.006 min
Response: 1177778
Conc: 34.87 ng/ml




#10 AR-1221-3

R.T.: 4.262 min
Delta R.T.: 0.000 min
Response: 66507
Conc: 1.02 ng/ml



#10 AR-1221-3


R.T.: 3.517 min
Delta R.T.: -0.004 min
Response: 39134
Conc: 0.39 ng/ml



#11 AR-1232-1


R.T.: 4.262 min
Delta R.T.: 0.000 min
Response: 66507
Conc: 1.36 ng/ml

Instrument :
ECD_P
ClientSampleId :




#11 AR-1232-1

R.T.: 3.517 min
Delta R.T.: -0.005 min
Response: 39134
Conc: 0.52 ng/ml




#12 AR-1232-2

R.T.: 4.827 min
Delta R.T.: 0.004 min
Response: 97111
Conc: 4.00 ng/ml



#12 AR-1232-2


R.T.: 4.282 min
Delta R.T.: 0.000 min
Response: 59919
Conc: 0.83 ng/ml



#13 AR-1232-3


R.T.: 5.130 min
Delta R.T.: -0.005 min
Response: 407988
Conc: 8.64 ng/ml

Instrument :
ECD_P
ClientSampleId :




#13 AR-1232-3

R.T.: 4.459 min
Delta R.T.: -0.007 min
Response: 133034
Conc: 3.65 ng/ml




#14 AR-1232-4

R.T.: 5.304 min
Delta R.T.: -0.003 min
Response: 442103
Conc: 18.17 ng/ml



#14 AR-1232-4


R.T.: 4.561 min
Delta R.T.: 0.003 min
Response: 38926
Conc: 1.22 ng/ml



#15 AR-1232-5


R.T.: 5.392 min
Delta R.T.: -0.016 min
Response: 482545
Conc: 29.00 ng/ml

Instrument :
ECD_P
ClientSampleId :




#15 AR-1232-5

R.T.: 4.744 min
Delta R.T.: 0.005 min
Response: 2180748
Conc: 75.70 ng/ml




#16 AR-1242-1

R.T.: 5.121 min
Delta R.T.: 0.007 min
Response: 196014
Conc: 3.09 ng/ml



#16 AR-1242-1


R.T.: 4.268 min
Delta R.T.: 0.004 min
Response: 85100
Conc: 0.86 ng/ml



#17 AR-1242-2


R.T.: 5.130 min
Delta R.T.: -0.007 min
Response: 407988
Conc: 4.28 ng/ml

Instrument :
ECD_P
ClientSampleId :




#17 AR-1242-2

R.T.: 4.282 min
Delta R.T.: 0.000 min
Response: 59919
Conc: 0.41 ng/ml




#18 AR-1242-3

R.T.: 5.224 min
Delta R.T.: 0.021 min
Response: 1015930
Conc: 16.97 ng/ml



#18 AR-1242-3


R.T.: 4.459 min
Delta R.T.: -0.007 min
Response: 133034
Conc: 1.79 ng/ml



#19 AR-1242-4


R.T.: 5.304 min
Delta R.T.: -0.005 min
Response: 442103
Conc: 8.74 ng/ml

Instrument :
ECD_P
ClientSampleId :




#19 AR-1242-4

R.T.: 4.561 min
Delta R.T.: 0.003 min
Response: 38926
Conc: 0.55 ng/ml




#20 AR-1242-5

R.T.: 6.106 min
Delta R.T.: 0.000 min
Response: 256946
Conc: 5.10 ng/ml



#20 AR-1242-5


R.T.: 5.106 min
Delta R.T.: -0.007 min
Response: 25982
Conc: 0.27 ng/ml



#21 AR-1248-1


R.T.: 5.103 min
Delta R.T.: -0.009 min
Response: 784911
Conc: 18.78 ng/ml

Instrument :
ECD_P
ClientSampleId :




#21 AR-1248-1

R.T.: 4.268 min
Delta R.T.: 0.005 min
Response: 85100
Conc: 1.24 ng/ml




#22 AR-1248-2

R.T.: 5.392 min
Delta R.T.: -0.016 min
Response: 482545
Conc: 8.16 ng/ml



#22 AR-1248-2


R.T.: 4.515 min
Delta R.T.: 0.001 min
Response: 98703
Conc: 1.06 ng/ml



#23 AR-1248-3


R.T.: 5.626 min
Delta R.T.: 0.002 min
Response: 312172
Conc: 4.47 ng/ml

Instrument :
ECD_P
ClientSampleId :




#23 AR-1248-3

R.T.: 4.561 min
Delta R.T.: 0.004 min
Response: 38926
Conc: 0.40 ng/ml




#24 AR-1248-4

R.T.: 6.072 min
Delta R.T.: 0.007 min
Response: 283943
Conc: 3.70 ng/ml



#24 AR-1248-4


R.T.: 4.744 min
Delta R.T.: 0.007 min
Response: 2180748
Conc: 18.53 ng/ml



#25 AR-1248-5


R.T.: 6.106 min
Delta R.T.: 0.000 min
Response: 256946
Conc: 3.30 ng/ml

Instrument :
ECD_P
ClientSampleId :




#25 AR-1248-5

R.T.: 5.170 min
Delta R.T.: 0.015 min
Response: 157184
Conc: 1.29 ng/ml




#26 AR-1254-1

R.T.: 6.043 min
Delta R.T.: 0.007 min
Response: -40370
Conc: N.D.



#26 AR-1254-1


R.T.: 5.106 min
Delta R.T.: -0.005 min
Response: 25982
Conc: 0.13 ng/ml



#27 AR-1254-2


R.T.: 6.264 min
Delta R.T.: -0.008 min
Response: 96269
Conc: 0.78 ng/ml

Instrument :
ECD_P
ClientSampleId :




#27 AR-1254-2

R.T.: 5.278 min
Delta R.T.: 0.007 min
Response: 115687
Conc: 0.69 ng/ml




#28 AR-1254-3

R.T.: 6.680 min
Delta R.T.: 0.007 min
Response: 326209
Conc: 2.47 ng/ml



#28 AR-1254-3


R.T.: 5.696 min
Delta R.T.: -0.004 min
Response: 82698
Conc: 0.33 ng/ml



#29 AR-1254-4


R.T.: 6.977 min
Delta R.T.: -0.008 min
Response: 432007
Conc: 4.35 ng/ml

Instrument :
ECD_P
ClientSampleId :




#29 AR-1254-4

R.T.: 5.947 min
Delta R.T.: -0.003 min
Response: 124677
Conc: 0.73 ng/ml




#30 AR-1254-5

R.T.: 7.455 min
Delta R.T.: 0.010 min
Response: 160435
Conc: 1.82 ng/ml



#30 AR-1254-5


R.T.: 6.395 min
Delta R.T.: -0.003 min
Response: 51999
Conc: 0.24 ng/ml



#31 AR-1260-1


R.T.: 6.848 min
Delta R.T.: -0.003 min
Response: 110107
Conc: 1.30 ng/ml

Instrument :
ECD_P
ClientSampleId :




#31 AR-1260-1

R.T.: 5.844 min
Delta R.T.: 0.004 min
Response: 98121
Conc: 0.62 ng/ml




#32 AR-1260-2

R.T.: 7.132 min
Delta R.T.: -0.003 min
Response: 230177
Conc: 2.29 ng/ml



#32 AR-1260-2


R.T.: 6.057 min
Delta R.T.: 0.011 min
Response: 37726
Conc: 0.19 ng/ml



#33 AR-1260-3


R.T.: 7.519 min
Delta R.T.: -0.010 min
Response: 76413
Conc: 0.94 ng/ml

Instrument :
ECD_P
ClientSampleId :




#33 AR-1260-3

R.T.: 6.213 min
Delta R.T.: 0.006 min
Response: 32195
Conc: 0.19 ng/ml




#34 AR-1260-4

R.T.: 7.778 min
Delta R.T.: 0.000 min
Response: 142428
Conc: 1.79 ng/ml



#34 AR-1260-4


R.T.: 6.715 min
Delta R.T.: -0.002 min
Response: 52908
Conc: 0.36 ng/ml



#35 AR-1260-5


R.T.: 8.108 min
Delta R.T.: -0.006 min
Response: 86907
Conc: 0.55 ng/ml

Instrument :
ECD_P
ClientSampleId :




#35 AR-1260-5

R.T.: 6.988 min
Delta R.T.: 0.002 min
Response: 70378
Conc: 0.20 ng/ml




#36 AR-1262-1

R.T.: 7.519 min
Delta R.T.: -0.010 min
Response: 76413
Conc: 0.63 ng/ml



#36 AR-1262-1


R.T.: 6.436 min
Delta R.T.: -0.003 min
Response: 186680
Conc: 0.76 ng/ml



#37 AR-1262-2


R.T.: 8.108 min
Delta R.T.: -0.008 min
Response: 86907
Conc: 0.45 ng/ml

Instrument :
ECD_P
ClientSampleId :




#37 AR-1262-2

R.T.: 6.715 min
Delta R.T.: -0.002 min
Response: 52908
Conc: 0.27 ng/ml




#38 AR-1262-3

R.T.: 8.442 min
Delta R.T.: 0.002 min
Response: 63013
Conc: 0.47 ng/ml



#38 AR-1262-3


R.T.: 7.291 min
Delta R.T.: 0.002 min
Response: 41733
Conc: 0.26 ng/ml



#39 AR-1262-4


R.T.: 8.533 min
Delta R.T.: -0.003 min
Response: 525852
Conc: 8.35 ng/ml

Instrument :
ECD_P
ClientSampleId :




#39 AR-1262-4

R.T.: 7.364 min
Delta R.T.: 0.003 min
Response: 39129
Conc: 0.14 ng/ml




#40 AR-1262-5

R.T.: 9.210 min
Delta R.T.: 0.003 min
Response: 48193
Conc: 0.70 ng/ml



#40 AR-1262-5


R.T.: 7.904 min
Delta R.T.: 0.001 min
Response: 56627
Conc: 0.43 ng/ml



#41 AR-1268-1


R.T.: 8.442 min
Delta R.T.: 0.004 min
Response: 63013
Conc: 0.26 ng/ml

Instrument :
ECD_P
ClientSampleId :




#41 AR-1268-1

R.T.: 7.291 min
Delta R.T.: 0.001 min
Response: 41733
Conc: 0.09 ng/ml




#42 AR-1268-2

R.T.: 8.533 min
Delta R.T.: -0.004 min
Response: 525852
Conc: 2.38 ng/ml



#42 AR-1268-2


R.T.: 7.364 min
Delta R.T.: 0.002 min
Response: 39129
Conc: 0.09 ng/ml



#43 AR-1268-3


R.T.: 8.759 min
Delta R.T.: -0.008 min
Response: 216668
Conc: 1.13 ng/ml

Instrument :
ECD_P
ClientSampleId :




#43 AR-1268-3

R.T.: 7.574 min
Delta R.T.: -0.004 min
Response: 191423
Conc: 0.54 ng/ml




#44 AR-1268-4

R.T.: 9.210 min
Delta R.T.: 0.004 min
Response: 48193
Conc: 0.62 ng/ml



#44 AR-1268-4


R.T.: 7.904 min
Delta R.T.: 0.002 min
Response: 56627
Conc: 0.39 ng/ml



#45 AR-1268-5

R.T.: 9.616 min
Delta R.T.: -0.004 min
Response: 407163
Conc: 0.73 ng/ml

Instrument :
ECD_P
ClientSampleId :



#45 AR-1268-5

R.T.: 8.197 min
Delta R.T.: -0.004 min
Response: 222464
Conc: 0.22 ng/ml