

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP042522\
 Data File : PP046635.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 26 Apr 2022 03:16
 Operator : YP\AJ
 Sample : N2549-06
 Misc :
 ALS Vial : 34 Sample Multiplier: 1

Instrument :
 ECD_P
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Apr 26 04:36:03 2022
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP042222.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Fri Apr 22 19:00:06 2022
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.863	3.128	59703922	85570339	24.733	26.086
2)	SA Decachlor...	9.944	8.447	30706444	53986980	20.867	22.633
Target Compounds							
3)	L1 AR-1016-1	5.113	4.257	310299	148042	4.121	1.289 #
4)	L1 AR-1016-2	5.138	4.278	1204193	654078	10.575	3.855 #
5)	L1 AR-1016-3	5.198	4.459	901219	320021	12.607	3.655 #
6)	L1 AR-1016-4	5.293	4.525	1606423	1446610	26.719	20.779
7)	L1 AR-1016-5	5.621	4.743	884859	691916	16.712	8.135 #
8)	L2 AR-1221-1	4.087	3.350	2991287	16089	108.465	0.364 #
9)	L2 AR-1221-2	4.180	3.421f	386344	4898048	19.029	145.020 #
10)	L2 AR-1221-3	4.258	3.529	237443	70286	3.643	0.708 #
11)	L3 AR-1232-1	4.258	3.529	237443	70286	4.850	0.927 #
12)	L3 AR-1232-2	4.835	4.278	83896	654078	3.456	9.073 #
13)	L3 AR-1232-3	5.138	4.459	1204193	320021	25.495	8.789 #
14)	L3 AR-1232-4	5.293	4.570	1606423	50103	66.020	1.573 #
15)	L3 AR-1232-5	5.413	4.734	1067382	623971	64.151	21.661 #
16)	L4 AR-1242-1	5.113	4.257	310299	148042	4.894	1.502 #
17)	L4 AR-1242-2	5.138	4.278	1204193	654078	12.640	4.516 #
18)	L4 AR-1242-3	5.198	4.459	901219	320021	15.054	4.306 #
19)	L4 AR-1242-4	5.293f	4.570	1606423	50103	31.762	0.702 #
20)	L4 AR-1242-5	6.096	5.103	689697	465845	13.687	4.828 #
21)	L5 AR-1248-1	5.113	4.257	310299	148042	7.424	2.154 #
22)	L5 AR-1248-2	5.413	4.525	1067382	1446610	18.059	15.473
23)	L5 AR-1248-3	5.621	4.570	884859	50103	12.668	0.513 #
24)	L5 AR-1248-4	6.054	4.734	557237	623971	7.267	5.301 #
25)	L5 AR-1248-5	6.096	5.166	689697	503085	8.867	4.128 #
26)	L6 AR-1254-1	6.038	5.103	169708	465845	2.922	2.414
27)	L6 AR-1254-2	6.278	5.270	301423	594466	2.446	3.570 #
28)	L6 AR-1254-3	6.664	5.729f	484509	240359	3.662	0.964 #
29)	L6 AR-1254-4	6.985	5.931f	150025	681327	1.509	3.971 #
30)	L6 AR-1254-5	7.449	6.427f	106162	215050	1.207	0.986
31)	L7 AR-1260-1	6.851	5.836	177602	202145	2.105	1.270 #
32)	L7 AR-1260-2	7.139	6.048	103637	229098	1.029	1.126
33)	L7 AR-1260-3	7.532	6.199	45625	258829	0.563	1.515 #
34)	L7 AR-1260-4	7.773	6.705	45850	480693	0.576	3.307 #
35)	L7 AR-1260-5	8.107	6.972	-213	323032	N.D.	0.920 #
36)	L8 AR-1262-1	7.532	6.427	45625	215050	0.377	0.871 #
37)	L8 AR-1262-2	8.107	6.705	-213	480693	N.D.	2.487 #
38)	L8 AR-1262-3	8.442	7.277	155139	547448	1.155	3.372 #
39)	L8 AR-1262-4	8.544	7.344f	114404	1373592	1.816	4.796 #
40)	L8 AR-1262-5	9.222f	7.895	298951	41011	4.333	0.313 #
41)	L9 AR-1268-1	8.442	7.277	155139	547448	0.645	1.142 #

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP042522\
 Data File : PP046635.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 26 Apr 2022 03:16
 Operator : YP\AJ
 Sample : N2549-06
 Misc :
 ALS Vial : 34 Sample Multiplier: 1

Instrument :
 ECD_P
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Apr 26 04:36:03 2022
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP042222.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Fri Apr 22 19:00:06 2022
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml
42) L9	AR-1268-2	8.544	7.344f	114404	1373592	0.517	3.243 #
43) L9	AR-1268-3	8.769	7.570	83923	147416	0.437	0.417
44) L9	AR-1268-4	9.222f	7.895	298951	41011	3.875	0.279 #
45) L9	AR-1268-5	9.614	8.195	384988	271079	0.688	0.265 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP042522\
Data File : PP046635.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 26 Apr 2022 03:16
Operator : YP\AJ
Sample : N2549-06
Misc :
ALS Vial : 34 Sample Multiplier: 1

Instrument :
ECD_P
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Apr 26 04:36:03 2022
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP042222.M
Quant Title : GC EXTRACTABLES
QLast Update : Fri Apr 22 19:00:06 2022
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 3.863 min
Delta R.T.: -0.004 min
Response: 59703922
Conc: 24.73 ng/ml

Instrument :
ECD_P
ClientSampleId :




#1 Tetrachloro-m-xylene

R.T.: 3.128 min
Delta R.T.: 0.000 min
Response: 85570339
Conc: 26.09 ng/ml




#2 Decachlorobiphenyl

R.T.: 9.944 min
Delta R.T.: -0.011 min
Response: 30706444
Conc: 20.87 ng/ml



#2 Decachlorobiphenyl


R.T.: 8.447 min
Delta R.T.: -0.009 min
Response: 53986980
Conc: 22.63 ng/ml



#3 AR-1016-1


R.T.: 5.113 min
Delta R.T.: 0.000 min
Response: 310299
Conc: 4.12 ng/ml

Instrument :
ECD_P
ClientSampleId :




#3 AR-1016-1

R.T.: 4.257 min
Delta R.T.: -0.007 min
Response: 148042
Conc: 1.29 ng/ml




#4 AR-1016-2

R.T.: 5.138 min
Delta R.T.: 0.001 min
Response: 1204193
Conc: 10.58 ng/ml



#4 AR-1016-2


R.T.: 4.278 min
Delta R.T.: -0.004 min
Response: 654078
Conc: 3.86 ng/ml



#5 AR-1016-3


R.T.: 5.198 min
Delta R.T.: -0.003 min
Response: 901219
Conc: 12.61 ng/ml

Instrument :
ECD_P
ClientSampleId :




#5 AR-1016-3

R.T.: 4.459 min
Delta R.T.: -0.007 min
Response: 320021
Conc: 3.66 ng/ml




#6 AR-1016-4

R.T.: 5.293 min
Delta R.T.: -0.012 min
Response: 1606423
Conc: 26.72 ng/ml



#6 AR-1016-4


R.T.: 4.525 min
Delta R.T.: 0.010 min
Response: 1446610
Conc: 20.78 ng/ml



#7 AR-1016-5


R.T.: 5.621 min
Delta R.T.: -0.004 min
Response: 884859
Conc: 16.71 ng/ml

Instrument :
ECD_P
ClientSampleId :




#7 AR-1016-5

R.T.: 4.743 min
Delta R.T.: 0.004 min
Response: 691916
Conc: 8.14 ng/ml




#8 AR-1221-1

R.T.: 4.087 min
Delta R.T.: -0.004 min
Response: 2991287
Conc: 108.46 ng/ml



#8 AR-1221-1


R.T.: 3.350 min
Delta R.T.: -0.004 min
Response: 16089
Conc: 0.36 ng/ml



#9 AR-1221-2


R.T.: 4.180 min
Delta R.T.: -0.003 min
Response: 386344
Conc: 19.03 ng/ml

Instrument :
ECD_P
ClientSampleId :




#9 AR-1221-2

R.T.: 3.421 min
Delta R.T.: -0.022 min
Response: 4898048
Conc: 145.02 ng/ml




#10 AR-1221-3

R.T.: 4.258 min
Delta R.T.: -0.004 min
Response: 237443
Conc: 3.64 ng/ml



#10 AR-1221-3


R.T.: 3.529 min
Delta R.T.: 0.007 min
Response: 70286
Conc: 0.71 ng/ml



#11 AR-1232-1


R.T.: 4.258 min
Delta R.T.: -0.004 min
Response: 237443
Conc: 4.85 ng/ml

Instrument :
ECD_P
ClientSampleId :




#11 AR-1232-1

R.T.: 3.529 min
Delta R.T.: 0.007 min
Response: 70286
Conc: 0.93 ng/ml




#12 AR-1232-2

R.T.: 4.835 min
Delta R.T.: 0.012 min
Response: 83896
Conc: 3.46 ng/ml



#12 AR-1232-2


R.T.: 4.278 min
Delta R.T.: -0.004 min
Response: 654078
Conc: 9.07 ng/ml



#13 AR-1232-3


R.T.: 5.138 min
Delta R.T.: 0.003 min
Response: 1204193
Conc: 25.50 ng/ml

Instrument :
ECD_P
ClientSampleId :




#13 AR-1232-3

R.T.: 4.459 min
Delta R.T.: -0.007 min
Response: 320021
Conc: 8.79 ng/ml




#14 AR-1232-4

R.T.: 5.293 min
Delta R.T.: -0.013 min
Response: 1606423
Conc: 66.02 ng/ml



#14 AR-1232-4


R.T.: 4.570 min
Delta R.T.: 0.012 min
Response: 50103
Conc: 1.57 ng/ml



#15 AR-1232-5


R.T.: 5.413 min
Delta R.T.: 0.005 min
Response: 1067382
Conc: 64.15 ng/ml

Instrument :
ECD_P
ClientSampleId :




#15 AR-1232-5

R.T.: 4.734 min
Delta R.T.: -0.004 min
Response: 623971
Conc: 21.66 ng/ml




#16 AR-1242-1

R.T.: 5.113 min
Delta R.T.: 0.000 min
Response: 310299
Conc: 4.89 ng/ml



#16 AR-1242-1


R.T.: 4.257 min
Delta R.T.: -0.007 min
Response: 148042
Conc: 1.50 ng/ml



#17 AR-1242-2


R.T.: 5.138 min
Delta R.T.: 0.000 min
Response: 1204193
Conc: 12.64 ng/ml

Instrument :
ECD_P
ClientSampleId :




#17 AR-1242-2

R.T.: 4.278 min
Delta R.T.: -0.004 min
Response: 654078
Conc: 4.52 ng/ml




#18 AR-1242-3

R.T.: 5.198 min
Delta R.T.: -0.004 min
Response: 901219
Conc: 15.05 ng/ml



#18 AR-1242-3


R.T.: 4.459 min
Delta R.T.: -0.007 min
Response: 320021
Conc: 4.31 ng/ml



#19 AR-1242-4


R.T.: 5.293 min
Delta R.T.: -0.016 min
Response: 1606423
Conc: 31.76 ng/ml

Instrument :
ECD_P
ClientSampleId :




#19 AR-1242-4

R.T.: 4.570 min
Delta R.T.: 0.011 min
Response: 50103
Conc: 0.70 ng/ml




#20 AR-1242-5

R.T.: 6.096 min
Delta R.T.: -0.010 min
Response: 689697
Conc: 13.69 ng/ml



#20 AR-1242-5


R.T.: 5.103 min
Delta R.T.: -0.010 min
Response: 465845
Conc: 4.83 ng/ml



#21 AR-1248-1


R.T.: 5.113 min
Delta R.T.: 0.001 min
Response: 310299
Conc: 7.42 ng/ml

Instrument :
ECD_P
ClientSampleId :




#21 AR-1248-1

R.T.: 4.257 min
Delta R.T.: -0.006 min
Response: 148042
Conc: 2.15 ng/ml




#22 AR-1248-2

R.T.: 5.413 min
Delta R.T.: 0.005 min
Response: 1067382
Conc: 18.06 ng/ml



#22 AR-1248-2


R.T.: 4.525 min
Delta R.T.: 0.011 min
Response: 1446610
Conc: 15.47 ng/ml



#23 AR-1248-3


R.T.: 5.621 min
Delta R.T.: -0.004 min
Response: 884859
Conc: 12.67 ng/ml

Instrument :
ECD_P
ClientSampleId :




#23 AR-1248-3

R.T.: 4.570 min
Delta R.T.: 0.012 min
Response: 50103
Conc: 0.51 ng/ml




#24 AR-1248-4

R.T.: 6.054 min
Delta R.T.: -0.011 min
Response: 557237
Conc: 7.27 ng/ml



#24 AR-1248-4


R.T.: 4.734 min
Delta R.T.: -0.002 min
Response: 623971
Conc: 5.30 ng/ml



#25 AR-1248-5


R.T.: 6.096 min
Delta R.T.: -0.010 min
Response: 689697
Conc: 8.87 ng/ml

Instrument :
ECD_P
ClientSampleId :




#25 AR-1248-5

R.T.: 5.166 min
Delta R.T.: 0.012 min
Response: 503085
Conc: 4.13 ng/ml




#26 AR-1254-1

R.T.: 6.038 min
Delta R.T.: 0.002 min
Response: 169708
Conc: 2.92 ng/ml



#26 AR-1254-1


R.T.: 5.103 min
Delta R.T.: -0.008 min
Response: 465845
Conc: 2.41 ng/ml



#27 AR-1254-2


R.T.: 6.278 min
Delta R.T.: 0.006 min
Response: 301423
Conc: 2.45 ng/ml

Instrument :
ECD_P
ClientSampleId :




#27 AR-1254-2

R.T.: 5.270 min
Delta R.T.: -0.001 min
Response: 594466
Conc: 3.57 ng/ml




#28 AR-1254-3

R.T.: 6.664 min
Delta R.T.: -0.008 min
Response: 484509
Conc: 3.66 ng/ml



#28 AR-1254-3


R.T.: 5.729 min
Delta R.T.: 0.029 min
Response: 240359
Conc: 0.96 ng/ml



#29 AR-1254-4


R.T.: 6.985 min
Delta R.T.: -0.001 min
Response: 150025
Conc: 1.51 ng/ml

Instrument :
ECD_P
ClientSampleId :




#29 AR-1254-4

R.T.: 5.931 min
Delta R.T.: -0.018 min
Response: 681327
Conc: 3.97 ng/ml




#30 AR-1254-5

R.T.: 7.449 min
Delta R.T.: 0.004 min
Response: 106162
Conc: 1.21 ng/ml



#30 AR-1254-5


R.T.: 6.427 min
Delta R.T.: 0.029 min
Response: 215050
Conc: 0.99 ng/ml



#31 AR-1260-1


R.T.: 6.851 min
Delta R.T.: 0.000 min
Response: 177602
Conc: 2.10 ng/ml

Instrument :
ECD_P
ClientSampleId :




#31 AR-1260-1

R.T.: 5.836 min
Delta R.T.: -0.004 min
Response: 202145
Conc: 1.27 ng/ml




#32 AR-1260-2

R.T.: 7.139 min
Delta R.T.: 0.004 min
Response: 103637
Conc: 1.03 ng/ml



#32 AR-1260-2


R.T.: 6.048 min
Delta R.T.: 0.001 min
Response: 229098
Conc: 1.13 ng/ml



#33 AR-1260-3


R.T.: 7.532 min
Delta R.T.: 0.004 min
Response: 45625
Conc: 0.56 ng/ml

Instrument :
ECD_P
ClientSampleId :




#33 AR-1260-3

R.T.: 6.199 min
Delta R.T.: -0.009 min
Response: 258829
Conc: 1.52 ng/ml




#34 AR-1260-4

R.T.: 7.773 min
Delta R.T.: -0.004 min
Response: 45850
Conc: 0.58 ng/ml



#34 AR-1260-4


R.T.: 6.705 min
Delta R.T.: -0.013 min
Response: 480693
Conc: 3.31 ng/ml



#35 AR-1260-5


R.T.: 8.107 min
Delta R.T.: -0.008 min
Response: -213
Conc: N.D.

Instrument :
ECD_P
ClientSampleId :




#35 AR-1260-5

R.T.: 6.972 min
Delta R.T.: -0.014 min
Response: 323032
Conc: 0.92 ng/ml




#36 AR-1262-1

R.T.: 7.532 min
Delta R.T.: 0.004 min
Response: 45625
Conc: 0.38 ng/ml



#36 AR-1262-1


R.T.: 6.427 min
Delta R.T.: -0.012 min
Response: 215050
Conc: 0.87 ng/ml



#37 AR-1262-2


R.T.: 8.107 min
Delta R.T.: -0.009 min
Response: -213
Conc: N.D.

Instrument :
ECD_P
ClientSampleId :




#37 AR-1262-2

R.T.: 6.705 min
Delta R.T.: -0.013 min
Response: 480693
Conc: 2.49 ng/ml




#38 AR-1262-3

R.T.: 8.442 min
Delta R.T.: 0.000 min
Response: 155139
Conc: 1.16 ng/ml



#38 AR-1262-3


R.T.: 7.277 min
Delta R.T.: -0.012 min
Response: 547448
Conc: 3.37 ng/ml



#39 AR-1262-4


R.T.: 8.544 min
Delta R.T.: 0.009 min
Response: 114404
Conc: 1.82 ng/ml

Instrument :
ECD_P
ClientSampleId :




#39 AR-1262-4

R.T.: 7.344 min
Delta R.T.: -0.016 min
Response: 1373592
Conc: 4.80 ng/ml




#40 AR-1262-5

R.T.: 9.222 min
Delta R.T.: 0.016 min
Response: 298951
Conc: 4.33 ng/ml



#40 AR-1262-5


R.T.: 7.895 min
Delta R.T.: -0.008 min
Response: 41011
Conc: 0.31 ng/ml



#41 AR-1268-1


R.T.: 8.442 min
Delta R.T.: 0.003 min
Response: 155139
Conc: 0.65 ng/ml

Instrument :
ECD_P
ClientSampleId :




#41 AR-1268-1

R.T.: 7.277 min
Delta R.T.: -0.013 min
Response: 547448
Conc: 1.14 ng/ml




#42 AR-1268-2

R.T.: 8.544 min
Delta R.T.: 0.008 min
Response: 114404
Conc: 0.52 ng/ml



#42 AR-1268-2


R.T.: 7.344 min
Delta R.T.: -0.018 min
Response: 1373592
Conc: 3.24 ng/ml



#43 AR-1268-3


R.T.: 8.769 min
Delta R.T.: 0.001 min
Response: 83923
Conc: 0.44 ng/ml

Instrument :
ECD_P
ClientSampleId :




#43 AR-1268-3

R.T.: 7.570 min
Delta R.T.: -0.008 min
Response: 147416
Conc: 0.42 ng/ml




#44 AR-1268-4

R.T.: 9.222 min
Delta R.T.: 0.016 min
Response: 298951
Conc: 3.87 ng/ml



#44 AR-1268-4


R.T.: 7.895 min
Delta R.T.: -0.008 min
Response: 41011
Conc: 0.28 ng/ml



#45 AR-1268-5

R.T.: 9.614 min
Delta R.T.: -0.006 min
Response: 384988
Conc: 0.69 ng/ml

Instrument :
ECD_P
ClientSampleId :



#45 AR-1268-5

R.T.: 8.195 min
Delta R.T.: -0.007 min
Response: 271079
Conc: 0.27 ng/ml