

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP050222\
 Data File : PP046912.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 02 May 2022 21:39
 Operator : YP\AJ
 Sample : I.BLK
 Misc :
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 ECD_P
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: May 03 04:24:52 2022
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP042222.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Fri Apr 22 19:00:06 2022
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.857	3.123	61722086	86422772	25.569	26.345
2)	SA Decachlor...	9.930	8.437	38536029	65108078	26.188	27.295
Target Compounds							
3)	L1 AR-1016-1	5.104	4.263	1668283	46989	22.155	0.409 #
4)	L1 AR-1016-2	5.147	4.279	3021762	50003	26.537	0.295 #
5)	L1 AR-1016-3	5.211	4.468	1069334	4065	14.959	0.046 #
6)	L1 AR-1016-4	5.308	4.523	1043606	131069	17.358	1.883 #
7)	L1 AR-1016-5	5.633	4.745	2345426	5933190	44.297	69.759 #
8)	L2 AR-1221-1	4.088	3.356	30411	22251	1.103	0.504 #
9)	L2 AR-1221-2	4.179	3.433	605248	1078053	29.811	31.919
10)	L2 AR-1221-3	4.275	3.520	133259	67065	2.044	0.675 #
11)	L3 AR-1232-1	4.275	3.520	133259	67065	2.722	0.884 #
12)	L3 AR-1232-2	4.821	4.279	414410	50003	17.072	0.694 #
13)	L3 AR-1232-3	5.147	4.468	3021762	4065	63.977	0.112 #
14)	L3 AR-1232-4	5.308	4.553	1043606	149838	42.890	4.704 #
15)	L3 AR-1232-5	5.410	4.745	726982	5933190	43.693	205.969 #
16)	L4 AR-1242-1	5.104	4.263	1668283	46989	26.312	0.477 #
17)	L4 AR-1242-2	5.147	4.279	3021762	50003	31.718	0.345 #
18)	L4 AR-1242-3	5.211	4.468	1069334	4065	17.862	0.055 #
19)	L4 AR-1242-4	5.308	4.553	1043606	149838	20.634	2.098 #
20)	L4 AR-1242-5	6.104	5.121	3316820	6566494	65.822	68.053
21)	L5 AR-1248-1	5.104	4.250	1668283	26887	39.916	0.391 #
22)	L5 AR-1248-2	5.410	4.523	726982	131069	12.300	1.402 #
23)	L5 AR-1248-3	5.633	4.553	2345426	149838	33.577	1.535 #
24)	L5 AR-1248-4	6.069	4.745	2084007	5933190	27.177	50.402 #
25)	L5 AR-1248-5	6.104	5.157	3316820	105705	42.644	0.867 #
26)	L6 AR-1254-1	6.042	5.121	3956045	6566494	68.107	34.030 #
27)	L6 AR-1254-2	6.286	5.278	599624	136534	4.865	0.820 #
28)	L6 AR-1254-3	6.667	5.696	2626147	93951	19.847	0.377 #
29)	L6 AR-1254-4	6.976	5.945	107619	140747	1.083	0.820
30)	L6 AR-1254-5	7.434	6.373	62253	753190	0.708	3.452 #
31)	L7 AR-1260-1	6.858	5.844	968378	40180	11.475	0.253 #
32)	L7 AR-1260-2	7.131	6.049	276772	48559	2.749	0.239 #
33)	L7 AR-1260-3	7.528	6.212	64946	301593	0.802	1.766 #
34)	L7 AR-1260-4	7.749	6.710	54727	384712	0.687	2.647 #
35)	L7 AR-1260-5	8.111	6.977	63616	169240	0.400	0.482
36)	L8 AR-1262-1	7.528	6.441	64946	420174	0.537	1.701 #
37)	L8 AR-1262-2	8.119	6.719	39053	194354	0.203	1.006 #
38)	L8 AR-1262-3	8.439	7.288	63183	122130	0.471	0.752 #
39)	L8 AR-1262-4	8.534	7.358	53699	196267	0.853	0.685
40)	L8 AR-1262-5	9.202	7.899	58068	125563	0.842	0.957
41)	L9 AR-1268-1	8.439	7.288	63183	122130	0.263	0.255

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP050222\
 Data File : PP046912.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 02 May 2022 21:39
 Operator : YP\AJ
 Sample : I.BLK
 Misc :
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 ECD_P
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: May 03 04:24:52 2022
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP042222.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Fri Apr 22 19:00:06 2022
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml
42) L9	AR-1268-2	8.534	7.358	53699	196267	0.243	0.463 #
43) L9	AR-1268-3	8.762	7.591	67805	11990	0.353	0.034 #
44) L9	AR-1268-4	9.202	7.899	58068	125563	0.753	0.854
45) L9	AR-1268-5	9.617	8.203	185059	32369	0.330	0.032 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP050222\
Data File : PP046912.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 02 May 2022 21:39
Operator : YP\AJ
Sample : I.BLK
Misc :
ALS Vial : 2 Sample Multiplier: 1

Instrument :
ECD_P
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: May 03 04:24:52 2022
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP042222.M
Quant Title : GC EXTRACTABLES
QLast Update : Fri Apr 22 19:00:06 2022
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 3.857 min
Delta R.T.: -0.010 min
Response: 61722086
Conc: 25.57 ng/ml

Instrument :
ECD_P
ClientSampleId :




#1 Tetrachloro-m-xylene

R.T.: 3.123 min
Delta R.T.: -0.006 min
Response: 86422772
Conc: 26.35 ng/ml




#2 Decachlorobiphenyl

R.T.: 9.930 min
Delta R.T.: -0.010 min
Response: 38536029
Conc: 26.19 ng/ml



#2 Decachlorobiphenyl


R.T.: 8.437 min
Delta R.T.: -0.013 min
Response: 65108078
Conc: 27.30 ng/ml



#3 AR-1016-1


R.T.: 5.104 min
Delta R.T.: -0.006 min
Response: 1668283
Conc: 22.15 ng/ml

Instrument :
ECD_P
ClientSampleId :




#3 AR-1016-1

R.T.: 4.263 min
Delta R.T.: 0.003 min
Response: 46989
Conc: 0.41 ng/ml




#4 AR-1016-2

R.T.: 5.147 min
Delta R.T.: 0.010 min
Response: 3021762
Conc: 26.54 ng/ml



#4 AR-1016-2


R.T.: 4.279 min
Delta R.T.: -0.003 min
Response: 50003
Conc: 0.29 ng/ml



#5 AR-1016-3


R.T.: 5.211 min
Delta R.T.: 0.010 min
Response: 1069334
Conc: 14.96 ng/ml

Instrument :
ECD_P
ClientSampleId :




#5 AR-1016-3

R.T.: 4.468 min
Delta R.T.: 0.002 min
Response: 4065
Conc: 0.05 ng/ml




#6 AR-1016-4

R.T.: 5.308 min
Delta R.T.: 0.003 min
Response: 1043606
Conc: 17.36 ng/ml



#6 AR-1016-4


R.T.: 4.523 min
Delta R.T.: 0.008 min
Response: 131069
Conc: 1.88 ng/ml



#7 AR-1016-5


R.T.: 5.633 min
Delta R.T.: 0.009 min
Response: 2345426
Conc: 44.30 ng/ml

Instrument :
ECD_P
ClientSampleId :




#7 AR-1016-5

R.T.: 4.745 min
Delta R.T.: 0.006 min
Response: 5933190
Conc: 69.76 ng/ml




#8 AR-1221-1

R.T.: 4.088 min
Delta R.T.: -0.003 min
Response: 30411
Conc: 1.10 ng/ml



#8 AR-1221-1


R.T.: 3.356 min
Delta R.T.: 0.002 min
Response: 22251
Conc: 0.50 ng/ml



#9 AR-1221-2


R.T.: 4.179 min
Delta R.T.: -0.004 min
Response: 605248
Conc: 29.81 ng/ml

Instrument :
ECD_P
ClientSampleId :




#9 AR-1221-2

R.T.: 3.433 min
Delta R.T.: -0.010 min
Response: 1078053
Conc: 31.92 ng/ml




#10 AR-1221-3

R.T.: 4.275 min
Delta R.T.: 0.013 min
Response: 133259
Conc: 2.04 ng/ml



#10 AR-1221-3


R.T.: 3.520 min
Delta R.T.: -0.001 min
Response: 67065
Conc: 0.68 ng/ml



#11 AR-1232-1


R.T.: 4.275 min
Delta R.T.: 0.012 min
Response: 133259
Conc: 2.72 ng/ml

Instrument :
ECD_P
ClientSampleId :




#11 AR-1232-1

R.T.: 3.520 min
Delta R.T.: -0.001 min
Response: 67065
Conc: 0.88 ng/ml




#12 AR-1232-2

R.T.: 4.821 min
Delta R.T.: -0.002 min
Response: 414410
Conc: 17.07 ng/ml



#12 AR-1232-2


R.T.: 4.279 min
Delta R.T.: -0.003 min
Response: 50003
Conc: 0.69 ng/ml



#13 AR-1232-3


R.T.: 5.147 min
Delta R.T.: 0.012 min
Response: 3021762
Conc: 63.98 ng/ml

Instrument :
ECD_P
ClientSampleId :




#13 AR-1232-3

R.T.: 4.468 min
Delta R.T.: 0.002 min
Response: 4065
Conc: 0.11 ng/ml




#14 AR-1232-4

R.T.: 5.308 min
Delta R.T.: 0.001 min
Response: 1043606
Conc: 42.89 ng/ml



#14 AR-1232-4


R.T.: 4.553 min
Delta R.T.: -0.005 min
Response: 149838
Conc: 4.70 ng/ml



#15 AR-1232-5


R.T.: 5.410 min
Delta R.T.: 0.001 min
Response: 726982
Conc: 43.69 ng/ml

Instrument :
ECD_P
ClientSampleId :




#15 AR-1232-5

R.T.: 4.745 min
Delta R.T.: 0.007 min
Response: 5933190
Conc: 205.97 ng/ml




#16 AR-1242-1

R.T.: 5.104 min
Delta R.T.: -0.006 min
Response: 1668283
Conc: 26.31 ng/ml



#16 AR-1242-1


R.T.: 4.263 min
Delta R.T.: 0.003 min
Response: 46989
Conc: 0.48 ng/ml



#17 AR-1242-2


R.T.: 5.147 min
Delta R.T.: 0.009 min
Response: 3021762
Conc: 31.72 ng/ml

Instrument :
ECD_P
ClientSampleId :




#17 AR-1242-2

R.T.: 4.279 min
Delta R.T.: -0.003 min
Response: 50003
Conc: 0.35 ng/ml




#18 AR-1242-3

R.T.: 5.211 min
Delta R.T.: 0.009 min
Response: 1069334
Conc: 17.86 ng/ml



#18 AR-1242-3


R.T.: 4.468 min
Delta R.T.: 0.001 min
Response: 4065
Conc: 0.05 ng/ml



#19 AR-1242-4


R.T.: 5.308 min
Delta R.T.: 0.000 min
Response: 1043606
Conc: 20.63 ng/ml

Instrument :
ECD_P
ClientSampleId :




#19 AR-1242-4

R.T.: 4.553 min
Delta R.T.: -0.005 min
Response: 149838
Conc: 2.10 ng/ml




#20 AR-1242-5

R.T.: 6.104 min
Delta R.T.: -0.002 min
Response: 3316820
Conc: 65.82 ng/ml



#20 AR-1242-5


R.T.: 5.121 min
Delta R.T.: 0.008 min
Response: 6566494
Conc: 68.05 ng/ml



#21 AR-1248-1


R.T.: 5.104 min
Delta R.T.: -0.008 min
Response: 1668283
Conc: 39.92 ng/ml

Instrument :
ECD_P
ClientSampleId :




#21 AR-1248-1

R.T.: 4.250 min
Delta R.T.: 0.000 min
Response: 26887
Conc: 0.39 ng/ml




#22 AR-1248-2

R.T.: 5.410 min
Delta R.T.: 0.001 min
Response: 726982
Conc: 12.30 ng/ml



#22 AR-1248-2


R.T.: 4.523 min
Delta R.T.: 0.009 min
Response: 131069
Conc: 1.40 ng/ml



#23 AR-1248-3


R.T.: 5.633 min
Delta R.T.: 0.009 min
Response: 2345426
Conc: 33.58 ng/ml

Instrument :
ECD_P
ClientSampleId :




#23 AR-1248-3

R.T.: 4.553 min
Delta R.T.: -0.004 min
Response: 149838
Conc: 1.53 ng/ml




#24 AR-1248-4

R.T.: 6.069 min
Delta R.T.: 0.004 min
Response: 2084007
Conc: 27.18 ng/ml



#24 AR-1248-4


R.T.: 4.745 min
Delta R.T.: 0.009 min
Response: 5933190
Conc: 50.40 ng/ml



#25 AR-1248-5


R.T.: 6.104 min
Delta R.T.: -0.002 min
Response: 3316820
Conc: 42.64 ng/ml

Instrument :
ECD_P
ClientSampleId :




#25 AR-1248-5

R.T.: 5.157 min
Delta R.T.: 0.002 min
Response: 105705
Conc: 0.87 ng/ml




#26 AR-1254-1

R.T.: 6.042 min
Delta R.T.: 0.005 min
Response: 3956045
Conc: 68.11 ng/ml



#26 AR-1254-1


R.T.: 5.121 min
Delta R.T.: 0.010 min
Response: 6566494
Conc: 34.03 ng/ml



#27 AR-1254-2


R.T.: 6.286 min
Delta R.T.: 0.014 min
Response: 599624
Conc: 4.87 ng/ml

Instrument :
ECD_P
ClientSampleId :




#27 AR-1254-2

R.T.: 5.278 min
Delta R.T.: 0.007 min
Response: 136534
Conc: 0.82 ng/ml




#28 AR-1254-3

R.T.: 6.667 min
Delta R.T.: -0.006 min
Response: 2626147
Conc: 19.85 ng/ml



#28 AR-1254-3


R.T.: 5.696 min
Delta R.T.: -0.004 min
Response: 93951
Conc: 0.38 ng/ml



#29 AR-1254-4


R.T.: 6.976 min
Delta R.T.: -0.010 min
Response: 107619
Conc: 1.08 ng/ml

Instrument :
ECD_P
ClientSampleId :




#29 AR-1254-4

R.T.: 5.945 min
Delta R.T.: -0.005 min
Response: 140747
Conc: 0.82 ng/ml




#30 AR-1254-5

R.T.: 7.434 min
Delta R.T.: -0.011 min
Response: 62253
Conc: 0.71 ng/ml



#30 AR-1254-5


R.T.: 6.373 min
Delta R.T.: 0.003 min
Response: 753190
Conc: 3.45 ng/ml



#31 AR-1260-1


R.T.: 6.858 min
Delta R.T.: 0.006 min
Response: 968378
Conc: 11.48 ng/ml

Instrument :
ECD_P
ClientSampleId :




#31 AR-1260-1

R.T.: 5.844 min
Delta R.T.: 0.004 min
Response: 40180
Conc: 0.25 ng/ml




#32 AR-1260-2

R.T.: 7.131 min
Delta R.T.: 0.001 min
Response: 276772
Conc: 2.75 ng/ml



#32 AR-1260-2


R.T.: 6.049 min
Delta R.T.: 0.003 min
Response: 48559
Conc: 0.24 ng/ml



#33 AR-1260-3


R.T.: 7.528 min
Delta R.T.: 0.008 min
Response: 64946
Conc: 0.80 ng/ml

Instrument :
ECD_P
ClientSampleId :




#33 AR-1260-3

R.T.: 6.212 min
Delta R.T.: 0.004 min
Response: 301593
Conc: 1.77 ng/ml




#34 AR-1260-4

R.T.: 7.749 min
Delta R.T.: -0.001 min
Response: 54727
Conc: 0.69 ng/ml



#34 AR-1260-4


R.T.: 6.710 min
Delta R.T.: -0.003 min
Response: 384712
Conc: 2.65 ng/ml



#35 AR-1260-5


R.T.: 8.111 min
Delta R.T.: -0.003 min
Response: 63616
Conc: 0.40 ng/ml

Instrument :
ECD_P
ClientSampleId :




#35 AR-1260-5

R.T.: 6.977 min
Delta R.T.: -0.004 min
Response: 169240
Conc: 0.48 ng/ml




#36 AR-1262-1

R.T.: 7.528 min
Delta R.T.: 0.000 min
Response: 64946
Conc: 0.54 ng/ml



#36 AR-1262-1


R.T.: 6.441 min
Delta R.T.: 0.002 min
Response: 420174
Conc: 1.70 ng/ml



#37 AR-1262-2


R.T.: 8.119 min
Delta R.T.: 0.002 min
Response: 39053
Conc: 0.20 ng/ml

Instrument :
ECD_P
ClientSampleId :




#37 AR-1262-2

R.T.: 6.719 min
Delta R.T.: 0.002 min
Response: 194354
Conc: 1.01 ng/ml




#38 AR-1262-3

R.T.: 8.439 min
Delta R.T.: -0.002 min
Response: 63183
Conc: 0.47 ng/ml



#38 AR-1262-3


R.T.: 7.288 min
Delta R.T.: 0.000 min
Response: 122130
Conc: 0.75 ng/ml



#39 AR-1262-4


R.T.: 8.534 min
Delta R.T.: -0.002 min
Response: 53699
Conc: 0.85 ng/ml

Instrument :
ECD_P
ClientSampleId :




#39 AR-1262-4

R.T.: 7.358 min
Delta R.T.: -0.003 min
Response: 196267
Conc: 0.69 ng/ml




#40 AR-1262-5

R.T.: 9.202 min
Delta R.T.: -0.005 min
Response: 58068
Conc: 0.84 ng/ml



#40 AR-1262-5


R.T.: 7.899 min
Delta R.T.: -0.004 min
Response: 125563
Conc: 0.96 ng/ml



#41 AR-1268-1


R.T.: 8.439 min
Delta R.T.: 0.000 min
Response: 63183
Conc: 0.26 ng/ml

Instrument :
ECD_P
ClientSampleId :




#41 AR-1268-1

R.T.: 7.288 min
Delta R.T.: -0.001 min
Response: 122130
Conc: 0.25 ng/ml




#42 AR-1268-2

R.T.: 8.534 min
Delta R.T.: -0.003 min
Response: 53699
Conc: 0.24 ng/ml



#42 AR-1268-2


R.T.: 7.358 min
Delta R.T.: -0.004 min
Response: 196267
Conc: 0.46 ng/ml



#43 AR-1268-3


R.T.: 8.762 min
Delta R.T.: -0.005 min
Response: 67805
Conc: 0.35 ng/ml

Instrument :
ECD_P
ClientSampleId :




#43 AR-1268-3

R.T.: 7.591 min
Delta R.T.: 0.013 min
Response: 11990
Conc: 0.03 ng/ml




#44 AR-1268-4

R.T.: 9.202 min
Delta R.T.: -0.004 min
Response: 58068
Conc: 0.75 ng/ml



#44 AR-1268-4


R.T.: 7.899 min
Delta R.T.: -0.003 min
Response: 125563
Conc: 0.85 ng/ml



#45 AR-1268-5

R.T.: 9.617 min
Delta R.T.: -0.004 min
Response: 185059
Conc: 0.33 ng/ml

Instrument :
ECD_P
ClientSampleId :



#45 AR-1268-5

R.T.: 8.203 min
Delta R.T.: 0.000 min
Response: 32369
Conc: 0.03 ng/ml