

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP050222\
 Data File : PP046916.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 02 May 2022 22:40
 Operator : YP\AJ
 Sample : N2633-02 10X
 Misc :
 ALS Vial : 30 Sample Multiplier: 1

Instrument :
 ECD_P
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: May 03 04:26:26 2022
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP042222.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Fri Apr 22 19:00:06 2022
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.859	3.125	3744790	6103627	1.551	1.861
2)	SA Decachlor...	9.933	8.441	3291669	4498202	2.237	1.886
Target Compounds							
3)	L1 AR-1016-1	5.122	4.255	253897	73750	3.372	0.642 #
4)	L1 AR-1016-2	5.130	4.284	154490	26993	1.357	0.159 #
5)	L1 AR-1016-3	5.201	4.467	156647	55777	2.191	0.637 #
6)	L1 AR-1016-4	5.309	4.512	59369	108889	0.987	1.564 #
7)	L1 AR-1016-5	5.624	4.735	1744638	62719	32.950	0.737 #
8)	L2 AR-1221-1	4.100	3.363	18893	215989	0.685	4.891 #
9)	L2 AR-1221-2	4.196	3.441	251537	568585	12.389	16.834 #
10)	L2 AR-1221-3	4.268	3.521	181071	359532	2.778	3.619 #
11)	L3 AR-1232-1	4.268	3.521	181071	359532	3.698	4.739 #
12)	L3 AR-1232-2	4.813	4.284	334029	26993	13.761	0.374 #
13)	L3 AR-1232-3	5.130	4.467	154490	55777	3.271	1.532 #
14)	L3 AR-1232-4	5.309	4.559	59369	44430	2.440	1.395 #
15)	L3 AR-1232-5	5.410	4.735	286521	62719	17.220	2.177 #
16)	L4 AR-1242-1	5.122	4.255	253897	73750	4.004	0.748 #
17)	L4 AR-1242-2	5.130	4.284	154490	26993	1.622	0.186 #
18)	L4 AR-1242-3	5.201	4.467	156647	55777	2.617	0.751 #
19)	L4 AR-1242-4	5.309	4.559	59369	44430	1.174	0.622 #
20)	L4 AR-1242-5	6.112	5.109	756549	119816	15.014	1.242 #
21)	L5 AR-1248-1	5.122	4.255	253897	73750	6.075	1.073 #
22)	L5 AR-1248-2	5.410	4.512	286521	108889	4.848	1.165 #
23)	L5 AR-1248-3	5.624	4.559	1744638	44430	24.976	0.455 #
24)	L5 AR-1248-4	6.059	4.735	1237381	62719	16.137	0.533 #
25)	L5 AR-1248-5	6.112	5.149	756549	316109	9.727	2.594 #
26)	L6 AR-1254-1	6.047	5.109	942566	119816	16.227	0.621 #
27)	L6 AR-1254-2	6.267	5.272	560350	212193	4.547	1.274 #
28)	L6 AR-1254-3	6.666	5.705	1110169	14823	8.390	0.059 #
29)	L6 AR-1254-4	6.968f	5.940	60724	285758	0.611	1.666 #
30)	L6 AR-1254-5	7.439	6.370	395116	320523	4.492	1.469 #
31)	L7 AR-1260-1	6.853	5.841	210614	53559	2.496	0.337 #
32)	L7 AR-1260-2	7.119	6.049	416177	83256	4.133	0.409 #
33)	L7 AR-1260-3	7.518	6.210	287926	21952	3.554	0.129 #
34)	L7 AR-1260-4	7.748	6.706	77616	443951	0.974	3.054 #
35)	L7 AR-1260-5	8.118	6.978	74957	155990	0.472	0.444
36)	L8 AR-1262-1	7.518	6.428	287926	135527	2.382	0.549 #
37)	L8 AR-1262-2	8.118	6.724	74957	271020	0.390	1.402 #
38)	L8 AR-1262-3	8.438	7.293	256287	136194	1.909	0.839 #
39)	L8 AR-1262-4	8.526	7.348	211178	186721	3.353	0.652 #
40)	L8 AR-1262-5	9.207	7.900	188616	137915	2.734	1.051 #
41)	L9 AR-1268-1	8.438	7.293	256287	136194	1.066	0.284 #

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP050222\
Data File : PP046916.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 02 May 2022 22:40
Operator : YP\AJ
Sample : N2633-02 10X
Misc :
ALS Vial : 30 Sample Multiplier: 1

Instrument :
ECD_P
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: May 03 04:26:26 2022
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP042222.M
Quant Title : GC EXTRACTABLES
QLast Update : Fri Apr 22 19:00:06 2022
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml
42)	L9 AR-1268-2	8.526	7.373	211178	34399	0.954	0.081 #
43)	L9 AR-1268-3	8.764	7.572	135459	54611	0.705	0.154 #
44)	L9 AR-1268-4	9.207	7.900	188616	137915	2.445	0.938 #
45)	L9 AR-1268-5	9.621	8.200	26890	24205	0.048	0.024 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP050222\
Data File : PP046916.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 02 May 2022 22:40
Operator : YP\AJ
Sample : N2633-02 10X
Misc :
ALS Vial : 30 Sample Multiplier: 1

Instrument :
ECD_P
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: May 03 04:26:26 2022
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP042222.M
Quant Title : GC EXTRACTABLES
QLast Update : Fri Apr 22 19:00:06 2022
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 3.859 min
Delta R.T.: -0.008 min
Response: 3744790
Conc: 1.55 ng/ml

Instrument :
ECD_P
ClientSampleId :




#1 Tetrachloro-m-xylene

R.T.: 3.125 min
Delta R.T.: -0.004 min
Response: 6103627
Conc: 1.86 ng/ml




#2 Decachlorobiphenyl

R.T.: 9.933 min
Delta R.T.: -0.007 min
Response: 3291669
Conc: 2.24 ng/ml



#2 Decachlorobiphenyl


R.T.: 8.441 min
Delta R.T.: -0.009 min
Response: 4498202
Conc: 1.89 ng/ml



#3 AR-1016-1


R.T.: 5.122 min
Delta R.T.: 0.012 min
Response: 253897
Conc: 3.37 ng/ml

Instrument :
ECD_P
ClientSampleId :




#3 AR-1016-1

R.T.: 4.255 min
Delta R.T.: -0.005 min
Response: 73750
Conc: 0.64 ng/ml




#4 AR-1016-2

R.T.: 5.130 min
Delta R.T.: -0.006 min
Response: 154490
Conc: 1.36 ng/ml



#4 AR-1016-2


R.T.: 4.284 min
Delta R.T.: 0.002 min
Response: 26993
Conc: 0.16 ng/ml



#5 AR-1016-3


R.T.: 5.201 min
Delta R.T.: 0.000 min
Response: 156647
Conc: 2.19 ng/ml

Instrument :
ECD_P
ClientSampleId :




#5 AR-1016-3

R.T.: 4.467 min
Delta R.T.: 0.000 min
Response: 55777
Conc: 0.64 ng/ml




#6 AR-1016-4

R.T.: 5.309 min
Delta R.T.: 0.003 min
Response: 59369
Conc: 0.99 ng/ml



#6 AR-1016-4


R.T.: 4.512 min
Delta R.T.: -0.003 min
Response: 108889
Conc: 1.56 ng/ml



#7 AR-1016-5


R.T.: 5.624 min
Delta R.T.: 0.000 min
Response: 1744638
Conc: 32.95 ng/ml

Instrument :
ECD_P
ClientSampleId :




#7 AR-1016-5

R.T.: 4.735 min
Delta R.T.: -0.004 min
Response: 62719
Conc: 0.74 ng/ml




#8 AR-1221-1

R.T.: 4.100 min
Delta R.T.: 0.009 min
Response: 18893
Conc: 0.69 ng/ml



#8 AR-1221-1


R.T.: 3.363 min
Delta R.T.: 0.009 min
Response: 215989
Conc: 4.89 ng/ml



#9 AR-1221-2


R.T.: 4.196 min
Delta R.T.: 0.014 min
Response: 251537
Conc: 12.39 ng/ml

Instrument :
ECD_P
ClientSampleId :




#9 AR-1221-2

R.T.: 3.441 min
Delta R.T.: -0.002 min
Response: 568585
Conc: 16.83 ng/ml




#10 AR-1221-3

R.T.: 4.268 min
Delta R.T.: 0.006 min
Response: 181071
Conc: 2.78 ng/ml



#10 AR-1221-3


R.T.: 3.521 min
Delta R.T.: 0.000 min
Response: 359532
Conc: 3.62 ng/ml



#11 AR-1232-1


R.T.: 4.268 min
Delta R.T.: 0.005 min
Response: 181071
Conc: 3.70 ng/ml

Instrument :
ECD_P
ClientSampleId :




#11 AR-1232-1

R.T.: 3.521 min
Delta R.T.: 0.000 min
Response: 359532
Conc: 4.74 ng/ml




#12 AR-1232-2

R.T.: 4.813 min
Delta R.T.: -0.010 min
Response: 334029
Conc: 13.76 ng/ml



#12 AR-1232-2


R.T.: 4.284 min
Delta R.T.: 0.002 min
Response: 26993
Conc: 0.37 ng/ml



#13 AR-1232-3


R.T.: 5.130 min
Delta R.T.: -0.005 min
Response: 154490
Conc: 3.27 ng/ml

Instrument :
ECD_P
ClientSampleId :




#13 AR-1232-3

R.T.: 4.467 min
Delta R.T.: 0.000 min
Response: 55777
Conc: 1.53 ng/ml




#14 AR-1232-4

R.T.: 5.309 min
Delta R.T.: 0.002 min
Response: 59369
Conc: 2.44 ng/ml



#14 AR-1232-4


R.T.: 4.559 min
Delta R.T.: 0.002 min
Response: 44430
Conc: 1.39 ng/ml



#15 AR-1232-5


R.T.: 5.410 min
Delta R.T.: 0.002 min
Response: 286521
Conc: 17.22 ng/ml

Instrument :
ECD_P
ClientSampleId :




#15 AR-1232-5

R.T.: 4.735 min
Delta R.T.: -0.003 min
Response: 62719
Conc: 2.18 ng/ml




#16 AR-1242-1

R.T.: 5.122 min
Delta R.T.: 0.012 min
Response: 253897
Conc: 4.00 ng/ml



#16 AR-1242-1


R.T.: 4.255 min
Delta R.T.: -0.005 min
Response: 73750
Conc: 0.75 ng/ml



#17 AR-1242-2


R.T.: 5.130 min
Delta R.T.: -0.007 min
Response: 154490
Conc: 1.62 ng/ml

Instrument :
ECD_P
ClientSampleId :




#17 AR-1242-2

R.T.: 4.284 min
Delta R.T.: 0.002 min
Response: 26993
Conc: 0.19 ng/ml




#18 AR-1242-3

R.T.: 5.201 min
Delta R.T.: -0.001 min
Response: 156647
Conc: 2.62 ng/ml



#18 AR-1242-3


R.T.: 4.467 min
Delta R.T.: 0.000 min
Response: 55777
Conc: 0.75 ng/ml



#19 AR-1242-4


R.T.: 5.309 min
Delta R.T.: 0.000 min
Response: 59369
Conc: 1.17 ng/ml

Instrument :
ECD_P
ClientSampleId :




#19 AR-1242-4

R.T.: 4.559 min
Delta R.T.: 0.000 min
Response: 44430
Conc: 0.62 ng/ml




#20 AR-1242-5

R.T.: 6.112 min
Delta R.T.: 0.006 min
Response: 756549
Conc: 15.01 ng/ml



#20 AR-1242-5


R.T.: 5.109 min
Delta R.T.: -0.004 min
Response: 119816
Conc: 1.24 ng/ml



#21 AR-1248-1


R.T.: 5.122 min
Delta R.T.: 0.010 min
Response: 253897
Conc: 6.07 ng/ml

Instrument :
ECD_P
ClientSampleId :




#21 AR-1248-1

R.T.: 4.255 min
Delta R.T.: 0.005 min
Response: 73750
Conc: 1.07 ng/ml




#22 AR-1248-2

R.T.: 5.410 min
Delta R.T.: 0.002 min
Response: 286521
Conc: 4.85 ng/ml



#22 AR-1248-2


R.T.: 4.512 min
Delta R.T.: -0.002 min
Response: 108889
Conc: 1.16 ng/ml



#23 AR-1248-3


R.T.: 5.624 min
Delta R.T.: 0.000 min
Response: 1744638
Conc: 24.98 ng/ml

Instrument :
ECD_P
ClientSampleId :




#23 AR-1248-3

R.T.: 4.559 min
Delta R.T.: 0.002 min
Response: 44430
Conc: 0.46 ng/ml




#24 AR-1248-4

R.T.: 6.059 min
Delta R.T.: -0.006 min
Response: 1237381
Conc: 16.14 ng/ml



#24 AR-1248-4


R.T.: 4.735 min
Delta R.T.: -0.001 min
Response: 62719
Conc: 0.53 ng/ml



#25 AR-1248-5


R.T.: 6.112 min
Delta R.T.: 0.006 min
Response: 756549
Conc: 9.73 ng/ml

Instrument :
ECD_P
ClientSampleId :




#25 AR-1248-5

R.T.: 5.149 min
Delta R.T.: -0.006 min
Response: 316109
Conc: 2.59 ng/ml




#26 AR-1254-1

R.T.: 6.047 min
Delta R.T.: 0.011 min
Response: 942566
Conc: 16.23 ng/ml



#26 AR-1254-1


R.T.: 5.109 min
Delta R.T.: -0.002 min
Response: 119816
Conc: 0.62 ng/ml



#27 AR-1254-2


R.T.: 6.267 min
Delta R.T.: -0.005 min
Response: 560350
Conc: 4.55 ng/ml

Instrument :
ECD_P
ClientSampleId :




#27 AR-1254-2

R.T.: 5.272 min
Delta R.T.: 0.000 min
Response: 212193
Conc: 1.27 ng/ml




#28 AR-1254-3

R.T.: 6.666 min
Delta R.T.: -0.007 min
Response: 1110169
Conc: 8.39 ng/ml



#28 AR-1254-3


R.T.: 5.705 min
Delta R.T.: 0.005 min
Response: 14823
Conc: 0.06 ng/ml



#29 AR-1254-4


R.T.: 6.968 min
Delta R.T.: -0.017 min
Response: 60724
Conc: 0.61 ng/ml

Instrument :
ECD_P
ClientSampleId :




#29 AR-1254-4

R.T.: 5.940 min
Delta R.T.: -0.009 min
Response: 285758
Conc: 1.67 ng/ml




#30 AR-1254-5

R.T.: 7.439 min
Delta R.T.: -0.006 min
Response: 395116
Conc: 4.49 ng/ml



#30 AR-1254-5


R.T.: 6.370 min
Delta R.T.: 0.000 min
Response: 320523
Conc: 1.47 ng/ml



#31 AR-1260-1


R.T.: 6.853 min
Delta R.T.: 0.000 min
Response: 210614
Conc: 2.50 ng/ml

Instrument :
ECD_P
ClientSampleId :




#31 AR-1260-1

R.T.: 5.841 min
Delta R.T.: 0.001 min
Response: 53559
Conc: 0.34 ng/ml




#32 AR-1260-2

R.T.: 7.119 min
Delta R.T.: -0.011 min
Response: 416177
Conc: 4.13 ng/ml



#32 AR-1260-2


R.T.: 6.049 min
Delta R.T.: 0.002 min
Response: 83256
Conc: 0.41 ng/ml



#33 AR-1260-3


R.T.: 7.518 min
Delta R.T.: -0.002 min
Response: 287926
Conc: 3.55 ng/ml

Instrument :
ECD_P
ClientSampleId :




#33 AR-1260-3

R.T.: 6.210 min
Delta R.T.: 0.003 min
Response: 21952
Conc: 0.13 ng/ml




#34 AR-1260-4

R.T.: 7.748 min
Delta R.T.: -0.002 min
Response: 77616
Conc: 0.97 ng/ml



#34 AR-1260-4


R.T.: 6.706 min
Delta R.T.: -0.007 min
Response: 443951
Conc: 3.05 ng/ml



#35 AR-1260-5


R.T.: 8.118 min
Delta R.T.: 0.004 min
Response: 74957
Conc: 0.47 ng/ml

Instrument :
ECD_P
ClientSampleId :




#35 AR-1260-5

R.T.: 6.978 min
Delta R.T.: -0.003 min
Response: 155990
Conc: 0.44 ng/ml




#36 AR-1262-1

R.T.: 7.518 min
Delta R.T.: -0.010 min
Response: 287926
Conc: 2.38 ng/ml



#36 AR-1262-1


R.T.: 6.428 min
Delta R.T.: -0.011 min
Response: 135527
Conc: 0.55 ng/ml



#37 AR-1262-2


R.T.: 8.118 min
Delta R.T.: 0.002 min
Response: 74957
Conc: 0.39 ng/ml

Instrument :
ECD_P
ClientSampleId :




#37 AR-1262-2

R.T.: 6.724 min
Delta R.T.: 0.006 min
Response: 271020
Conc: 1.40 ng/ml




#38 AR-1262-3

R.T.: 8.438 min
Delta R.T.: -0.003 min
Response: 256287
Conc: 1.91 ng/ml



#38 AR-1262-3


R.T.: 7.293 min
Delta R.T.: 0.004 min
Response: 136194
Conc: 0.84 ng/ml



#39 AR-1262-4


R.T.: 8.526 min
Delta R.T.: -0.010 min
Response: 211178
Conc: 3.35 ng/ml

Instrument :
ECD_P
ClientSampleId :




#39 AR-1262-4

R.T.: 7.348 min
Delta R.T.: -0.012 min
Response: 186721
Conc: 0.65 ng/ml




#40 AR-1262-5

R.T.: 9.207 min
Delta R.T.: 0.001 min
Response: 188616
Conc: 2.73 ng/ml



#40 AR-1262-5


R.T.: 7.900 min
Delta R.T.: -0.003 min
Response: 137915
Conc: 1.05 ng/ml



#41 AR-1268-1


R.T.: 8.438 min
Delta R.T.: -0.001 min
Response: 256287
Conc: 1.07 ng/ml

Instrument :
ECD_P
ClientSampleId :




#41 AR-1268-1

R.T.: 7.293 min
Delta R.T.: 0.003 min
Response: 136194
Conc: 0.28 ng/ml




#42 AR-1268-2

R.T.: 8.526 min
Delta R.T.: -0.011 min
Response: 211178
Conc: 0.95 ng/ml



#42 AR-1268-2


R.T.: 7.373 min
Delta R.T.: 0.011 min
Response: 34399
Conc: 0.08 ng/ml



#43 AR-1268-3


R.T.: 8.764 min
Delta R.T.: -0.003 min
Response: 135459
Conc: 0.71 ng/ml

Instrument :
ECD_P
ClientSampleId :




#43 AR-1268-3

R.T.: 7.572 min
Delta R.T.: -0.006 min
Response: 54611
Conc: 0.15 ng/ml




#44 AR-1268-4

R.T.: 9.207 min
Delta R.T.: 0.001 min
Response: 188616
Conc: 2.44 ng/ml



#44 AR-1268-4


R.T.: 7.900 min
Delta R.T.: -0.002 min
Response: 137915
Conc: 0.94 ng/ml



#45 AR-1268-5

R.T.: 9.621 min
Delta R.T.: 0.001 min
Response: 26890
Conc: 0.05 ng/ml

Instrument :
ECD_P
ClientSampleId :



#45 AR-1268-5

R.T.: 8.200 min
Delta R.T.: -0.002 min
Response: 24205
Conc: 0.02 ng/ml