

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP050223\
 Data File : PP057406.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 02 May 2023 17:32
 Operator : YP\AJ
 Sample : 02566-06
 Misc :
 ALS Vial : 17 Sample Multiplier: 1

Instrument :
 ECD_P
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: May 03 04:35:46 2023
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP050123.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Mon May 01 18:39:24 2023
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	4.413	3.642	48868633	32202945	20.751	18.163
2)	SA Decachlor...	10.259	8.713	38490705	36826358	23.331	18.766
Target Compounds							
3)	L1 AR-1016-1	5.593	4.742	429.9E6	354.7E6	6451.798	5871.261
4)	L1 AR-1016-2	5.616	4.761	593.7E6	474.2E6	6110.066	5634.869
5)	L1 AR-1016-3	5.679	4.941	354.4E6	247.5E6	5841.760	5313.559
6)	L1 AR-1016-4	5.778	4.982	288.3E6	225.5E6	5953.052	5406.327
7)	L1 AR-1016-5	6.076	5.199	320.8E6	282.9E6	5958.408	5289.541
8)	L2 AR-1221-1	4.621	3.856	50184823	26017266	1739.701	1189.606 #
9)	L2 AR-1221-2	4.710	3.944	68569245	38859646	3233.701	2400.596 #
10)	L2 AR-1221-3	4.788	4.021	257.2E6	207.9E6	4116.370	4226.914
11)	L3 AR-1232-1	4.788	4.021	257.2E6	207.9E6	4915.988	5019.924
12)	L3 AR-1232-2	5.323	4.761	333.0E6	474.2E6	12491.672	12198.865
13)	L3 AR-1232-3	5.616	4.941	593.7E6	247.5E6	13386.480	12297.822
14)	L3 AR-1232-4	5.778	5.025	288.3E6	206.7E6	13041.783	12021.122
15)	L3 AR-1232-5	5.870	5.199	280.2E6	282.9E6	13366.679	12357.837
16)	L4 AR-1242-1	5.593	4.742	429.9E6	354.7E6	7957.045	7198.703
17)	L4 AR-1242-2	5.616	4.761	593.7E6	474.2E6	7545.558	6929.463
18)	L4 AR-1242-3	5.679	4.941	354.4E6	247.5E6	7212.093	6491.241
19)	L4 AR-1242-4	5.778	5.025	288.3E6	206.7E6	7345.629	4855.423 #
20)	L4 AR-1242-5	6.523	5.555	283.6E6	645.2E6	8263.610	13568.404 #
21)	L5 AR-1248-1	5.593	4.742	429.9E6	354.7E6	10448.657	9480.560
22)	L5 AR-1248-2	5.870	4.982	280.2E6	225.5E6	4079.215	3756.299
23)	L5 AR-1248-3	6.076	5.025	320.8E6	206.7E6	4442.672	3316.548 #
24)	L5 AR-1248-4	6.483	5.199	376.5E6	282.9E6	6114.158	3934.749 #
25)	L5 AR-1248-5	6.523	5.596	283.6E6	197.1E6	4787.757	3185.426 #
26)	L6 AR-1254-1	6.457	5.555	475.5E6	645.2E6	5903.141	5983.171
27)	L6 AR-1254-2	6.678	5.704	928.0E6	594.0E6	8005.844	6195.499
28)	L6 AR-1254-3	7.047	6.112	905.1E6	912.2E6	8264.740	6066.121 #
29)	L6 AR-1254-4	7.335	6.342	540.4E6	476.8E6	8539.599	6034.142 #
30)	L6 AR-1254-5	7.757	6.763	351.9E6	400.3E6	4690.522	3151.628 #
31)	L7 AR-1260-1	7.213	6.243	308.2E6	407.9E6	3146.665	3574.497
32)	L7 AR-1260-2	7.472	6.431	252.6E6	224.9E6	2492.052	1733.153 #
33)	L7 AR-1260-3	7.818f	6.586	38630611	244.6E6	476.624	1962.145 #
34)	L7 AR-1260-4	8.048f	7.062	94369744	13714376	1001.865	131.250 #
35)	L7 AR-1260-5	8.387	7.303	16421481	15361744	104.417	72.437 #
36)	L8 AR-1262-1	7.818f	6.832f	38630611	36832920	368.919	608.304 #
37)	L8 AR-1262-2	8.387	7.062	16421481	13714376	109.936	110.373
38)	L8 AR-1262-3	8.722	7.590	9070103	2050209	86.935	21.519 #
39)	L8 AR-1262-4	8.803	7.652	1098457	10554469	14.738	65.836 #
40)	L8 AR-1262-5	9.476	8.152	1532130	1364278	32.529	19.681 #
41)	L9 AR-1268-1	8.722f	7.590	9070103	2050209	43.254	7.232 #

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP050223\
 Data File : PP057406.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 02 May 2023 17:32
 Operator : YP\AJ
 Sample : 02566-06
 Misc :
 ALS Vial : 17 Sample Multiplier: 1

Instrument :
 ECD_P
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: May 03 04:35:46 2023
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP050123.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Mon May 01 18:39:24 2023
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml
42) L9	AR-1268-2	8.803	7.652	1098457	10554469	6.827	41.940 #
43) L9	AR-1268-3	0.000	7.865	0	41920	N.D.	0.182 #
44) L9	AR-1268-4	9.476	8.152	1532130	1364278	29.256	17.215 #
45) L9	AR-1268-5	9.908	8.451	1180977	-197091	2.365	N.D. #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP050223\
Data File : PP057406.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 02 May 2023 17:32
Operator : YP\AJ
Sample : 02566-06
Misc :
ALS Vial : 17 Sample Multiplier: 1

Instrument :
ECD_P
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: May 03 04:35:46 2023
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP050123.M
Quant Title : GC EXTRACTABLES
QLast Update : Mon May 01 18:39:24 2023
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 4.413 min
Delta R.T.: -0.002 min
Response: 48868633
Conc: 20.75 ng/ml

Instrument :
ECD_P
ClientSampleId :




#1 Tetrachloro-m-xylene

R.T.: 3.642 min
Delta R.T.: 0.000 min
Response: 32202945
Conc: 18.16 ng/ml




#2 Decachlorobiphenyl

R.T.: 10.259 min
Delta R.T.: -0.004 min
Response: 38490705
Conc: 23.33 ng/ml



#2 Decachlorobiphenyl


R.T.: 8.713 min
Delta R.T.: 0.000 min
Response: 36826358
Conc: 18.77 ng/ml



#3 AR-1016-1


R.T.: 5.593 min
Delta R.T.: -0.001 min
Response: 429861279
Conc: 6451.80 ng/ml

Instrument :
ECD_P
ClientSampleId :




#3 AR-1016-1

R.T.: 4.742 min
Delta R.T.: 0.000 min
Response: 354695842
Conc: 5871.26 ng/ml




#4 AR-1016-2

R.T.: 5.616 min
Delta R.T.: 0.000 min
Response: 593723298
Conc: 6110.07 ng/ml



#4 AR-1016-2


R.T.: 4.761 min
Delta R.T.: 0.001 min
Response: 474217400
Conc: 5634.87 ng/ml



#5 AR-1016-3


R.T.: 5.679 min
Delta R.T.: 0.000 min
Response: 354394132
Conc: 5841.76 ng/ml

Instrument :
ECD_P
ClientSampleId :




#5 AR-1016-3

R.T.: 4.941 min
Delta R.T.: 0.002 min
Response: 247509904
Conc: 5313.56 ng/ml




#6 AR-1016-4

R.T.: 5.778 min
Delta R.T.: 0.000 min
Response: 288268223
Conc: 5953.05 ng/ml



#6 AR-1016-4


R.T.: 4.982 min
Delta R.T.: 0.002 min
Response: 225483830
Conc: 5406.33 ng/ml



#7 AR-1016-5


R.T.: 6.076 min
Delta R.T.: 0.000 min
Response: 320794120
Conc: 5958.41 ng/ml

Instrument :
ECD_P
ClientSampleId :




#7 AR-1016-5

R.T.: 5.199 min
Delta R.T.: 0.002 min
Response: 282921325
Conc: 5289.54 ng/ml




#8 AR-1221-1

R.T.: 4.621 min
Delta R.T.: -0.004 min
Response: 50184823
Conc: 1739.70 ng/ml



#8 AR-1221-1


R.T.: 3.856 min
Delta R.T.: -0.002 min
Response: 26017266
Conc: 1189.61 ng/ml



#9 AR-1221-2


R.T.: 4.710 min
Delta R.T.: -0.002 min
Response: 68569245
Conc: 3233.70 ng/ml

Instrument :
ECD_P
ClientSampleId :




#9 AR-1221-2

R.T.: 3.944 min
Delta R.T.: 0.000 min
Response: 38859646
Conc: 2400.60 ng/ml




#10 AR-1221-3

R.T.: 4.788 min
Delta R.T.: 0.000 min
Response: 257232709
Conc: 4116.37 ng/ml



#10 AR-1221-3


R.T.: 4.021 min
Delta R.T.: 0.000 min
Response: 207904852
Conc: 4226.91 ng/ml



#11 AR-1232-1


R.T.: 4.788 min
Delta R.T.: 0.000 min
Response: 257232709
Conc: 4915.99 ng/ml

Instrument :
ECD_P
ClientSampleId :




#11 AR-1232-1

R.T.: 4.021 min
Delta R.T.: 0.000 min
Response: 207904852
Conc: 5019.92 ng/ml




#12 AR-1232-2

R.T.: 5.323 min
Delta R.T.: 0.000 min
Response: 333048013
Conc: 12491.67 ng/ml



#12 AR-1232-2


R.T.: 4.761 min
Delta R.T.: 0.001 min
Response: 474217400
Conc: 12198.86 ng/ml



#13 AR-1232-3


R.T.: 5.616 min
Delta R.T.: 0.000 min
Response: 593723298
Conc: 13386.48 ng/ml

Instrument :
ECD_P
ClientSampleId :




#13 AR-1232-3

R.T.: 4.941 min
Delta R.T.: 0.001 min
Response: 247509904
Conc: 12297.82 ng/ml




#14 AR-1232-4

R.T.: 5.778 min
Delta R.T.: 0.000 min
Response: 288268223
Conc: 13041.78 ng/ml



#14 AR-1232-4


R.T.: 5.025 min
Delta R.T.: 0.002 min
Response: 206722813
Conc: 12021.12 ng/ml



#15 AR-1232-5


R.T.: 5.870 min
Delta R.T.: 0.000 min
Response: 280209909
Conc: 13366.68 ng/ml

Instrument :
ECD_P
ClientSampleId :




#15 AR-1232-5

R.T.: 5.199 min
Delta R.T.: 0.002 min
Response: 282921325
Conc: 12357.84 ng/ml




#16 AR-1242-1

R.T.: 5.593 min
Delta R.T.: 0.000 min
Response: 429861279
Conc: 7957.04 ng/ml



#16 AR-1242-1


R.T.: 4.742 min
Delta R.T.: 0.000 min
Response: 354695842
Conc: 7198.70 ng/ml



#17 AR-1242-2


R.T.: 5.616 min
Delta R.T.: 0.000 min
Response: 593723298
Conc: 7545.56 ng/ml

Instrument :
ECD_P
ClientSampleId :




#17 AR-1242-2

R.T.: 4.761 min
Delta R.T.: 0.000 min
Response: 474217400
Conc: 6929.46 ng/ml




#18 AR-1242-3

R.T.: 5.679 min
Delta R.T.: 0.000 min
Response: 354394132
Conc: 7212.09 ng/ml



#18 AR-1242-3


R.T.: 4.941 min
Delta R.T.: 0.001 min
Response: 247509904
Conc: 6491.24 ng/ml



#19 AR-1242-4


R.T.: 5.778 min
Delta R.T.: 0.000 min
Response: 288268223
Conc: 7345.63 ng/ml

Instrument :
ECD_P
ClientSampleId :




#19 AR-1242-4

R.T.: 5.025 min
Delta R.T.: 0.002 min
Response: 206722813
Conc: 4855.42 ng/ml




#20 AR-1242-5

R.T.: 6.523 min
Delta R.T.: 0.001 min
Response: 283635908
Conc: 8263.61 ng/ml



#20 AR-1242-5


R.T.: 5.555 min
Delta R.T.: 0.003 min
Response: 645233178
Conc: 13568.40 ng/ml



#21 AR-1248-1


R.T.: 5.593 min
Delta R.T.: -0.001 min
Response: 429861279
Conc: 10448.66 ng/ml

Instrument :
ECD_P
ClientSampleId :




#21 AR-1248-1

R.T.: 4.742 min
Delta R.T.: 0.000 min
Response: 354695842
Conc: 9480.56 ng/ml




#22 AR-1248-2

R.T.: 5.870 min
Delta R.T.: -0.001 min
Response: 280209909
Conc: 4079.22 ng/ml



#22 AR-1248-2


R.T.: 4.982 min
Delta R.T.: 0.000 min
Response: 225483830
Conc: 3756.30 ng/ml



#23 AR-1248-3


R.T.: 6.076 min
Delta R.T.: 0.000 min
Response: 320794120
Conc: 4442.67 ng/ml

Instrument :
ECD_P
ClientSampleId :




#23 AR-1248-3

R.T.: 5.025 min
Delta R.T.: 0.001 min
Response: 206722813
Conc: 3316.55 ng/ml




#24 AR-1248-4

R.T.: 6.483 min
Delta R.T.: -0.001 min
Response: 376548627
Conc: 6114.16 ng/ml



#24 AR-1248-4


R.T.: 5.199 min
Delta R.T.: 0.001 min
Response: 282921325
Conc: 3934.75 ng/ml



#25 AR-1248-5


R.T.: 6.523 min
Delta R.T.: 0.001 min
Response: 283635908
Conc: 4787.76 ng/ml

Instrument :
ECD_P
ClientSampleId :




#25 AR-1248-5

R.T.: 5.596 min
Delta R.T.: 0.002 min
Response: 197086885
Conc: 3185.43 ng/ml




#26 AR-1254-1

R.T.: 6.457 min
Delta R.T.: 0.000 min
Response: 475508879
Conc: 5903.14 ng/ml



#26 AR-1254-1


R.T.: 5.555 min
Delta R.T.: 0.003 min
Response: 645233178
Conc: 5983.17 ng/ml



#27 AR-1254-2


R.T.: 6.678 min
Delta R.T.: 0.000 min
Response: 927976348
Conc: 8005.84 ng/ml

Instrument :
ECD_P
ClientSampleId :




#27 AR-1254-2

R.T.: 5.704 min
Delta R.T.: 0.003 min
Response: 593976011
Conc: 6195.50 ng/ml




#28 AR-1254-3

R.T.: 7.047 min
Delta R.T.: 0.000 min
Response: 905060157
Conc: 8264.74 ng/ml



#28 AR-1254-3


R.T.: 6.112 min
Delta R.T.: 0.003 min
Response: 912177528
Conc: 6066.12 ng/ml



#29 AR-1254-4


R.T.: 7.335 min
Delta R.T.: 0.002 min
Response: 540388496
Conc: 8539.60 ng/ml

Instrument :
ECD_P
ClientSampleId :




#29 AR-1254-4

R.T.: 6.342 min
Delta R.T.: 0.003 min
Response: 476799079
Conc: 6034.14 ng/ml




#30 AR-1254-5

R.T.: 7.757 min
Delta R.T.: 0.002 min
Response: 351913095
Conc: 4690.52 ng/ml



#30 AR-1254-5


R.T.: 6.763 min
Delta R.T.: 0.002 min
Response: 400301785
Conc: 3151.63 ng/ml



#31 AR-1260-1


R.T.: 7.213 min
Delta R.T.: 0.000 min
Response: 308163756
Conc: 3146.67 ng/ml

Instrument :
ECD_P
ClientSampleId :




#31 AR-1260-1

R.T.: 6.243 min
Delta R.T.: 0.003 min
Response: 407940711
Conc: 3574.50 ng/ml




#32 AR-1260-2

R.T.: 7.472 min
Delta R.T.: 0.000 min
Response: 252604853
Conc: 2492.05 ng/ml



#32 AR-1260-2


R.T.: 6.431 min
Delta R.T.: 0.002 min
Response: 224922056
Conc: 1733.15 ng/ml



#33 AR-1260-3


R.T.: 7.818 min
Delta R.T.: -0.017 min
Response: 38630611
Conc: 476.62 ng/ml

Instrument :
ECD_P
ClientSampleId :




#33 AR-1260-3

R.T.: 6.586 min
Delta R.T.: 0.000 min
Response: 244605234
Conc: 1962.15 ng/ml




#34 AR-1260-4

R.T.: 8.048 min
Delta R.T.: -0.015 min
Response: 94369744
Conc: 1001.86 ng/ml



#34 AR-1260-4


R.T.: 7.062 min
Delta R.T.: 0.000 min
Response: 13714376
Conc: 131.25 ng/ml



#35 AR-1260-5


R.T.: 8.387 min
Delta R.T.: -0.002 min
Response: 16421481
Conc: 104.42 ng/ml

Instrument :
ECD_P
ClientSampleId :




#35 AR-1260-5

R.T.: 7.303 min
Delta R.T.: 0.000 min
Response: 15361744
Conc: 72.44 ng/ml




#36 AR-1262-1

R.T.: 7.818 min
Delta R.T.: -0.016 min
Response: 38630611
Conc: 368.92 ng/ml



#36 AR-1262-1


R.T.: 6.832 min
Delta R.T.: -0.021 min
Response: 36832920
Conc: 608.30 ng/ml



#37 AR-1262-2


R.T.: 8.387 min
Delta R.T.: 0.000 min
Response: 16421481
Conc: 109.94 ng/ml

Instrument :
ECD_P
ClientSampleId :




#37 AR-1262-2

R.T.: 7.062 min
Delta R.T.: 0.000 min
Response: 13714376
Conc: 110.37 ng/ml




#38 AR-1262-3

R.T.: 8.722 min
Delta R.T.: 0.015 min
Response: 9070103
Conc: 86.94 ng/ml



#38 AR-1262-3


R.T.: 7.590 min
Delta R.T.: 0.000 min
Response: 2050209
Conc: 21.52 ng/ml



#39 AR-1262-4


R.T.: 8.803 min
Delta R.T.: 0.002 min
Response: 1098457
Conc: 14.74 ng/ml

Instrument :
ECD_P
ClientSampleId :




#39 AR-1262-4

R.T.: 7.652 min
Delta R.T.: -0.002 min
Response: 10554469
Conc: 65.84 ng/ml




#40 AR-1262-5

R.T.: 9.476 min
Delta R.T.: -0.001 min
Response: 1532130
Conc: 32.53 ng/ml



#40 AR-1262-5


R.T.: 8.152 min
Delta R.T.: 0.000 min
Response: 1364278
Conc: 19.68 ng/ml



#41 AR-1268-1


R.T.: 8.722 min
Delta R.T.: 0.017 min
Response: 9070103
Conc: 43.25 ng/ml

Instrument :
ECD_P
ClientSampleId :




#41 AR-1268-1

R.T.: 7.590 min
Delta R.T.: 0.000 min
Response: 2050209
Conc: 7.23 ng/ml




#42 AR-1268-2

R.T.: 8.803 min
Delta R.T.: 0.000 min
Response: 1098457
Conc: 6.83 ng/ml



#42 AR-1268-2


R.T.: 7.652 min
Delta R.T.: -0.002 min
Response: 10554469
Conc: 41.94 ng/ml



#43 AR-1268-3


R.T.: 0.000 min
Exp R.T.: 9.037 min
Response: 0
Conc: N.D.

Instrument :
ECD_P
ClientSampleId :




#43 AR-1268-3

R.T.: 7.865 min
Delta R.T.: 0.002 min
Response: 41920
Conc: 0.18 ng/ml




#44 AR-1268-4

R.T.: 9.476 min
Delta R.T.: 0.001 min
Response: 1532130
Conc: 29.26 ng/ml



#44 AR-1268-4


R.T.: 8.152 min
Delta R.T.: 0.000 min
Response: 1364278
Conc: 17.22 ng/ml



#45 AR-1268-5

R.T.: 9.908 min
Delta R.T.: 0.001 min
Response: 1180977
Conc: 2.36 ng/ml

Instrument :
ECD_P
ClientSampleId :



#45 AR-1268-5

R.T.: 8.451 min
Delta R.T.: 0.000 min
Response: -197091
Conc: N.D.