

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP051022\
 Data File : PP047373.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 11 May 2022 01:45
 Operator : YP\AJ
 Sample : PB144676BL
 Misc :
 ALS Vial : 40 Sample Multiplier: 1

Instrument :
 ECD_P
 ClientSampleId :
 PB144676BL

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: May 11 06:42:22 2022
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP051022.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Tue May 10 18:34:51 2022
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds						
1) SA Tetrachlo...	3.849	3.115	50899244	66284208	20.021	20.132
2) SA Decachlor...	9.913	8.422	32419952	59400278	22.662	21.823

Target Compounds



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP051022\
Data File : PP047373.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 11 May 2022 01:45
Operator : YP\AJ
Sample : PB144676BL
Misc :
ALS Vial : 40 Sample Multiplier: 1

Instrument :
ECD_P
ClientSampleId :
PB144676BL

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: May 11 06:42:22 2022
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP051022.M
Quant Title : GC EXTRACTABLES
QLast Update : Tue May 10 18:34:51 2022
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 3.849 min
Delta R.T.: -0.011 min
Response: 50899244
Conc: 20.02 ng/ml

Instrument :
ECD_P
ClientSampleId :
PB144676BL




#1 Tetrachloro-m-xylene

R.T.: 3.115 min
Delta R.T.: 0.000 min
Response: 66284208
Conc: 20.13 ng/ml



#2 Decachlorobiphenyl

R.T.: 9.913 min
Delta R.T.: -0.002 min
Response: 32419952
Conc: 22.66 ng/ml



#2 Decachlorobiphenyl

R.T.: 8.422 min
Delta R.T.: -0.005 min
Response: 59400278
Conc: 21.82 ng/ml