

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP051322\
 Data File : PP047559.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 14 May 2022 01:09
 Operator : YP\AJ
 Sample : PB144791BL
 Misc :
 ALS Vial : 27 Sample Multiplier: 1

Instrument :
 ECD_P
 ClientSampleId :
 PB144791BL

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: May 14 07:05:55 2022
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP051022.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Wed May 11 13:10:20 2022
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds						
1) SA Tetrachlo...	3.847	3.114	53191393	70202826	20.922	21.322
2) SA Decachlor...	9.912	8.415	40417745	65798348	28.253	24.173

Target Compounds



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP051322\
Data File : PP047559.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 14 May 2022 01:09
Operator : YP\AJ
Sample : PB144791BL
Misc :
ALS Vial : 27 Sample Multiplier: 1

Instrument :
ECD_P
ClientSampleId :
PB144791BL

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: May 14 07:05:55 2022
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP051022.M
Quant Title : GC EXTRACTABLES
QLast Update : Wed May 11 13:10:20 2022
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µm Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 3.847 min
Delta R.T.: -0.013 min
Response: 53191393
Conc: 20.92 ng/ml

Instrument :
ECD_P
ClientSampleId :
PB144791BL




#1 Tetrachloro-m-xylene

R.T.: 3.114 min
Delta R.T.: -0.002 min
Response: 70202826
Conc: 21.32 ng/ml



#2 Decachlorobiphenyl

R.T.: 9.912 min
Delta R.T.: -0.002 min
Response: 40417745
Conc: 28.25 ng/ml



#2 Decachlorobiphenyl

R.T.: 8.415 min
Delta R.T.: -0.011 min
Response: 65798348
Conc: 24.17 ng/ml