

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP051425\
 Data File : PP072067.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 15 May 2025 00:16
 Operator : YP\AJ
 Sample : I.BLK
 Misc :
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 ECD_P
 ClientSampleId :
 I.BLK

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: May 15 01:21:29 2025
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP042225.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Wed Apr 23 05:02:06 2025
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	4.506	3.801	33149357	25726359	16.720	18.263
2)	SA Decachlor...	10.214	8.824	26596583	18039612	18.368	20.568
Target Compounds							
3)	L1 AR-1016-1	5.686	4.887	242244	274492	3.613	5.127 #
4)	L1 AR-1016-2	5.686	4.887	242244	274492	2.360	3.595 #
5)	L1 AR-1016-3	5.726	5.124	614561	452412	9.969	10.718
6)	L1 AR-1016-4	5.847	5.124	224937	452412	4.385	13.119 #
7)	L1 AR-1016-5	6.118	5.388f	195836	245499	4.060	5.523 #
8)	L2 AR-1221-1	4.708	3.974f	107571	20419	4.460	0.928 #
9)	L2 AR-1221-2	4.807	4.102	529889	407552	29.411	24.608
10)	L2 AR-1221-3	4.877	4.159	70313	111140	1.242	2.293 #
11)	L3 AR-1232-1	4.877	4.159	70313	111140	1.566	2.900 #
12)	L3 AR-1232-2	5.410	4.887	69562	274492	3.023	7.188 #
13)	L3 AR-1232-3	5.686	5.124	242244	452412	5.130	21.365 #
14)	L3 AR-1232-4	5.847	5.198	224937	576634	9.704	31.101 #
15)	L3 AR-1232-5	5.954	5.388f	483176	245499	29.926	12.335 #
16)	L4 AR-1242-1	5.652	4.887	223890	274492	4.088	5.936 #
17)	L4 AR-1242-2	5.686	4.887	242244	274492	2.851	4.158 #
18)	L4 AR-1242-3	5.726	5.124	614561	452412	12.021	12.412
19)	L4 AR-1242-4	5.847	5.198	224937	576634	5.329	16.147 #
20)	L4 AR-1242-5	6.566	5.710	297650	417665	6.430	9.600 #
21)	L5 AR-1248-1	5.652	4.887	223890	274492	5.214	7.602 #
22)	L5 AR-1248-2	5.954	5.124	483176	452412	7.995	9.240
23)	L5 AR-1248-3	6.118	5.198	195836	576634	2.932	11.288 #
24)	L5 AR-1248-4	6.552	5.388f	794649	245499	9.392	4.047 #
25)	L5 AR-1248-5	6.566	5.710	297650	417665	3.746	7.165 #
26)	L6 AR-1254-1	6.512	5.710	650597	417665	7.939	4.570 #
27)	L6 AR-1254-2	6.734	5.809f	491530	183604	3.868	2.333 #
28)	L6 AR-1254-3	7.093	6.261	409824	371055	3.207	3.131
29)	L6 AR-1254-4	7.374	6.479	623879	480855	5.309	6.231
30)	L6 AR-1254-5	7.784	6.902	144139	49028	1.338	0.483 #
31)	L7 AR-1260-1	7.232	6.385	106516	240204	1.109	3.322 #
32)	L7 AR-1260-2	7.526	6.577	284973	48644	1.992	0.556 #
33)	L7 AR-1260-3	7.843	6.682f	151480	93511	1.351	1.193
34)	L7 AR-1260-4	8.164f	7.195	4424961	16154	39.206	0.256 #
35)	L7 AR-1260-5	8.442	7.389f	4898398	117763	21.619	0.781 #
36)	L8 AR-1262-1	8.164f	6.912	4424961	47616	30.624	0.419 #
37)	L8 AR-1262-2	8.442	7.195	4898398	16154	17.865	0.175 #
38)	L8 AR-1262-3	8.701f	7.696	1835106	104261	10.035	1.377 #
39)	L8 AR-1262-4	8.829	7.808	836957	497877	6.236	3.989 #
40)	L8 AR-1262-5	9.472	0.000	105279	0	1.194	N.D. #
41)	L9 AR-1268-1	8.701	7.696	1835106	104261	5.907	0.522 #

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP051425\
Data File : PP072067.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 15 May 2025 00:16
Operator : YP\AJ
Sample : I.BLK
Misc :
ALS Vial : 2 Sample Multiplier: 1

Instrument :
ECD_P
ClientSampleId :
I.BLK

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: May 15 01:21:29 2025
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP042225.M
Quant Title : GC EXTRACTABLES
QLast Update : Wed Apr 23 05:02:06 2025
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml
42)	L9 AR-1268-2	8.829	7.808	836957	497877	3.247	2.946
43)	L9 AR-1268-3	9.059	0.000	676225	0	3.034	N.D. #
44)	L9 AR-1268-4	9.472	0.000	105279	0	1.119	N.D. #
45)	L9 AR-1268-5	9.892	8.565	164698	94488	0.275	0.253



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP051425\
Data File : PP072067.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 15 May 2025 00:16
Operator : YP\AJ
Sample : I.BLK
Misc :
ALS Vial : 2 Sample Multiplier: 1

Instrument :
ECD_P
ClientSampleId :
I.BLK

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: May 15 01:21:29 2025
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP042225.M
Quant Title : GC EXTRACTABLES
QLast Update : Wed Apr 23 05:02:06 2025
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 4.506 min
Delta R.T.: -0.011 min
Response: 33149357
Conc: 16.72 ng/ml

Instrument :
ECD_P
ClientSampleId :
I.BLK




#1 Tetrachloro-m-xylene

R.T.: 3.801 min
Delta R.T.: -0.011 min
Response: 25726359
Conc: 18.26 ng/ml




#2 Decachlorobiphenyl

R.T.: 10.214 min
Delta R.T.: -0.023 min
Response: 26596583
Conc: 18.37 ng/ml



#2 Decachlorobiphenyl


R.T.: 8.824 min
Delta R.T.: -0.025 min
Response: 18039612
Conc: 20.57 ng/ml



#3 AR-1016-1


R.T.: 5.686 min
Delta R.T.: 0.015 min
Response: 242244
Conc: 3.61 ng/ml

Instrument :
ECD_P
ClientSampleId :
I.BLK




#3 AR-1016-1

R.T.: 4.887 min
Delta R.T.: -0.011 min
Response: 274492
Conc: 5.13 ng/ml




#4 AR-1016-2

R.T.: 5.686 min
Delta R.T.: -0.007 min
Response: 242244
Conc: 2.36 ng/ml



#4 AR-1016-2


R.T.: 4.887 min
Delta R.T.: -0.030 min
Response: 274492
Conc: 3.59 ng/ml



#5 AR-1016-3


R.T.: 5.726 min
Delta R.T.: -0.028 min
Response: 614561
Conc: 9.97 ng/ml

Instrument :
ECD_P
ClientSampleId :
I.BLK




#5 AR-1016-3

R.T.: 5.124 min
Delta R.T.: 0.031 min
Response: 452412
Conc: 10.72 ng/ml




#6 AR-1016-4

R.T.: 5.847 min
Delta R.T.: -0.005 min
Response: 224937
Conc: 4.38 ng/ml



#6 AR-1016-4


R.T.: 5.124 min
Delta R.T.: -0.012 min
Response: 452412
Conc: 13.12 ng/ml



#7 AR-1016-5


R.T.: 6.118 min
Delta R.T.: -0.027 min
Response: 195836
Conc: 4.06 ng/ml

Instrument :
ECD_P
ClientSampleId :
I.BLK




#7 AR-1016-5

R.T.: 5.388 min
Delta R.T.: 0.038 min
Response: 245499
Conc: 5.52 ng/ml




#8 AR-1221-1

R.T.: 4.708 min
Delta R.T.: -0.007 min
Response: 107571
Conc: 4.46 ng/ml



#8 AR-1221-1


R.T.: 3.974 min
Delta R.T.: -0.048 min
Response: 20419
Conc: 0.93 ng/ml



#9 AR-1221-2


R.T.: 4.807 min
Delta R.T.: 0.007 min
Response: 529889
Conc: 29.41 ng/ml

Instrument :
ECD_P
ClientSampleId :
I.BLK




#9 AR-1221-2

R.T.: 4.102 min
Delta R.T.: -0.007 min
Response: 407552
Conc: 24.61 ng/ml




#10 AR-1221-3

R.T.: 4.877 min
Delta R.T.: 0.000 min
Response: 70313
Conc: 1.24 ng/ml



#10 AR-1221-3


R.T.: 4.159 min
Delta R.T.: -0.027 min
Response: 111140
Conc: 2.29 ng/ml



#11 AR-1232-1


R.T.: 4.877 min
Delta R.T.: -0.001 min
Response: 70313
Conc: 1.57 ng/ml

Instrument :
ECD_P
ClientSampleId :
I.BLK




#11 AR-1232-1

R.T.: 4.159 min
Delta R.T.: -0.028 min
Response: 111140
Conc: 2.90 ng/ml




#12 AR-1232-2

R.T.: 5.410 min
Delta R.T.: 0.007 min
Response: 69562
Conc: 3.02 ng/ml



#12 AR-1232-2


R.T.: 4.887 min
Delta R.T.: -0.031 min
Response: 274492
Conc: 7.19 ng/ml



#13 AR-1232-3


R.T.: 5.686 min
Delta R.T.: -0.004 min
Response: 242244
Conc: 5.13 ng/ml

Instrument :
ECD_P
ClientSampleId :
I.BLK




#13 AR-1232-3

R.T.: 5.124 min
Delta R.T.: 0.030 min
Response: 452412
Conc: 21.37 ng/ml




#14 AR-1232-4

R.T.: 5.847 min
Delta R.T.: -0.002 min
Response: 224937
Conc: 9.70 ng/ml



#14 AR-1232-4


R.T.: 5.198 min
Delta R.T.: 0.019 min
Response: 576634
Conc: 31.10 ng/ml



#15 AR-1232-5


R.T.: 5.954 min
Delta R.T.: 0.014 min
Response: 483176
Conc: 29.93 ng/ml

Instrument :
ECD_P
ClientSampleId :
I.BLK




#15 AR-1232-5

R.T.: 5.388 min
Delta R.T.: 0.037 min
Response: 245499
Conc: 12.34 ng/ml




#16 AR-1242-1

R.T.: 5.652 min
Delta R.T.: -0.017 min
Response: 223890
Conc: 4.09 ng/ml



#16 AR-1242-1


R.T.: 4.887 min
Delta R.T.: -0.011 min
Response: 274492
Conc: 5.94 ng/ml



#17 AR-1242-2


R.T.: 5.686 min
Delta R.T.: -0.004 min
Response: 242244
Conc: 2.85 ng/ml

Instrument :
ECD_P
ClientSampleId :
I.BLK




#17 AR-1242-2

R.T.: 4.887 min
Delta R.T.: -0.030 min
Response: 274492
Conc: 4.16 ng/ml




#18 AR-1242-3

R.T.: 5.726 min
Delta R.T.: -0.026 min
Response: 614561
Conc: 12.02 ng/ml



#18 AR-1242-3


R.T.: 5.124 min
Delta R.T.: 0.031 min
Response: 452412
Conc: 12.41 ng/ml



#19 AR-1242-4


R.T.: 5.847 min
Delta R.T.: -0.002 min
Response: 224937
Conc: 5.33 ng/ml

Instrument :
ECD_P
ClientSampleId :
I.BLK




#19 AR-1242-4

R.T.: 5.198 min
Delta R.T.: 0.020 min
Response: 576634
Conc: 16.15 ng/ml




#20 AR-1242-5

R.T.: 6.566 min
Delta R.T.: -0.015 min
Response: 297650
Conc: 6.43 ng/ml



#20 AR-1242-5


R.T.: 5.710 min
Delta R.T.: 0.009 min
Response: 417665
Conc: 9.60 ng/ml



#21 AR-1248-1


R.T.: 5.652 min
Delta R.T.: -0.016 min
Response: 223890
Conc: 5.21 ng/ml

Instrument :
ECD_P
ClientSampleId :
I.BLK




#21 AR-1248-1

R.T.: 4.887 min
Delta R.T.: -0.012 min
Response: 274492
Conc: 7.60 ng/ml




#22 AR-1248-2

R.T.: 5.954 min
Delta R.T.: 0.014 min
Response: 483176
Conc: 8.00 ng/ml



#22 AR-1248-2


R.T.: 5.124 min
Delta R.T.: -0.012 min
Response: 452412
Conc: 9.24 ng/ml



#23 AR-1248-3


R.T.: 6.118 min
Delta R.T.: -0.024 min
Response: 195836
Conc: 2.93 ng/ml

Instrument :
ECD_P
ClientSampleId :
I.BLK




#23 AR-1248-3

R.T.: 5.198 min
Delta R.T.: 0.020 min
Response: 576634
Conc: 11.29 ng/ml




#24 AR-1248-4

R.T.: 6.552 min
Delta R.T.: 0.010 min
Response: 794649
Conc: 9.39 ng/ml



#24 AR-1248-4


R.T.: 5.388 min
Delta R.T.: 0.039 min
Response: 245499
Conc: 4.05 ng/ml



#25 AR-1248-5


R.T.: 6.566 min
Delta R.T.: -0.015 min
Response: 297650
Conc: 3.75 ng/ml

Instrument :
ECD_P
ClientSampleId :
I.BLK




#25 AR-1248-5

R.T.: 5.710 min
Delta R.T.: -0.033 min
Response: 417665
Conc: 7.17 ng/ml




#26 AR-1254-1

R.T.: 6.512 min
Delta R.T.: -0.006 min
Response: 650597
Conc: 7.94 ng/ml



#26 AR-1254-1


R.T.: 5.710 min
Delta R.T.: 0.008 min
Response: 417665
Conc: 4.57 ng/ml



#27 AR-1254-2


R.T.: 6.734 min
Delta R.T.: -0.002 min
Response: 491530
Conc: 3.87 ng/ml

Instrument :
ECD_P
ClientSampleId :
I.BLK




#27 AR-1254-2

R.T.: 5.809 min
Delta R.T.: -0.041 min
Response: 183604
Conc: 2.33 ng/ml




#28 AR-1254-3

R.T.: 7.093 min
Delta R.T.: -0.005 min
Response: 409824
Conc: 3.21 ng/ml



#28 AR-1254-3


R.T.: 6.261 min
Delta R.T.: 0.007 min
Response: 371055
Conc: 3.13 ng/ml



#29 AR-1254-4


R.T.: 7.374 min
Delta R.T.: -0.007 min
Response: 623879
Conc: 5.31 ng/ml

Instrument :
ECD_P
ClientSampleId :
I.BLK




#29 AR-1254-4

R.T.: 6.479 min
Delta R.T.: -0.004 min
Response: 480855
Conc: 6.23 ng/ml




#30 AR-1254-5

R.T.: 7.784 min
Delta R.T.: -0.013 min
Response: 144139
Conc: 1.34 ng/ml



#30 AR-1254-5


R.T.: 6.902 min
Delta R.T.: 0.001 min
Response: 49028
Conc: 0.48 ng/ml



#31 AR-1260-1


R.T.: 7.232 min
Delta R.T.: -0.033 min
Response: 106516
Conc: 1.11 ng/ml

Instrument :
ECD_P
ClientSampleId :
I.BLK




#31 AR-1260-1

R.T.: 6.385 min
Delta R.T.: 0.000 min
Response: 240204
Conc: 3.32 ng/ml




#32 AR-1260-2

R.T.: 7.526 min
Delta R.T.: 0.008 min
Response: 284973
Conc: 1.99 ng/ml



#32 AR-1260-2


R.T.: 6.577 min
Delta R.T.: 0.004 min
Response: 48644
Conc: 0.56 ng/ml



#33 AR-1260-3


R.T.: 7.843 min
Delta R.T.: -0.034 min
Response: 151480
Conc: 1.35 ng/ml

Instrument :
ECD_P
ClientSampleId :
I.BLK




#33 AR-1260-3

R.T.: 6.682 min
Delta R.T.: -0.045 min
Response: 93511
Conc: 1.19 ng/ml




#34 AR-1260-4

R.T.: 8.164 min
Delta R.T.: 0.062 min
Response: 4424961
Conc: 39.21 ng/ml



#34 AR-1260-4


R.T.: 7.195 min
Delta R.T.: -0.003 min
Response: 16154
Conc: 0.26 ng/ml



#35 AR-1260-5


R.T.: 8.442 min
Delta R.T.: 0.021 min
Response: 4898398
Conc: 21.62 ng/ml

Instrument :
ECD_P
ClientSampleId :
I.BLK




#35 AR-1260-5

R.T.: 7.389 min
Delta R.T.: -0.050 min
Response: 117763
Conc: 0.78 ng/ml




#36 AR-1262-1

R.T.: 8.164 min
Delta R.T.: 0.063 min
Response: 4424961
Conc: 30.62 ng/ml



#36 AR-1262-1


R.T.: 6.912 min
Delta R.T.: -0.028 min
Response: 47616
Conc: 0.42 ng/ml



#37 AR-1262-2


R.T.: 8.442 min
Delta R.T.: 0.023 min
Response: 4898398
Conc: 17.87 ng/ml

Instrument :
ECD_P
ClientSampleId :
I.BLK




#37 AR-1262-2

R.T.: 7.195 min
Delta R.T.: -0.003 min
Response: 16154
Conc: 0.17 ng/ml




#38 AR-1262-3

R.T.: 8.701 min
Delta R.T.: -0.036 min
Response: 1835106
Conc: 10.03 ng/ml



#38 AR-1262-3


R.T.: 7.696 min
Delta R.T.: -0.025 min
Response: 104261
Conc: 1.38 ng/ml



#39 AR-1262-4


R.T.: 8.829 min
Delta R.T.: 0.007 min
Response: 836957
Conc: 6.24 ng/ml

Instrument :
ECD_P
ClientSampleId :
I.BLK




#39 AR-1262-4

R.T.: 7.808 min
Delta R.T.: 0.022 min
Response: 497877
Conc: 3.99 ng/ml




#40 AR-1262-5

R.T.: 9.472 min
Delta R.T.: -0.006 min
Response: 105279
Conc: 1.19 ng/ml



#40 AR-1262-5


R.T.: 0.000 min
Exp R.T. : 8.286 min
Response: 0
Conc: N.D.



#41 AR-1268-1


R.T.: 8.701 min
Delta R.T.: -0.032 min
Response: 1835106
Conc: 5.91 ng/ml

Instrument :
ECD_P
ClientSampleId :
I.BLK




#41 AR-1268-1

R.T.: 7.696 min
Delta R.T.: -0.026 min
Response: 104261
Conc: 0.52 ng/ml




#42 AR-1268-2

R.T.: 8.829 min
Delta R.T.: 0.003 min
Response: 836957
Conc: 3.25 ng/ml



#42 AR-1268-2


R.T.: 7.808 min
Delta R.T.: 0.019 min
Response: 497877
Conc: 2.95 ng/ml



#43 AR-1268-3


R.T.: 9.059 min
Delta R.T.: 0.000 min
Response: 676225
Conc: 3.03 ng/ml

Instrument :
ECD_P
ClientSampleId :
I.BLK




#43 AR-1268-3

R.T.: 0.000 min
Exp R.T. : 7.993 min
Response: 0
Conc: N.D.




#44 AR-1268-4

R.T.: 9.472 min
Delta R.T.: -0.006 min
Response: 105279
Conc: 1.12 ng/ml



#44 AR-1268-4


R.T.: 0.000 min
Exp R.T. : 8.287 min
Response: 0
Conc: N.D.



#45 AR-1268-5

R.T.: 9.892 min
Delta R.T.: -0.001 min
Response: 164698
Conc: 0.28 ng/ml

Instrument :
ECD_P
ClientSampleId :
I.BLK



#45 AR-1268-5

R.T.: 8.565 min
Delta R.T.: -0.023 min
Response: 94488
Conc: 0.25 ng/ml