

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP051622\
 Data File : PP047634.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 17 May 2022 01:40
 Operator : YP\AJ
 Sample : PB144848BL
 Misc :
 ALS Vial : 35 Sample Multiplier: 1

Instrument :
 ECD_P
 ClientSampleId :
 PB144848BL

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: May 17 05:04:58 2022
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP051022.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Wed May 11 13:10:20 2022
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds						
1) SA Tetrachlo...	3.845	3.112	51605042	67602820	20.298	20.532
2) SA Decachlor...	9.907	8.412	46071990	70463932	32.205	25.888

Target Compounds



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP051622\
Data File : PP047634.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 17 May 2022 01:40
Operator : YP\AJ
Sample : PB144848BL
Misc :
ALS Vial : 35 Sample Multiplier: 1

Instrument :
ECD_P
ClientSampleId :
PB144848BL

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: May 17 05:04:58 2022
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP051022.M
Quant Title : GC EXTRACTABLES
QLast Update : Wed May 11 13:10:20 2022
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 3.845 min
Delta R.T.: -0.015 min
Response: 51605042
Conc: 20.30 ng/ml

Instrument :
ECD_P
ClientSampleId :
PB144848BL




#1 Tetrachloro-m-xylene

R.T.: 3.112 min
Delta R.T.: -0.004 min
Response: 67602820
Conc: 20.53 ng/ml



#2 Decachlorobiphenyl

R.T.: 9.907 min
Delta R.T.: -0.007 min
Response: 46071990
Conc: 32.21 ng/ml



#2 Decachlorobiphenyl

R.T.: 8.412 min
Delta R.T.: -0.015 min
Response: 70463932
Conc: 25.89 ng/ml