

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP051723\
 Data File : PP057687.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 17 May 2023 21:35
 Operator : YP\AJ
 Sample : 02813-01
 Misc :
 ALS Vial : 35 Sample Multiplier: 1

Instrument :
 ECD_P
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: May 18 06:10:08 2023
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP050823.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Mon May 08 19:18:05 2023
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	4.387	3.624	48519496	43378498	22.116	19.124
2)	SA Decachlor...	10.213	8.685	35211372	34048936	31.071	21.691 #
Target Compounds							
3)	L1 AR-1016-1	5.566	4.721	4834019	5660938	77.599	75.966
4)	L1 AR-1016-2	5.589	4.740	7715237	6390426	85.814	61.822 #
5)	L1 AR-1016-3	5.650	4.918	3897989	4007488	68.938	67.974
6)	L1 AR-1016-4	5.750	4.960	2584512	62625880	55.963	1331.363 #
7)	L1 AR-1016-5	6.048	5.176	35451906	36855486	760.168	620.713
8)	L2 AR-1221-1	4.594	3.833	11730595	278013	405.379	9.428 #
9)	L2 AR-1221-2	4.693	3.910	1032380	7849092	47.633	352.374 #
10)	L2 AR-1221-3	4.759	4.003	1305826	1372132	21.677	21.536
11)	L3 AR-1232-1	4.759	4.003	1305826	1372132	29.813	29.733
12)	L3 AR-1232-2	5.295	4.740	3774174	6390426	144.723	135.041
13)	L3 AR-1232-3	5.589	4.918	7715237	4007488	189.038	147.233
14)	L3 AR-1232-4	5.750	5.001	2584512	20161968	121.370	827.037 #
15)	L3 AR-1232-5	5.843	5.176	59854862	36855486	3277.412	1332.820 #
16)	L4 AR-1242-1	5.566	4.721	4834019	5660938	101.474	97.249
17)	L4 AR-1242-2	5.589	4.740	7715237	6390426	112.818	80.062 #
18)	L4 AR-1242-3	5.650	4.918	3897989	4007488	89.526	85.451
19)	L4 AR-1242-4	5.750	5.001	2584512	20161968	73.347	434.522 #
20)	L4 AR-1242-5	6.498	5.532	36545463	178.4E6	1127.902	3190.168 #
21)	L5 AR-1248-1	5.566	4.721	4834019	5660938	114.869	110.009
22)	L5 AR-1248-2	5.843	4.960	59854862	62625880	918.013	872.190
23)	L5 AR-1248-3	6.048	5.001	35451906	20161968	510.528	266.485 #
24)	L5 AR-1248-4	6.455	5.176	48534915	36855486	759.417	413.171 #
25)	L5 AR-1248-5	6.498	5.572	36545463	22146459	569.607	266.369 #
26)	L6 AR-1254-1	6.430	5.532	126.0E6	178.4E6	1876.796	1597.371
27)	L6 AR-1254-2	6.650	5.681	191.1E6	170.5E6	2020.171	1708.674
28)	L6 AR-1254-3	7.020	6.088	206.1E6	296.7E6	2262.216	1896.115
29)	L6 AR-1254-4	7.308	6.318	134.9E6	167.7E6	2265.379	1817.410
30)	L6 AR-1254-5	7.731	6.740	196.4E6	320.7E6	2860.619	2215.480
31)	L7 AR-1260-1	7.186	6.219	104.3E6	153.3E6	1321.418	1394.521
32)	L7 AR-1260-2	7.445	6.408	117.8E6	137.5E6	1470.432	1081.580 #
33)	L7 AR-1260-3	7.806	6.562	42743124	137.9E6	750.216	1124.969 #
34)	L7 AR-1260-4	8.023f	7.038	84009876	27192848	1264.385	311.200 #
35)	L7 AR-1260-5	8.359	7.281	45542824	58260569	424.132	315.429 #
36)	L8 AR-1262-1	7.806	6.830	42743124	17087330	496.365	268.935 #
37)	L8 AR-1262-2	8.359	7.038	45542824	27192848	374.119	219.349 #
38)	L8 AR-1262-3	8.685	7.567	48105807	27163914	553.317	289.488 #
39)	L8 AR-1262-4	8.769	7.631	31177594	70364784	465.108	413.052
40)	L8 AR-1262-5	9.437	8.129	13611506	19490827	355.498	264.834 #
41)	L9 AR-1268-1	8.685	7.567	48105807	27163914	308.953	103.191 #

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP051723\
 Data File : PP057687.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 17 May 2023 21:35
 Operator : YP\AJ
 Sample : 02813-01
 Misc :
 ALS Vial : 35 Sample Multiplier: 1

Instrument :
 ECD_P
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: May 18 06:10:08 2023
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP050823.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Mon May 08 19:18:05 2023
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml
42) L9	AR-1268-2	8.769	7.631	31177594	70364784	238.943	287.403
43) L9	AR-1268-3	9.002	7.840	7507168	9600440	58.149	47.349
44) L9	AR-1268-4	9.437	8.129	13611506	19490827	321.406	235.341 #
45) L9	AR-1268-5	9.865	8.425	31225503	37877297	95.537	73.250



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP051723\
Data File : PP057687.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 17 May 2023 21:35
Operator : YP\AJ
Sample : 02813-01
Misc :
ALS Vial : 35 Sample Multiplier: 1

Instrument :
ECD_P
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: May 18 06:10:08 2023
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP050823.M
Quant Title : GC EXTRACTABLES
QLast Update : Mon May 08 19:18:05 2023
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 4.387 min
Delta R.T.: -0.003 min
Response: 48519496
Conc: 22.12 ng/ml

Instrument :
ECD_P
ClientSampleId :




#1 Tetrachloro-m-xylene

R.T.: 3.624 min
Delta R.T.: 0.000 min
Response: 43378498
Conc: 19.12 ng/ml




#2 Decachlorobiphenyl

R.T.: 10.213 min
Delta R.T.: -0.011 min
Response: 35211372
Conc: 31.07 ng/ml



#2 Decachlorobiphenyl


R.T.: 8.685 min
Delta R.T.: -0.001 min
Response: 34048936
Conc: 21.69 ng/ml



#3 AR-1016-1


R.T.: 5.566 min
Delta R.T.: -0.004 min
Response: 4834019
Conc: 77.60 ng/ml

Instrument :
ECD_P
ClientSampleId :




#3 AR-1016-1

R.T.: 4.721 min
Delta R.T.: 0.000 min
Response: 5660938
Conc: 75.97 ng/ml




#4 AR-1016-2

R.T.: 5.589 min
Delta R.T.: -0.004 min
Response: 7715237
Conc: 85.81 ng/ml



#4 AR-1016-2


R.T.: 4.740 min
Delta R.T.: 0.000 min
Response: 6390426
Conc: 61.82 ng/ml



#5 AR-1016-3


R.T.: 5.650 min
Delta R.T.: -0.005 min
Response: 3897989
Conc: 68.94 ng/ml

Instrument :
ECD_P
ClientSampleId :




#5 AR-1016-3

R.T.: 4.918 min
Delta R.T.: 0.000 min
Response: 4007488
Conc: 67.97 ng/ml




#6 AR-1016-4

R.T.: 5.750 min
Delta R.T.: -0.005 min
Response: 2584512
Conc: 55.96 ng/ml



#6 AR-1016-4


R.T.: 4.960 min
Delta R.T.: 0.000 min
Response: 62625880
Conc: 1331.36 ng/ml



#7 AR-1016-5


R.T.: 6.048 min
Delta R.T.: -0.005 min
Response: 35451906
Conc: 760.17 ng/ml

Instrument :
ECD_P
ClientSampleId :




#7 AR-1016-5

R.T.: 5.176 min
Delta R.T.: -0.001 min
Response: 36855486
Conc: 620.71 ng/ml




#8 AR-1221-1

R.T.: 4.594 min
Delta R.T.: -0.004 min
Response: 11730595
Conc: 405.38 ng/ml



#8 AR-1221-1


R.T.: 3.833 min
Delta R.T.: -0.006 min
Response: 278013
Conc: 9.43 ng/ml



#9 AR-1221-2


R.T.: 4.693 min
Delta R.T.: 0.008 min
Response: 1032380
Conc: 47.63 ng/ml

Instrument :
ECD_P
ClientSampleId :




#9 AR-1221-2

R.T.: 3.910 min
Delta R.T.: -0.015 min
Response: 7849092
Conc: 352.37 ng/ml




#10 AR-1221-3

R.T.: 4.759 min
Delta R.T.: -0.003 min
Response: 1305826
Conc: 21.68 ng/ml



#10 AR-1221-3


R.T.: 4.003 min
Delta R.T.: 0.000 min
Response: 1372132
Conc: 21.54 ng/ml



#11 AR-1232-1


R.T.: 4.759 min
Delta R.T.: -0.003 min
Response: 1305826
Conc: 29.81 ng/ml

Instrument :
ECD_P
ClientSampleId :




#11 AR-1232-1

R.T.: 4.003 min
Delta R.T.: 0.000 min
Response: 1372132
Conc: 29.73 ng/ml




#12 AR-1232-2

R.T.: 5.295 min
Delta R.T.: -0.002 min
Response: 3774174
Conc: 144.72 ng/ml



#12 AR-1232-2


R.T.: 4.740 min
Delta R.T.: 0.000 min
Response: 6390426
Conc: 135.04 ng/ml



#13 AR-1232-3


R.T.: 5.589 min
Delta R.T.: -0.002 min
Response: 7715237
Conc: 189.04 ng/ml

Instrument :
ECD_P
ClientSampleId :




#13 AR-1232-3

R.T.: 4.918 min
Delta R.T.: 0.000 min
Response: 4007488
Conc: 147.23 ng/ml




#14 AR-1232-4

R.T.: 5.750 min
Delta R.T.: -0.003 min
Response: 2584512
Conc: 121.37 ng/ml



#14 AR-1232-4


R.T.: 5.001 min
Delta R.T.: 0.000 min
Response: 20161968
Conc: 827.04 ng/ml



#15 AR-1232-5


R.T.: 5.843 min
Delta R.T.: -0.003 min
Response: 59854862
Conc: 3277.41 ng/ml

Instrument :
ECD_P
ClientSampleId :




#15 AR-1232-5

R.T.: 5.176 min
Delta R.T.: 0.000 min
Response: 36855486
Conc: 1332.82 ng/ml




#16 AR-1242-1

R.T.: 5.566 min
Delta R.T.: -0.002 min
Response: 4834019
Conc: 101.47 ng/ml



#16 AR-1242-1


R.T.: 4.721 min
Delta R.T.: 0.000 min
Response: 5660938
Conc: 97.25 ng/ml



#17 AR-1242-2


R.T.: 5.589 min
Delta R.T.: -0.002 min
Response: 7715237
Conc: 112.82 ng/ml

Instrument :
ECD_P
ClientSampleId :




#17 AR-1242-2

R.T.: 4.740 min
Delta R.T.: 0.000 min
Response: 6390426
Conc: 80.06 ng/ml




#18 AR-1242-3

R.T.: 5.650 min
Delta R.T.: -0.003 min
Response: 3897989
Conc: 89.53 ng/ml



#18 AR-1242-3


R.T.: 4.918 min
Delta R.T.: 0.000 min
Response: 4007488
Conc: 85.45 ng/ml



#19 AR-1242-4


R.T.: 5.750 min
Delta R.T.: -0.003 min
Response: 2584512
Conc: 73.35 ng/ml

Instrument :
ECD_P
ClientSampleId :




#19 AR-1242-4

R.T.: 5.001 min
Delta R.T.: 0.000 min
Response: 20161968
Conc: 434.52 ng/ml




#20 AR-1242-5

R.T.: 6.498 min
Delta R.T.: 0.001 min
Response: 36545463
Conc: 1127.90 ng/ml



#20 AR-1242-5


R.T.: 5.532 min
Delta R.T.: 0.001 min
Response: 178361353
Conc: 3190.17 ng/ml



#21 AR-1248-1


R.T.: 5.566 min
Delta R.T.: -0.003 min
Response: 4834019
Conc: 114.87 ng/ml

Instrument :
ECD_P
ClientSampleId :




#21 AR-1248-1

R.T.: 4.721 min
Delta R.T.: 0.000 min
Response: 5660938
Conc: 110.01 ng/ml




#22 AR-1248-2

R.T.: 5.843 min
Delta R.T.: -0.003 min
Response: 59854862
Conc: 918.01 ng/ml



#22 AR-1248-2


R.T.: 4.960 min
Delta R.T.: 0.000 min
Response: 62625880
Conc: 872.19 ng/ml



#23 AR-1248-3


R.T.: 6.048 min
Delta R.T.: -0.004 min
Response: 35451906
Conc: 510.53 ng/ml

Instrument :
ECD_P
ClientSampleId :




#23 AR-1248-3

R.T.: 5.001 min
Delta R.T.: 0.000 min
Response: 20161968
Conc: 266.49 ng/ml




#24 AR-1248-4

R.T.: 6.455 min
Delta R.T.: -0.004 min
Response: 48534915
Conc: 759.42 ng/ml



#24 AR-1248-4


R.T.: 5.176 min
Delta R.T.: 0.000 min
Response: 36855486
Conc: 413.17 ng/ml



#25 AR-1248-5


R.T.: 6.498 min
Delta R.T.: 0.000 min
Response: 36545463
Conc: 569.61 ng/ml

Instrument :
ECD_P
ClientSampleId :




#25 AR-1248-5

R.T.: 5.572 min
Delta R.T.: 0.000 min
Response: 22146459
Conc: 266.37 ng/ml




#26 AR-1254-1

R.T.: 6.430 min
Delta R.T.: -0.004 min
Response: 125966544
Conc: 1876.80 ng/ml



#26 AR-1254-1


R.T.: 5.532 min
Delta R.T.: 0.000 min
Response: 178361353
Conc: 1597.37 ng/ml



#27 AR-1254-2


R.T.: 6.650 min
Delta R.T.: -0.004 min
Response: 191104719
Conc: 2020.17 ng/ml

Instrument :
ECD_P
ClientSampleId :




#27 AR-1254-2

R.T.: 5.681 min
Delta R.T.: 0.000 min
Response: 170531817
Conc: 1708.67 ng/ml




#28 AR-1254-3

R.T.: 7.020 min
Delta R.T.: -0.003 min
Response: 206061873
Conc: 2262.22 ng/ml



#28 AR-1254-3


R.T.: 6.088 min
Delta R.T.: 0.000 min
Response: 296652223
Conc: 1896.12 ng/ml



#29 AR-1254-4


R.T.: 7.308 min
Delta R.T.: -0.004 min
Response: 134930753
Conc: 2265.38 ng/ml

Instrument :
ECD_P
ClientSampleId :




#29 AR-1254-4

R.T.: 6.318 min
Delta R.T.: 0.000 min
Response: 167659726
Conc: 1817.41 ng/ml




#30 AR-1254-5

R.T.: 7.731 min
Delta R.T.: -0.005 min
Response: 196387064
Conc: 2860.62 ng/ml



#30 AR-1254-5


R.T.: 6.740 min
Delta R.T.: 0.000 min
Response: 320712577
Conc: 2215.48 ng/ml



#31 AR-1260-1


R.T.: 7.186 min
Delta R.T.: -0.005 min
Response: 104255376
Conc: 1321.42 ng/ml

Instrument :
ECD_P
ClientSampleId :




#31 AR-1260-1

R.T.: 6.219 min
Delta R.T.: 0.000 min
Response: 153319346
Conc: 1394.52 ng/ml




#32 AR-1260-2

R.T.: 7.445 min
Delta R.T.: -0.004 min
Response: 117808421
Conc: 1470.43 ng/ml



#32 AR-1260-2


R.T.: 6.408 min
Delta R.T.: 0.000 min
Response: 137462859
Conc: 1081.58 ng/ml



#33 AR-1260-3


R.T.: 7.806 min
Delta R.T.: -0.007 min
Response: 42743124
Conc: 750.22 ng/ml

Instrument :
ECD_P
ClientSampleId :




#33 AR-1260-3

R.T.: 6.562 min
Delta R.T.: -0.001 min
Response: 137945185
Conc: 1124.97 ng/ml




#34 AR-1260-4

R.T.: 8.023 min
Delta R.T.: -0.017 min
Response: 84009876
Conc: 1264.38 ng/ml



#34 AR-1260-4


R.T.: 7.038 min
Delta R.T.: -0.002 min
Response: 27192848
Conc: 311.20 ng/ml



#35 AR-1260-5


R.T.: 8.359 min
Delta R.T.: -0.005 min
Response: 45542824
Conc: 424.13 ng/ml

Instrument :
ECD_P
ClientSampleId :




#35 AR-1260-5

R.T.: 7.281 min
Delta R.T.: -0.001 min
Response: 58260569
Conc: 315.43 ng/ml




#36 AR-1262-1

R.T.: 7.806 min
Delta R.T.: -0.006 min
Response: 42743124
Conc: 496.37 ng/ml



#36 AR-1262-1


R.T.: 6.830 min
Delta R.T.: 0.000 min
Response: 17087330
Conc: 268.94 ng/ml



#37 AR-1262-2


R.T.: 8.359 min
Delta R.T.: -0.004 min
Response: 45542824
Conc: 374.12 ng/ml

Instrument :
ECD_P
ClientSampleId :




#37 AR-1262-2

R.T.: 7.038 min
Delta R.T.: -0.001 min
Response: 27192848
Conc: 219.35 ng/ml




#38 AR-1262-3

R.T.: 8.685 min
Delta R.T.: 0.004 min
Response: 48105807
Conc: 553.32 ng/ml



#38 AR-1262-3


R.T.: 7.567 min
Delta R.T.: 0.000 min
Response: 27163914
Conc: 289.49 ng/ml



#39 AR-1262-4


R.T.: 8.769 min
Delta R.T.: -0.003 min
Response: 31177594
Conc: 465.11 ng/ml

Instrument :
ECD_P
ClientSampleId :




#39 AR-1262-4

R.T.: 7.631 min
Delta R.T.: 0.000 min
Response: 70364784
Conc: 413.05 ng/ml




#40 AR-1262-5

R.T.: 9.437 min
Delta R.T.: -0.005 min
Response: 13611506
Conc: 355.50 ng/ml



#40 AR-1262-5


R.T.: 8.129 min
Delta R.T.: 0.000 min
Response: 19490827
Conc: 264.83 ng/ml



#41 AR-1268-1


R.T.: 8.685 min
Delta R.T.: 0.005 min
Response: 48105807
Conc: 308.95 ng/ml

Instrument :
ECD_P
ClientSampleId :




#41 AR-1268-1

R.T.: 7.567 min
Delta R.T.: -0.001 min
Response: 27163914
Conc: 103.19 ng/ml




#42 AR-1268-2

R.T.: 8.769 min
Delta R.T.: -0.007 min
Response: 31177594
Conc: 238.94 ng/ml



#42 AR-1268-2


R.T.: 7.631 min
Delta R.T.: -0.002 min
Response: 70364784
Conc: 287.40 ng/ml



#43 AR-1268-3


R.T.: 9.002 min
Delta R.T.: -0.008 min
Response: 7507168
Conc: 58.15 ng/ml

Instrument :
ECD_P
ClientSampleId :




#43 AR-1268-3

R.T.: 7.840 min
Delta R.T.: -0.002 min
Response: 9600440
Conc: 47.35 ng/ml




#44 AR-1268-4

R.T.: 9.437 min
Delta R.T.: -0.008 min
Response: 13611506
Conc: 321.41 ng/ml



#44 AR-1268-4


R.T.: 8.129 min
Delta R.T.: -0.001 min
Response: 19490827
Conc: 235.34 ng/ml



#45 AR-1268-5

R.T.: 9.865 min
Delta R.T.: -0.006 min
Response: 31225503
Conc: 95.54 ng/ml

Instrument :
ECD_P
ClientSampleId :



#45 AR-1268-5

R.T.: 8.425 min
Delta R.T.: -0.002 min
Response: 37877297
Conc: 73.25 ng/ml