

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP051822\
 Data File : PP047752.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 19 May 2022 02:19
 Operator : YP\AJ
 Sample : PB144916BL
 Misc :
 ALS Vial : 37 Sample Multiplier: 1

Instrument :
 ECD_P
 ClientSampleId :
 PB144916BL

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: May 19 06:47:44 2022
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP051022.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Wed May 11 13:10:20 2022
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.843	3.110	56984206	74201842	22.414	22.536
2)	SA Decachlor...	9.905	8.408	38169996	70963380	26.682	26.071
Target Compounds							
3)	L1 AR-1016-1	5.100	4.256	60212	121301	0.817	1.040 #
4)	L1 AR-1016-2	5.117	4.270	60192	47330	0.539	0.273 #
5)	L1 AR-1016-3	5.182	4.447	28374	38793	0.414	0.429
6)	L1 AR-1016-4	5.294	4.508	322583	81997	5.522	1.123 #
7)	L1 AR-1016-5	5.619	4.723	195121	225041	3.575	2.395 #
8)	L2 AR-1221-1	4.064f	3.325	13004641	118047	456.598	2.961 #
9)	L2 AR-1221-2	4.163	3.403f	1008416	20531005	49.132	640.225 #
10)	L2 AR-1221-3	4.256	3.511	100018	160385	1.551	1.751
11)	L3 AR-1232-1	4.247	3.511	78941	160385	1.295	1.820 #
12)	L3 AR-1232-2	4.805	4.270	113869	47330	3.758	0.545 #
13)	L3 AR-1232-3	5.117	4.447	60192	38793	1.088	0.873
14)	L3 AR-1232-4	5.294	4.560f	322583	199973	12.036	5.094 #
15)	L3 AR-1232-5	5.395	4.723	89365	225041	4.806	5.087
16)	L4 AR-1242-1	5.088	4.256	36930	121301	0.641	1.328 #
17)	L4 AR-1242-2	5.117	4.270	60192	47330	0.691	0.349 #
18)	L4 AR-1242-3	5.182	4.447	28374	38793	0.548	0.550
19)	L4 AR-1242-4	5.294	4.560f	322583	199973	6.496	2.907 #
20)	L4 AR-1242-5	6.083	5.067f	297783	73395	6.524	0.823 #
21)	L5 AR-1248-1	5.100	4.256	60212	121301	1.387	1.697
22)	L5 AR-1248-2	5.395	4.481	89365	23748	1.426	0.237 #
23)	L5 AR-1248-3	5.598	4.560f	129236	199973	1.758	1.924
24)	L5 AR-1248-4	6.046	4.723	51307	225041	0.634	1.827 #
25)	L5 AR-1248-5	6.083	5.135	297783	116290	3.797	0.902 #
26)	L6 AR-1254-1	6.020	5.067f	112273	73395	1.435	0.393 #
27)	L6 AR-1254-2	6.250	0.000	460838	0	3.789	N.D. #
28)	L6 AR-1254-3	6.648	5.675	876898	1153395	6.684	4.503 #
29)	L6 AR-1254-4	6.973	0.000	329356	0	3.459	N.D. #
30)	L6 AR-1254-5	7.427	0.000	435693	0	4.466	N.D. #
31)	L7 AR-1260-1	6.823	5.806	575238	389001	6.359	2.283 #
32)	L7 AR-1260-2	7.113	6.003	187895	1430845	1.618	5.899 #
33)	L7 AR-1260-3	7.511	0.000	703806	0	6.829	N.D. #
34)	L7 AR-1260-4	7.748	6.683	856874	427913	8.867	2.422 #
35)	L7 AR-1260-5	8.094	6.957	1250553	502164	6.991	1.068 #
36)	L8 AR-1262-1	7.511	0.000	703806	0	4.604	N.D. #
37)	L8 AR-1262-2	8.094	6.683	1250553	427913	5.860	1.751 #
38)	L8 AR-1262-3	8.425	0.000	514772	0	3.648	N.D. #
39)	L8 AR-1262-4	8.470	0.000	342861	0	3.076	N.D. #
40)	L8 AR-1262-5	9.189	7.874	158422	3995510	2.226	23.208 #
41)	L9 AR-1268-1	8.403	0.000	315493	0	1.211	N.D. #

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP051822\
 Data File : PP047752.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 19 May 2022 02:19
 Operator : YP\AJ
 Sample : PB144916BL
 Misc :
 ALS Vial : 37 Sample Multiplier: 1

Instrument :
 ECD_P
 ClientSampleId :
 PB144916BL

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: May 19 06:47:44 2022
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP051022.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Wed May 11 13:10:20 2022
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml
42) L9	AR-1268-2	8.507	0.000	376347	0	1.632	N.D. #
43) L9	AR-1268-3	8.732	0.000	582890	0	2.898	N.D. #
44) L9	AR-1268-4	9.163	7.874	98371	3995510	1.227	20.208 #
45) L9	AR-1268-5	9.595	8.162	494067	4413166	0.868	3.546 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP051822\
Data File : PP047752.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 19 May 2022 02:19
Operator : YP\AJ
Sample : PB144916BL
Misc :
ALS Vial : 37 Sample Multiplier: 1

Instrument :
ECD_P
ClientSampleId :
PB144916BL

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: May 19 06:47:44 2022
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP051022.M
Quant Title : GC EXTRACTABLES
QLast Update : Wed May 11 13:10:20 2022
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 3.843 min
Delta R.T.: -0.007 min
Response: 56984206
Conc: 22.41 ng/ml

Instrument :
ECD_P
ClientSampleId :
PB144916BL




#1 Tetrachloro-m-xylene

R.T.: 3.110 min
Delta R.T.: -0.006 min
Response: 74201842
Conc: 22.54 ng/ml




#2 Decachlorobiphenyl

R.T.: 9.905 min
Delta R.T.: -0.009 min
Response: 38169996
Conc: 26.68 ng/ml



#2 Decachlorobiphenyl


R.T.: 8.408 min
Delta R.T.: 0.000 min
Response: 70963380
Conc: 26.07 ng/ml



#3 AR-1016-1


R.T.: 5.100 min
Delta R.T.: 0.002 min
Response: 60212
Conc: 0.82 ng/ml

Instrument :
ECD_P
ClientSampleId :
PB144916BL




#3 AR-1016-1

R.T.: 4.256 min
Delta R.T.: 0.009 min
Response: 121301
Conc: 1.04 ng/ml




#4 AR-1016-2

R.T.: 5.117 min
Delta R.T.: -0.004 min
Response: 60192
Conc: 0.54 ng/ml



#4 AR-1016-2


R.T.: 4.270 min
Delta R.T.: 0.005 min
Response: 47330
Conc: 0.27 ng/ml



#5 AR-1016-3


R.T.: 5.182 min
Delta R.T.: -0.005 min
Response: 28374
Conc: 0.41 ng/ml

Instrument :
ECD_P
ClientSampleId :
PB144916BL




#5 AR-1016-3

R.T.: 4.447 min
Delta R.T.: -0.001 min
Response: 38793
Conc: 0.43 ng/ml




#6 AR-1016-4

R.T.: 5.294 min
Delta R.T.: 0.002 min
Response: 322583
Conc: 5.52 ng/ml



#6 AR-1016-4


R.T.: 4.508 min
Delta R.T.: 0.012 min
Response: 81997
Conc: 1.12 ng/ml



#7 AR-1016-5


R.T.: 5.619 min
Delta R.T.: 0.009 min
Response: 195121
Conc: 3.58 ng/ml

Instrument :
ECD_P
ClientSampleId :
PB144916BL




#7 AR-1016-5

R.T.: 4.723 min
Delta R.T.: 0.003 min
Response: 225041
Conc: 2.40 ng/ml




#8 AR-1221-1

R.T.: 4.064 min
Delta R.T.: -0.018 min
Response: 13004641
Conc: 456.60 ng/ml



#8 AR-1221-1


R.T.: 3.325 min
Delta R.T.: -0.014 min
Response: 118047
Conc: 2.96 ng/ml



#9 AR-1221-2


R.T.: 4.163 min
Delta R.T.: -0.012 min
Response: 1008416
Conc: 49.13 ng/ml

Instrument :
ECD_P
ClientSampleId :
PB144916BL




#9 AR-1221-2

R.T.: 3.403 min
Delta R.T.: -0.026 min
Response: 20531005
Conc: 640.23 ng/ml




#10 AR-1221-3

R.T.: 4.256 min
Delta R.T.: 0.002 min
Response: 100018
Conc: 1.55 ng/ml



#10 AR-1221-3


R.T.: 3.511 min
Delta R.T.: 0.005 min
Response: 160385
Conc: 1.75 ng/ml



#11 AR-1232-1


R.T.: 4.247 min
Delta R.T.: 0.000 min
Response: 78941
Conc: 1.30 ng/ml

Instrument :
ECD_P
ClientSampleId :
PB144916BL




#11 AR-1232-1

R.T.: 3.511 min
Delta R.T.: 0.006 min
Response: 160385
Conc: 1.82 ng/ml




#12 AR-1232-2

R.T.: 4.805 min
Delta R.T.: -0.002 min
Response: 113869
Conc: 3.76 ng/ml



#12 AR-1232-2


R.T.: 4.270 min
Delta R.T.: 0.007 min
Response: 47330
Conc: 0.55 ng/ml



#13 AR-1232-3


R.T.: 5.117 min
Delta R.T.: 0.000 min
Response: 60192
Conc: 1.09 ng/ml

Instrument :
ECD_P
ClientSampleId :
PB144916BL




#13 AR-1232-3

R.T.: 4.447 min
Delta R.T.: 0.000 min
Response: 38793
Conc: 0.87 ng/ml




#14 AR-1232-4

R.T.: 5.294 min
Delta R.T.: 0.005 min
Response: 322583
Conc: 12.04 ng/ml



#14 AR-1232-4


R.T.: 4.560 min
Delta R.T.: 0.023 min
Response: 199973
Conc: 5.09 ng/ml



#15 AR-1232-5


R.T.: 5.395 min
Delta R.T.: 0.006 min
Response: 89365
Conc: 4.81 ng/ml

Instrument :
ECD_P
ClientSampleId :
PB144916BL




#15 AR-1232-5

R.T.: 4.723 min
Delta R.T.: 0.006 min
Response: 225041
Conc: 5.09 ng/ml




#16 AR-1242-1

R.T.: 5.088 min
Delta R.T.: -0.005 min
Response: 36930
Conc: 0.64 ng/ml



#16 AR-1242-1


R.T.: 4.256 min
Delta R.T.: 0.011 min
Response: 121301
Conc: 1.33 ng/ml



#17 AR-1242-2


R.T.: 5.117 min
Delta R.T.: 0.000 min
Response: 60192
Conc: 0.69 ng/ml

Instrument :
ECD_P
ClientSampleId :
PB144916BL




#17 AR-1242-2

R.T.: 4.270 min
Delta R.T.: 0.007 min
Response: 47330
Conc: 0.35 ng/ml




#18 AR-1242-3

R.T.: 5.182 min
Delta R.T.: -0.001 min
Response: 28374
Conc: 0.55 ng/ml



#18 AR-1242-3


R.T.: 4.447 min
Delta R.T.: 0.000 min
Response: 38793
Conc: 0.55 ng/ml



#19 AR-1242-4


R.T.: 5.294 min
Delta R.T.: 0.005 min
Response: 322583
Conc: 6.50 ng/ml

Instrument :
ECD_P
ClientSampleId :
PB144916BL




#19 AR-1242-4

R.T.: 4.560 min
Delta R.T.: 0.023 min
Response: 199973
Conc: 2.91 ng/ml




#20 AR-1242-5

R.T.: 6.083 min
Delta R.T.: -0.003 min
Response: 297783
Conc: 6.52 ng/ml



#20 AR-1242-5


R.T.: 5.067 min
Delta R.T.: -0.024 min
Response: 73395
Conc: 0.82 ng/ml



#21 AR-1248-1


R.T.: 5.100 min
Delta R.T.: 0.005 min
Response: 60212
Conc: 1.39 ng/ml

Instrument :
ECD_P
ClientSampleId :
PB144916BL




#21 AR-1248-1

R.T.: 4.256 min
Delta R.T.: 0.012 min
Response: 121301
Conc: 1.70 ng/ml




#22 AR-1248-2

R.T.: 5.395 min
Delta R.T.: 0.006 min
Response: 89365
Conc: 1.43 ng/ml



#22 AR-1248-2


R.T.: 4.481 min
Delta R.T.: -0.012 min
Response: 23748
Conc: 0.24 ng/ml



#23 AR-1248-3


R.T.: 5.598 min
Delta R.T.: -0.008 min
Response: 129236
Conc: 1.76 ng/ml

Instrument :
ECD_P
ClientSampleId :
PB144916BL




#23 AR-1248-3

R.T.: 4.560 min
Delta R.T.: 0.024 min
Response: 199973
Conc: 1.92 ng/ml




#24 AR-1248-4

R.T.: 6.046 min
Delta R.T.: 0.000 min
Response: 51307
Conc: 0.63 ng/ml



#24 AR-1248-4


R.T.: 4.723 min
Delta R.T.: 0.007 min
Response: 225041
Conc: 1.83 ng/ml



#25 AR-1248-5


R.T.: 6.083 min
Delta R.T.: -0.004 min
Response: 297783
Conc: 3.80 ng/ml

Instrument :
ECD_P
ClientSampleId :
PB144916BL




#25 AR-1248-5

R.T.: 5.135 min
Delta R.T.: 0.002 min
Response: 116290
Conc: 0.90 ng/ml




#26 AR-1254-1

R.T.: 6.020 min
Delta R.T.: 0.006 min
Response: 112273
Conc: 1.44 ng/ml



#26 AR-1254-1


R.T.: 5.067 min
Delta R.T.: -0.023 min
Response: 73395
Conc: 0.39 ng/ml



#27 AR-1254-2


R.T.: 6.250 min
Delta R.T.: 0.000 min
Response: 460838
Conc: 3.79 ng/ml

Instrument :
ECD_P
ClientSampleId :
PB144916BL




#27 AR-1254-2

R.T.: 0.000 min
Exp R.T. : 5.249 min
Response: 0
Conc: N.D.




#28 AR-1254-3

R.T.: 6.648 min
Delta R.T.: -0.004 min
Response: 876898
Conc: 6.68 ng/ml



#28 AR-1254-3


R.T.: 5.675 min
Delta R.T.: -0.002 min
Response: 1153395
Conc: 4.50 ng/ml



#29 AR-1254-4


R.T.: 6.973 min
Delta R.T.: 0.011 min
Response: 329356
Conc: 3.46 ng/ml

Instrument :
ECD_P
ClientSampleId :
PB144916BL




#29 AR-1254-4

R.T.: 0.000 min
Exp R.T. : 5.926 min
Response: 0
Conc: N.D.




#30 AR-1254-5

R.T.: 7.427 min
Delta R.T.: 0.006 min
Response: 435693
Conc: 4.47 ng/ml



#30 AR-1254-5


R.T.: 0.000 min
Exp R.T. : 6.374 min
Response: 0
Conc: N.D.



#31 AR-1260-1


R.T.: 6.823 min
Delta R.T.: -0.006 min
Response: 575238
Conc: 6.36 ng/ml

Instrument :
ECD_P
ClientSampleId :
PB144916BL




#31 AR-1260-1

R.T.: 5.806 min
Delta R.T.: -0.014 min
Response: 389001
Conc: 2.28 ng/ml




#32 AR-1260-2

R.T.: 7.113 min
Delta R.T.: 0.002 min
Response: 187895
Conc: 1.62 ng/ml



#32 AR-1260-2


R.T.: 6.003 min
Delta R.T.: -0.009 min
Response: 1430845
Conc: 5.90 ng/ml



#33 AR-1260-3


R.T.: 7.511 min
Delta R.T.: 0.007 min
Response: 703806
Conc: 6.83 ng/ml

Instrument :
ECD_P
ClientSampleId :
PB144916BL




#33 AR-1260-3

R.T.: 0.000 min
Exp R.T. : 6.171 min
Response: 0
Conc: N.D.




#34 AR-1260-4

R.T.: 7.748 min
Delta R.T.: -0.004 min
Response: 856874
Conc: 8.87 ng/ml



#34 AR-1260-4


R.T.: 6.683 min
Delta R.T.: 0.003 min
Response: 427913
Conc: 2.42 ng/ml



#35 AR-1260-5


R.T.: 8.094 min
Delta R.T.: 0.003 min
Response: 1250553
Conc: 6.99 ng/ml

Instrument :
ECD_P
ClientSampleId :
PB144916BL




#35 AR-1260-5

R.T.: 6.957 min
Delta R.T.: 0.009 min
Response: 502164
Conc: 1.07 ng/ml




#36 AR-1262-1

R.T.: 7.511 min
Delta R.T.: 0.006 min
Response: 703806
Conc: 4.60 ng/ml



#36 AR-1262-1


R.T.: 0.000 min
Exp R.T. : 6.413 min
Response: 0
Conc: N.D.



#37 AR-1262-2


R.T.: 8.094 min
Delta R.T.: 0.003 min
Response: 1250553
Conc: 5.86 ng/ml

Instrument :
ECD_P
ClientSampleId :
PB144916BL




#37 AR-1262-2

R.T.: 6.683 min
Delta R.T.: -0.008 min
Response: 427913
Conc: 1.75 ng/ml




#38 AR-1262-3

R.T.: 8.425 min
Delta R.T.: 0.010 min
Response: 514772
Conc: 3.65 ng/ml



#38 AR-1262-3


R.T.: 0.000 min
Exp R.T. : 7.263 min
Response: 0
Conc: N.D.



#39 AR-1262-4


R.T.: 8.470 min
Delta R.T.: -0.007 min
Response: 342861
Conc: 3.08 ng/ml

Instrument :
ECD_P
ClientSampleId :
PB144916BL




#39 AR-1262-4

R.T.: 0.000 min
Exp R.T. : 7.334 min
Response: 0
Conc: N.D.




#40 AR-1262-5

R.T.: 9.189 min
Delta R.T.: 0.011 min
Response: 158422
Conc: 2.23 ng/ml



#40 AR-1262-5


R.T.: 7.874 min
Delta R.T.: -0.002 min
Response: 3995510
Conc: 23.21 ng/ml



#41 AR-1268-1


R.T.: 8.403 min
Delta R.T.: -0.009 min
Response: 315493
Conc: 1.21 ng/ml

Instrument :
ECD_P
ClientSampleId :
PB144916BL




#41 AR-1268-1

R.T.: 0.000 min
Exp R.T. : 7.262 min
Response: 0
Conc: N.D.




#42 AR-1268-2

R.T.: 8.507 min
Delta R.T.: -0.002 min
Response: 376347
Conc: 1.63 ng/ml



#42 AR-1268-2


R.T.: 0.000 min
Exp R.T. : 7.334 min
Response: 0
Conc: N.D.



#43 AR-1268-3


R.T.: 8.732 min
Delta R.T.: -0.007 min
Response: 582890
Conc: 2.90 ng/ml

Instrument :
ECD_P
ClientSampleId :
PB144916BL




#43 AR-1268-3

R.T.: 0.000 min
Exp R.T. : 7.549 min
Response: 0
Conc: N.D.




#44 AR-1268-4

R.T.: 9.163 min
Delta R.T.: -0.011 min
Response: 98371
Conc: 1.23 ng/ml



#44 AR-1268-4


R.T.: 7.874 min
Delta R.T.: 0.000 min
Response: 3995510
Conc: 20.21 ng/ml



#45 AR-1268-5

R.T.: 9.595 min
Delta R.T.: 0.009 min
Response: 494067
Conc: 0.87 ng/ml

Instrument :
ECD_P
ClientSampleId :
PB144916BL



#45 AR-1268-5

R.T.: 8.162 min
Delta R.T.: -0.009 min
Response: 4413166
Conc: 3.55 ng/ml