

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP052025\
 Data File : PP072212.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 20 May 2025 14:55
 Operator : YP\AJ
 Sample : Q2074-03
 Misc :
 ALS Vial : 11 Sample Multiplier: 1

Instrument :
 ECD_P
 ClientSampleId :
 TP-15

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: May 21 03:16:13 2025
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP051925.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Tue May 20 03:29:33 2025
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	4.500	3.798	36791094	29988607	18.297	18.762
2)	SA Decachlor...	10.209	8.821	23581726	16864080	14.475	15.931
Target Compounds							
3)	L1 AR-1016-1	5.653	4.885	339233	630687	4.518	10.267 #
4)	L1 AR-1016-2	5.671	4.885	492551	630687	4.604	7.184 #
5)	L1 AR-1016-3	5.748	5.072	261261	89101	3.985	1.870 #
6)	L1 AR-1016-4	5.854	5.119	97972	329663	1.839	8.665 #
7)	L1 AR-1016-5	6.124	5.323	138785	1348604	2.838	27.067 #
8)	L2 AR-1221-1	4.703	4.012	4222217	106956	167.995	4.625 #
9)	L2 AR-1221-2	4.803	4.082	505408	3815527	28.107	215.586 #
10)	L2 AR-1221-3	4.874	4.174	83802	178036	1.432	3.406 #
11)	L3 AR-1232-1	4.874	4.174	83802	178036	1.779	4.107 #
12)	L3 AR-1232-2	5.381	4.885	224443	630687	9.640	14.275 #
13)	L3 AR-1232-3	5.671	5.072	492551	89101	9.839	3.811 #
14)	L3 AR-1232-4	5.854	5.119f	97972	329663	3.903	15.910 #
15)	L3 AR-1232-5	5.915	5.323	145078	1348604	8.281	58.244 #
16)	L4 AR-1242-1	5.653	4.885	339233	630687	5.419	12.103 #
17)	L4 AR-1242-2	5.671	4.885	492551	630687	5.676	8.581 #
18)	L4 AR-1242-3	5.748	5.072	261261	89101	4.745	2.277 #
19)	L4 AR-1242-4	5.854	5.119f	97972	329663	2.209	8.772 #
20)	L4 AR-1242-5	6.588	5.702	2372885	184642	46.541	3.826 #
21)	L5 AR-1248-1	5.653	4.885	339233	630687	7.010	14.558 #
22)	L5 AR-1248-2	5.943	5.119	196789	329663	3.245	5.837 #
23)	L5 AR-1248-3	6.124	5.119f	138785	329663	2.097	5.577 #
24)	L5 AR-1248-4	6.542	5.323	1641271	1348604	18.781	19.362
25)	L5 AR-1248-5	6.588	5.709	2372885	688059	28.580	9.866 #
26)	L6 AR-1254-1	6.499	5.702	2000783	184642	23.264	1.847 #
27)	L6 AR-1254-2	6.722	5.852	1976801	367460	15.127	4.258 #
28)	L6 AR-1254-3	7.081	6.243	860513	581817	6.519	4.524 #
29)	L6 AR-1254-4	7.364	6.473	605842	156956	4.642	1.840 #
30)	L6 AR-1254-5	7.792	6.873	473939	146069	4.260	1.289 #
31)	L7 AR-1260-1	7.262	6.362	1072646	209596	11.461	2.628 #
32)	L7 AR-1260-2	7.513	6.550	1324584	131568	9.231	1.297 #
33)	L7 AR-1260-3	7.851	6.714	359175	190036	3.154	2.187 #
34)	L7 AR-1260-4	8.102	7.178	72212	308893	0.673	4.285 #
35)	L7 AR-1260-5	8.409	7.420	315071	545259	1.331	3.140 #
36)	L8 AR-1262-1	8.102	6.873f	72212	146069	0.542	1.292 #
37)	L8 AR-1262-2	8.409	7.178	315071	308893	1.157	3.180 #
38)	L8 AR-1262-3	8.790f	7.699	5063436	341244	27.292	4.185 #
39)	L8 AR-1262-4	8.790	7.765	5063436	322107	37.708	2.291 #
40)	L8 AR-1262-5	9.408f	8.267	707945	151919	7.657	2.334 #
41)	L9 AR-1268-1	0.000	7.699	0	341244	N.D.	1.457 #

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP052025\
Data File : PP072212.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 20 May 2025 14:55
Operator : YP\AJ
Sample : Q2074-03
Misc :
ALS Vial : 11 Sample Multiplier: 1

Instrument :
ECD_P
ClientSampleId :
TP-15

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: May 21 03:16:13 2025
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP051925.M
Quant Title : GC EXTRACTABLES
QLast Update : Tue May 20 03:29:33 2025
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml
42)	L9 AR-1268-2	8.790	7.765	5063436	322107	18.084	1.557 #
43)	L9 AR-1268-3	9.040	7.972	9997838	407619	41.405	2.407 #
44)	L9 AR-1268-4	9.408f	8.267	707945	151919	6.746	2.082 #
45)	L9 AR-1268-5	9.920f	8.562	182469	468716	0.270	1.026 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP052025\
Data File : PP072212.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 20 May 2025 14:55
Operator : YP\AJ
Sample : Q2074-03
Misc :
ALS Vial : 11 Sample Multiplier: 1

Instrument :
ECD_P
ClientSampleId :
TP-15

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: May 21 03:16:13 2025
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP051925.M
Quant Title : GC EXTRACTABLES
QLast Update : Tue May 20 03:29:33 2025
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 4.500 min
Delta R.T.: 0.002 min
Response: 36791094
Conc: 18.30 ng/ml

Instrument :
ECD_P
ClientSampleId :
TP-15




#1 Tetrachloro-m-xylene

R.T.: 3.798 min
Delta R.T.: 0.007 min
Response: 29988607
Conc: 18.76 ng/ml




#2 Decachlorobiphenyl

R.T.: 10.209 min
Delta R.T.: -0.005 min
Response: 23581726
Conc: 14.48 ng/ml



#2 Decachlorobiphenyl


R.T.: 8.821 min
Delta R.T.: 0.000 min
Response: 16864080
Conc: 15.93 ng/ml



#3 AR-1016-1


R.T.: 5.653 min
Delta R.T.: 0.000 min
Response: 339233
Conc: 4.52 ng/ml

Instrument :
ECD_P
ClientSampleId :
TP-15




#3 AR-1016-1

R.T.: 4.885 min
Delta R.T.: 0.008 min
Response: 630687
Conc: 10.27 ng/ml




#4 AR-1016-2

R.T.: 5.671 min
Delta R.T.: -0.004 min
Response: 492551
Conc: 4.60 ng/ml



#4 AR-1016-2


R.T.: 4.885 min
Delta R.T.: -0.010 min
Response: 630687
Conc: 7.18 ng/ml



#5 AR-1016-3


R.T.: 5.748 min
Delta R.T.: 0.011 min
Response: 261261
Conc: 3.98 ng/ml

Instrument :
ECD_P
ClientSampleId :
TP-15




#5 AR-1016-3

R.T.: 5.072 min
Delta R.T.: 0.000 min
Response: 89101
Conc: 1.87 ng/ml




#6 AR-1016-4

R.T.: 5.854 min
Delta R.T.: 0.019 min
Response: 97972
Conc: 1.84 ng/ml



#6 AR-1016-4


R.T.: 5.119 min
Delta R.T.: 0.004 min
Response: 329663
Conc: 8.67 ng/ml



#7 AR-1016-5


R.T.: 6.124 min
Delta R.T.: -0.004 min
Response: 138785
Conc: 2.84 ng/ml

Instrument :
ECD_P
ClientSampleId :
TP-15




#7 AR-1016-5

R.T.: 5.323 min
Delta R.T.: -0.005 min
Response: 1348604
Conc: 27.07 ng/ml




#8 AR-1221-1

R.T.: 4.703 min
Delta R.T.: 0.000 min
Response: 4222217
Conc: 168.00 ng/ml



#8 AR-1221-1


R.T.: 4.012 min
Delta R.T.: 0.007 min
Response: 106956
Conc: 4.63 ng/ml



#9 AR-1221-2


R.T.: 4.803 min
Delta R.T.: 0.015 min
Response: 505408
Conc: 28.11 ng/ml

Instrument :
ECD_P
ClientSampleId :
TP-15




#9 AR-1221-2

R.T.: 4.082 min
Delta R.T.: -0.009 min
Response: 3815527
Conc: 215.59 ng/ml




#10 AR-1221-3

R.T.: 4.874 min
Delta R.T.: 0.011 min
Response: 83802
Conc: 1.43 ng/ml



#10 AR-1221-3


R.T.: 4.174 min
Delta R.T.: 0.007 min
Response: 178036
Conc: 3.41 ng/ml



#11 AR-1232-1


R.T.: 4.874 min
Delta R.T.: 0.012 min
Response: 83802
Conc: 1.78 ng/ml

Instrument :
ECD_P
ClientSampleId :
TP-15




#11 AR-1232-1

R.T.: 4.174 min
Delta R.T.: 0.006 min
Response: 178036
Conc: 4.11 ng/ml




#12 AR-1232-2

R.T.: 5.381 min
Delta R.T.: -0.008 min
Response: 224443
Conc: 9.64 ng/ml



#12 AR-1232-2


R.T.: 4.885 min
Delta R.T.: -0.013 min
Response: 630687
Conc: 14.28 ng/ml



#13 AR-1232-3


R.T.: 5.671 min
Delta R.T.: -0.004 min
Response: 492551
Conc: 9.84 ng/ml

Instrument :
ECD_P
ClientSampleId :
TP-15




#13 AR-1232-3

R.T.: 5.072 min
Delta R.T.: -0.002 min
Response: 89101
Conc: 3.81 ng/ml




#14 AR-1232-4

R.T.: 5.854 min
Delta R.T.: 0.019 min
Response: 97972
Conc: 3.90 ng/ml



#14 AR-1232-4


R.T.: 5.119 min
Delta R.T.: -0.040 min
Response: 329663
Conc: 15.91 ng/ml



#15 AR-1232-5


R.T.: 5.915 min
Delta R.T.: -0.010 min
Response: 145078
Conc: 8.28 ng/ml

Instrument :
ECD_P
ClientSampleId :
TP-15




#15 AR-1232-5

R.T.: 5.323 min
Delta R.T.: -0.007 min
Response: 1348604
Conc: 58.24 ng/ml




#16 AR-1242-1

R.T.: 5.653 min
Delta R.T.: -0.003 min
Response: 339233
Conc: 5.42 ng/ml



#16 AR-1242-1


R.T.: 4.885 min
Delta R.T.: 0.004 min
Response: 630687
Conc: 12.10 ng/ml



#17 AR-1242-2


R.T.: 5.671 min
Delta R.T.: -0.006 min
Response: 492551
Conc: 5.68 ng/ml

Instrument :
ECD_P
ClientSampleId :
TP-15




#17 AR-1242-2

R.T.: 4.885 min
Delta R.T.: -0.014 min
Response: 630687
Conc: 8.58 ng/ml




#18 AR-1242-3

R.T.: 5.748 min
Delta R.T.: 0.008 min
Response: 261261
Conc: 4.74 ng/ml



#18 AR-1242-3


R.T.: 5.072 min
Delta R.T.: -0.004 min
Response: 89101
Conc: 2.28 ng/ml



#19 AR-1242-4


R.T.: 5.854 min
Delta R.T.: 0.017 min
Response: 97972
Conc: 2.21 ng/ml

Instrument :
ECD_P
ClientSampleId :
TP-15




#19 AR-1242-4

R.T.: 5.119 min
Delta R.T.: -0.042 min
Response: 329663
Conc: 8.77 ng/ml




#20 AR-1242-5

R.T.: 6.588 min
Delta R.T.: 0.020 min
Response: 2372885
Conc: 46.54 ng/ml



#20 AR-1242-5


R.T.: 5.702 min
Delta R.T.: 0.019 min
Response: 184642
Conc: 3.83 ng/ml



#21 AR-1248-1


R.T.: 5.653 min
Delta R.T.: -0.005 min
Response: 339233
Conc: 7.01 ng/ml

Instrument :
ECD_P
ClientSampleId :
TP-15




#21 AR-1248-1

R.T.: 4.885 min
Delta R.T.: 0.004 min
Response: 630687
Conc: 14.56 ng/ml




#22 AR-1248-2

R.T.: 5.943 min
Delta R.T.: 0.012 min
Response: 196789
Conc: 3.25 ng/ml



#22 AR-1248-2


R.T.: 5.119 min
Delta R.T.: 0.000 min
Response: 329663
Conc: 5.84 ng/ml



#23 AR-1248-3


R.T.: 6.124 min
Delta R.T.: -0.010 min
Response: 138785
Conc: 2.10 ng/ml

Instrument :
ECD_P
ClientSampleId :
TP-15




#23 AR-1248-3

R.T.: 5.119 min
Delta R.T.: -0.042 min
Response: 329663
Conc: 5.58 ng/ml




#24 AR-1248-4

R.T.: 6.542 min
Delta R.T.: 0.009 min
Response: 1641271
Conc: 18.78 ng/ml



#24 AR-1248-4


R.T.: 5.323 min
Delta R.T.: -0.009 min
Response: 1348604
Conc: 19.36 ng/ml



#25 AR-1248-5


R.T.: 6.588 min
Delta R.T.: 0.016 min
Response: 2372885
Conc: 28.58 ng/ml

Instrument :
ECD_P
ClientSampleId :
TP-15




#25 AR-1248-5

R.T.: 5.709 min
Delta R.T.: -0.016 min
Response: 688059
Conc: 9.87 ng/ml




#26 AR-1254-1

R.T.: 6.499 min
Delta R.T.: -0.008 min
Response: 2000783
Conc: 23.26 ng/ml



#26 AR-1254-1


R.T.: 5.702 min
Delta R.T.: 0.017 min
Response: 184642
Conc: 1.85 ng/ml



#27 AR-1254-2


R.T.: 6.722 min
Delta R.T.: -0.002 min
Response: 1976801
Conc: 15.13 ng/ml

Instrument :
ECD_P
ClientSampleId :
TP-15




#27 AR-1254-2

R.T.: 5.852 min
Delta R.T.: 0.019 min
Response: 367460
Conc: 4.26 ng/ml




#28 AR-1254-3

R.T.: 7.081 min
Delta R.T.: -0.007 min
Response: 860513
Conc: 6.52 ng/ml



#28 AR-1254-3


R.T.: 6.243 min
Delta R.T.: 0.007 min
Response: 581817
Conc: 4.52 ng/ml



#29 AR-1254-4


R.T.: 7.364 min
Delta R.T.: -0.006 min
Response: 605842
Conc: 4.64 ng/ml

Instrument :
ECD_P
ClientSampleId :
TP-15




#29 AR-1254-4

R.T.: 6.473 min
Delta R.T.: 0.008 min
Response: 156956
Conc: 1.84 ng/ml




#30 AR-1254-5

R.T.: 7.792 min
Delta R.T.: 0.006 min
Response: 473939
Conc: 4.26 ng/ml



#30 AR-1254-5


R.T.: 6.873 min
Delta R.T.: -0.009 min
Response: 146069
Conc: 1.29 ng/ml



#31 AR-1260-1


R.T.: 7.262 min
Delta R.T.: 0.013 min
Response: 1072646
Conc: 11.46 ng/ml

Instrument :
ECD_P
ClientSampleId :
TP-15




#31 AR-1260-1

R.T.: 6.362 min
Delta R.T.: -0.001 min
Response: 209596
Conc: 2.63 ng/ml




#32 AR-1260-2

R.T.: 7.513 min
Delta R.T.: 0.010 min
Response: 1324584
Conc: 9.23 ng/ml



#32 AR-1260-2


R.T.: 6.550 min
Delta R.T.: -0.002 min
Response: 131568
Conc: 1.30 ng/ml



#33 AR-1260-3


R.T.: 7.851 min
Delta R.T.: -0.010 min
Response: 359175
Conc: 3.15 ng/ml

Instrument :
ECD_P
ClientSampleId :
TP-15




#33 AR-1260-3

R.T.: 6.714 min
Delta R.T.: 0.009 min
Response: 190036
Conc: 2.19 ng/ml




#34 AR-1260-4

R.T.: 8.102 min
Delta R.T.: 0.017 min
Response: 72212
Conc: 0.67 ng/ml



#34 AR-1260-4


R.T.: 7.178 min
Delta R.T.: 0.002 min
Response: 308893
Conc: 4.28 ng/ml



#35 AR-1260-5


R.T.: 8.409 min
Delta R.T.: 0.005 min
Response: 315071
Conc: 1.33 ng/ml

Instrument :
ECD_P
ClientSampleId :
TP-15




#35 AR-1260-5

R.T.: 7.420 min
Delta R.T.: 0.000 min
Response: 545259
Conc: 3.14 ng/ml




#36 AR-1262-1

R.T.: 8.102 min
Delta R.T.: 0.014 min
Response: 72212
Conc: 0.54 ng/ml



#36 AR-1262-1


R.T.: 6.873 min
Delta R.T.: -0.047 min
Response: 146069
Conc: 1.29 ng/ml



#37 AR-1262-2


R.T.: 8.409 min
Delta R.T.: 0.001 min
Response: 315071
Conc: 1.16 ng/ml

Instrument :
ECD_P
ClientSampleId :
TP-15




#37 AR-1262-2

R.T.: 7.178 min
Delta R.T.: 0.000 min
Response: 308893
Conc: 3.18 ng/ml




#38 AR-1262-3

R.T.: 8.790 min
Delta R.T.: 0.067 min
Response: 5063436
Conc: 27.29 ng/ml



#38 AR-1262-3


R.T.: 7.699 min
Delta R.T.: -0.004 min
Response: 341244
Conc: 4.19 ng/ml



#39 AR-1262-4


R.T.: 8.790 min
Delta R.T.: -0.019 min
Response: 5063436
Conc: 37.71 ng/ml

Instrument :
ECD_P
ClientSampleId :
TP-15




#39 AR-1262-4

R.T.: 7.765 min
Delta R.T.: -0.002 min
Response: 322107
Conc: 2.29 ng/ml




#40 AR-1262-5

R.T.: 9.408 min
Delta R.T.: -0.056 min
Response: 707945
Conc: 7.66 ng/ml



#40 AR-1262-5


R.T.: 8.267 min
Delta R.T.: 0.000 min
Response: 151919
Conc: 2.33 ng/ml



#41 AR-1268-1


R.T.: 0.000 min
Exp R.T.: 8.718 min
Response: 0
Conc: N.D.

Instrument :
ECD_P
ClientSampleId :
TP-15




#41 AR-1268-1

R.T.: 7.699 min
Delta R.T.: -0.003 min
Response: 341244
Conc: 1.46 ng/ml




#42 AR-1268-2

R.T.: 8.790 min
Delta R.T.: -0.020 min
Response: 5063436
Conc: 18.08 ng/ml



#42 AR-1268-2


R.T.: 7.765 min
Delta R.T.: -0.003 min
Response: 322107
Conc: 1.56 ng/ml



#43 AR-1268-3


R.T.: 9.040 min
Delta R.T.: 0.000 min
Response: 9997838
Conc: 41.40 ng/ml

Instrument :
ECD_P
ClientSampleId :
TP-15




#43 AR-1268-3

R.T.: 7.972 min
Delta R.T.: 0.000 min
Response: 407619
Conc: 2.41 ng/ml




#44 AR-1268-4

R.T.: 9.408 min
Delta R.T.: -0.053 min
Response: 707945
Conc: 6.75 ng/ml



#44 AR-1268-4


R.T.: 8.267 min
Delta R.T.: 0.001 min
Response: 151919
Conc: 2.08 ng/ml



#45 AR-1268-5

R.T.: 9.920 min
Delta R.T.: 0.045 min
Response: 182469
Conc: 0.27 ng/ml

Instrument :
ECD_P
ClientSampleId :
TP-15



#45 AR-1268-5

R.T.: 8.562 min
Delta R.T.: -0.002 min
Response: 468716
Conc: 1.03 ng/ml