

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP052322\
 Data File : PP047912.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 23 May 2022 19:19
 Operator : YP\AJ
 Sample : N2874-22
 Misc :
 ALS Vial : 28 Sample Multiplier: 1

Instrument :
 ECD_P
 ClientSampleId :
 P007-SS005-0006-01

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: May 24 07:20:20 2022
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP051022.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Mon May 23 09:44:20 2022
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.839	3.107	52357832	65730250	19.793	18.638
2)	SA Decachlor...	9.885	8.400	24660241	42324740	16.282	14.523
Target Compounds							
3)	L1 AR-1016-1	5.095	4.250	123467	233285	1.676	1.999
4)	L1 AR-1016-2	5.114	4.265	86726	101575	0.777	0.586
5)	L1 AR-1016-3	5.181	4.437	90287	516924	1.316	5.713 #
6)	L1 AR-1016-4	5.289	4.482	371737	286504	6.363	3.924 #
7)	L1 AR-1016-5	5.600	4.700f	217160	160300	3.979	1.706 #
8)	L2 AR-1221-1	4.061	3.327	1209595	207731	2350.632	358.567 #
9)	L2 AR-1221-2	4.179	3.415	202387	1351747	49.812	200.451 #
10)	L2 AR-1221-3	4.256	3.499	116980	604148	45.489	220.124 #
11)	L3 AR-1232-1	4.256	3.499	116980	604148	45.489	220.124 #
12)	L3 AR-1232-2	4.814	4.265	78309	101575	22.161	18.799
13)	L3 AR-1232-3	5.114	4.437	86726	516924	23.452	150.967 #
14)	L3 AR-1232-4	5.289	4.536	371737	118573	123.928	41.351 #
15)	L3 AR-1232-5	5.408f	4.700f	273817	160300	83.101	40.395 #
16)	L4 AR-1242-1	5.095	4.250	123467	233285	52.325	66.823 #
17)	L4 AR-1242-2	5.114	4.265	86726	101575	23.452	18.799
18)	L4 AR-1242-3	5.181	4.437	90287	516924	28.179	150.967 #
19)	L4 AR-1242-4	5.289	4.536	371737	118573	123.928	41.351 #
20)	L4 AR-1242-5	6.089	5.074	102153	1653980	44.369	67.004 #
21)	L5 AR-1248-1	5.095	4.250	123467	233285	52.325	66.823 #
22)	L5 AR-1248-2	5.408f	4.482	273817	286504	83.101	70.725
23)	L5 AR-1248-3	5.600	4.536	217160	118573	95.676	41.351 #
24)	L5 AR-1248-4	6.045	4.700f	104685	160300	65.260	40.395 #
25)	L5 AR-1248-5	6.089	5.147	102153	30798	44.369	10.428 #
26)	L6 AR-1254-1	6.003	5.074f	569061	1653980	7.275	8.867
27)	L6 AR-1254-2	6.261	5.234	67903	3339509	0.558	20.265 #
28)	L6 AR-1254-3	6.635f	5.677	1331096	12060771	10.146	47.082 #
29)	L6 AR-1254-4	6.944f	5.941	2888065	11637049	30.331	63.553 #
30)	L6 AR-1254-5	7.437f	6.356f	4067984	72449192	41.701	301.772 #
31)	L7 AR-1260-1	6.811	5.800	8946807	16858916	98.902	98.964
32)	L7 AR-1260-2	7.093	6.007	37003083	66043931	318.721	272.284
33)	L7 AR-1260-3	7.487	6.166	39451511	21350017	382.786	106.834 #
34)	L7 AR-1260-4	7.732	6.674	23859815	29138848	246.915	164.912 #
35)	L7 AR-1260-5	8.072	6.943	50446947	113.3E6	282.011	240.915
36)	L8 AR-1262-1	7.487f	6.396f	39451511	75019224	259.196	230.596
37)	L8 AR-1262-2	8.072f	6.674f	50446947	29138848	236.514	119.249 #
38)	L8 AR-1262-3	8.410	7.280f	39681421	2483686	281.176	11.529 #
39)	L8 AR-1262-4	8.525f	7.315f	790946	85549983	13.140	236.896 #
40)	L8 AR-1262-5	9.150f	7.857f	15068144	33544534	211.696	194.844
41)	L9 AR-1268-1	8.410	7.280f	39681421	2483686	281.176	11.529 #

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP052322\
 Data File : PP047912.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 23 May 2022 19:19
 Operator : YP\AJ
 Sample : N2874-22
 Misc :
 ALS Vial : 28 Sample Multiplier: 1

Instrument :
 ECD_P
 ClientSampleId :
 P007-SS005-0006-01

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: May 24 07:20:20 2022
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP051022.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Mon May 23 09:44:20 2022
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml
42) L9	AR-1268-2	8.525f	7.315f	790946	85549983	7.096	236.896 #
43) L9	AR-1268-3	8.761f	7.568f	682827	1168876	102.790	63.019 #
44) L9	AR-1268-4	9.150f	7.857f	15068144	33544534	211.696	194.844
45) L9	AR-1268-5	9.610f	8.152f	31389	9683000	1.174	161.511 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP052322\
Data File : PP047912.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 23 May 2022 19:19
Operator : YP\AJ
Sample : N2874-22
Misc :
ALS Vial : 28 Sample Multiplier: 1

Instrument :
ECD_P
ClientSampleId :
P007-SS005-0006-01

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: May 24 07:20:20 2022
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP051022.M
Quant Title : GC EXTRACTABLES
QLast Update : Mon May 23 09:44:20 2022
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 3.839 min
Delta R.T.: -0.011 min
Response: 52357832
Conc: 19.79 ng/ml

Instrument :
ECD_P
ClientSampleId :
P007-SS005-0006-01




#1 Tetrachloro-m-xylene

R.T.: 3.107 min
Delta R.T.: -0.009 min
Response: 65730250
Conc: 18.64 ng/ml




#2 Decachlorobiphenyl

R.T.: 9.885 min
Delta R.T.: -0.010 min
Response: 24660241
Conc: 16.28 ng/ml



#2 Decachlorobiphenyl


R.T.: 8.400 min
Delta R.T.: 0.000 min
Response: 42324740
Conc: 14.52 ng/ml



#3 AR-1016-1


R.T.: 5.095 min
Delta R.T.: 0.000 min
Response: 123467
Conc: 1.68 ng/ml

Instrument :
ECD_P
ClientSampleId :
P007-SS005-0006-01




#3 AR-1016-1

R.T.: 4.250 min
Delta R.T.: 0.004 min
Response: 233285
Conc: 2.00 ng/ml




#4 AR-1016-2

R.T.: 5.114 min
Delta R.T.: -0.003 min
Response: 86726
Conc: 0.78 ng/ml



#4 AR-1016-2


R.T.: 4.265 min
Delta R.T.: 0.002 min
Response: 101575
Conc: 0.59 ng/ml



#5 AR-1016-3


R.T.: 5.181 min
Delta R.T.: -0.002 min
Response: 90287
Conc: 1.32 ng/ml

Instrument :
ECD_P
ClientSampleId :
P007-SS005-0006-01




#5 AR-1016-3

R.T.: 4.437 min
Delta R.T.: -0.010 min
Response: 516924
Conc: 5.71 ng/ml




#6 AR-1016-4

R.T.: 5.289 min
Delta R.T.: 0.000 min
Response: 371737
Conc: 6.36 ng/ml



#6 AR-1016-4


R.T.: 4.482 min
Delta R.T.: -0.013 min
Response: 286504
Conc: 3.92 ng/ml



#7 AR-1016-5


R.T.: 5.600 min
Delta R.T.: -0.007 min
Response: 217160
Conc: 3.98 ng/ml

Instrument :
ECD_P
ClientSampleId :
P007-SS005-0006-01




#7 AR-1016-5

R.T.: 4.700 min
Delta R.T.: -0.017 min
Response: 160300
Conc: 1.71 ng/ml




#8 AR-1221-1

R.T.: 4.061 min
Delta R.T.: -0.009 min
Response: 1209595
Conc: 2350.63 ng/ml



#8 AR-1221-1


R.T.: 3.327 min
Delta R.T.: -0.007 min
Response: 207731
Conc: 358.57 ng/ml



#9 AR-1221-2


R.T.: 4.179 min
Delta R.T.: 0.007 min
Response: 202387
Conc: 49.81 ng/ml

Instrument :
ECD_P
ClientSampleId :
P007-SS005-0006-01




#9 AR-1221-2

R.T.: 3.415 min
Delta R.T.: -0.010 min
Response: 1351747
Conc: 200.45 ng/ml




#10 AR-1221-3

R.T.: 4.256 min
Delta R.T.: 0.005 min
Response: 116980
Conc: 45.49 ng/ml



#10 AR-1221-3


R.T.: 3.499 min
Delta R.T.: -0.006 min
Response: 604148
Conc: 220.12 ng/ml



#11 AR-1232-1


R.T.: 4.256 min
Delta R.T.: 0.005 min
Response: 116980
Conc: 45.49 ng/ml

Instrument :
ECD_P
ClientSampleId :
P007-SS005-0006-01




#11 AR-1232-1

R.T.: 3.499 min
Delta R.T.: -0.005 min
Response: 604148
Conc: 220.12 ng/ml




#12 AR-1232-2

R.T.: 4.814 min
Delta R.T.: 0.009 min
Response: 78309
Conc: 22.16 ng/ml



#12 AR-1232-2


R.T.: 4.265 min
Delta R.T.: 0.002 min
Response: 101575
Conc: 18.80 ng/ml



#13 AR-1232-3


R.T.: 5.114 min
Delta R.T.: -0.002 min
Response: 86726
Conc: 23.45 ng/ml

Instrument :
ECD_P
ClientSampleId :
P007-SS005-0006-01




#13 AR-1232-3

R.T.: 4.437 min
Delta R.T.: -0.010 min
Response: 516924
Conc: 150.97 ng/ml




#14 AR-1232-4

R.T.: 5.289 min
Delta R.T.: 0.003 min
Response: 371737
Conc: 123.93 ng/ml



#14 AR-1232-4


R.T.: 4.536 min
Delta R.T.: 0.000 min
Response: 118573
Conc: 41.35 ng/ml



#15 AR-1232-5


R.T.: 5.408 min
Delta R.T.: 0.017 min
Response: 273817
Conc: 83.10 ng/ml

Instrument :
ECD_P
ClientSampleId :
P007-SS005-0006-01




#15 AR-1232-5

R.T.: 4.700 min
Delta R.T.: -0.017 min
Response: 160300
Conc: 40.39 ng/ml




#16 AR-1242-1

R.T.: 5.095 min
Delta R.T.: -0.001 min
Response: 123467
Conc: 52.32 ng/ml



#16 AR-1242-1


R.T.: 4.250 min
Delta R.T.: 0.005 min
Response: 233285
Conc: 66.82 ng/ml



#17 AR-1242-2


R.T.: 5.114 min
Delta R.T.: -0.002 min
Response: 86726
Conc: 23.45 ng/ml

Instrument :
ECD_P
ClientSampleId :
P007-SS005-0006-01




#17 AR-1242-2

R.T.: 4.265 min
Delta R.T.: 0.002 min
Response: 101575
Conc: 18.80 ng/ml




#18 AR-1242-3

R.T.: 5.181 min
Delta R.T.: 0.000 min
Response: 90287
Conc: 28.18 ng/ml



#18 AR-1242-3


R.T.: 4.437 min
Delta R.T.: -0.010 min
Response: 516924
Conc: 150.97 ng/ml



#19 AR-1242-4


R.T.: 5.289 min
Delta R.T.: 0.003 min
Response: 371737
Conc: 123.93 ng/ml

Instrument :
ECD_P
ClientSampleId :
P007-SS005-0006-01




#19 AR-1242-4

R.T.: 4.536 min
Delta R.T.: 0.000 min
Response: 118573
Conc: 41.35 ng/ml




#20 AR-1242-5

R.T.: 6.089 min
Delta R.T.: 0.002 min
Response: 102153
Conc: 44.37 ng/ml



#20 AR-1242-5


R.T.: 5.074 min
Delta R.T.: -0.014 min
Response: 1653980
Conc: 67.00 ng/ml



#21 AR-1248-1


R.T.: 5.095 min
Delta R.T.: -0.001 min
Response: 123467
Conc: 52.32 ng/ml

Instrument :
ECD_P
ClientSampleId :
P007-SS005-0006-01




#21 AR-1248-1

R.T.: 4.250 min
Delta R.T.: 0.005 min
Response: 233285
Conc: 66.82 ng/ml




#22 AR-1248-2

R.T.: 5.408 min
Delta R.T.: 0.017 min
Response: 273817
Conc: 83.10 ng/ml



#22 AR-1248-2


R.T.: 4.482 min
Delta R.T.: -0.013 min
Response: 286504
Conc: 70.72 ng/ml



#23 AR-1248-3


R.T.: 5.600 min
Delta R.T.: -0.008 min
Response: 217160
Conc: 95.68 ng/ml

Instrument :
ECD_P
ClientSampleId :
P007-SS005-0006-01




#23 AR-1248-3

R.T.: 4.536 min
Delta R.T.: 0.000 min
Response: 118573
Conc: 41.35 ng/ml




#24 AR-1248-4

R.T.: 6.045 min
Delta R.T.: 0.000 min
Response: 104685
Conc: 65.26 ng/ml



#24 AR-1248-4


R.T.: 4.700 min
Delta R.T.: -0.017 min
Response: 160300
Conc: 40.39 ng/ml



#25 AR-1248-5


R.T.: 6.089 min
Delta R.T.: 0.002 min
Response: 102153
Conc: 44.37 ng/ml

Instrument :
ECD_P
ClientSampleId :
P007-SS005-0006-01




#25 AR-1248-5

R.T.: 5.147 min
Delta R.T.: 0.013 min
Response: 30798
Conc: 10.43 ng/ml




#26 AR-1254-1

R.T.: 6.003 min
Delta R.T.: -0.010 min
Response: 569061
Conc: 7.27 ng/ml



#26 AR-1254-1


R.T.: 5.074 min
Delta R.T.: -0.016 min
Response: 1653980
Conc: 8.87 ng/ml



#27 AR-1254-2


R.T.: 6.261 min
Delta R.T.: 0.010 min
Response: 67903
Conc: 0.56 ng/ml

Instrument :
ECD_P
ClientSampleId :
P007-SS005-0006-01




#27 AR-1254-2

R.T.: 5.234 min
Delta R.T.: -0.015 min
Response: 3339509
Conc: 20.26 ng/ml




#28 AR-1254-3

R.T.: 6.635 min
Delta R.T.: -0.016 min
Response: 1331096
Conc: 10.15 ng/ml



#28 AR-1254-3


R.T.: 5.677 min
Delta R.T.: 0.000 min
Response: 12060771
Conc: 47.08 ng/ml



#29 AR-1254-4


R.T.: 6.944 min
Delta R.T.: -0.020 min
Response: 2888065
Conc: 30.33 ng/ml

Instrument :
ECD_P
ClientSampleId :
P007-SS005-0006-01




#29 AR-1254-4

R.T.: 5.941 min
Delta R.T.: 0.015 min
Response: 11637049
Conc: 63.55 ng/ml




#30 AR-1254-5

R.T.: 7.437 min
Delta R.T.: 0.016 min
Response: 4067984
Conc: 41.70 ng/ml



#30 AR-1254-5


R.T.: 6.356 min
Delta R.T.: -0.018 min
Response: 72449192
Conc: 301.77 ng/ml



#31 AR-1260-1


R.T.: 6.811 min
Delta R.T.: 0.012 min
Response: 8946807
Conc: 98.90 ng/ml

Instrument :
ECD_P
ClientSampleId :
P007-SS005-0006-01




#31 AR-1260-1

R.T.: 5.800 min
Delta R.T.: 0.000 min
Response: 16858916
Conc: 98.96 ng/ml




#32 AR-1260-2

R.T.: 7.093 min
Delta R.T.: 0.012 min
Response: 37003083
Conc: 318.72 ng/ml



#32 AR-1260-2


R.T.: 6.007 min
Delta R.T.: -0.001 min
Response: 66043931
Conc: 272.28 ng/ml



#33 AR-1260-3


R.T.: 7.487 min
Delta R.T.: 0.013 min
Response: 39451511
Conc: 382.79 ng/ml

Instrument :
ECD_P
ClientSampleId :
P007-SS005-0006-01




#33 AR-1260-3

R.T.: 6.166 min
Delta R.T.: -0.002 min
Response: 21350017
Conc: 106.83 ng/ml




#34 AR-1260-4

R.T.: 7.732 min
Delta R.T.: 0.010 min
Response: 23859815
Conc: 246.91 ng/ml



#34 AR-1260-4


R.T.: 6.674 min
Delta R.T.: -0.002 min
Response: 29138848
Conc: 164.91 ng/ml



#35 AR-1260-5


R.T.: 8.072 min
Delta R.T.: 0.011 min
Response: 50446947
Conc: 282.01 ng/ml

Instrument :
ECD_P
ClientSampleId :
P007-SS005-0006-01




#35 AR-1260-5

R.T.: 6.943 min
Delta R.T.: -0.001 min
Response: 113328404
Conc: 240.92 ng/ml




#36 AR-1262-1

R.T.: 7.487 min
Delta R.T.: -0.019 min
Response: 39451511
Conc: 259.20 ng/ml



#36 AR-1262-1


R.T.: 6.396 min
Delta R.T.: -0.017 min
Response: 75019224
Conc: 230.60 ng/ml



#37 AR-1262-2


R.T.: 8.072 min
Delta R.T.: -0.020 min
Response: 50446947
Conc: 236.51 ng/ml

Instrument :
ECD_P
ClientSampleId :
P007-SS005-0006-01




#37 AR-1262-2

R.T.: 6.674 min
Delta R.T.: -0.017 min
Response: 29138848
Conc: 119.25 ng/ml




#38 AR-1262-3

R.T.: 8.410 min
Delta R.T.: -0.005 min
Response: 39681421
Conc: 281.18 ng/ml



#38 AR-1262-3


R.T.: 7.280 min
Delta R.T.: 0.017 min
Response: 2483686
Conc: 11.53 ng/ml



#39 AR-1262-4


R.T.: 8.525 min
Delta R.T.: 0.017 min
Response: 790946
Conc: 13.14 ng/ml

Instrument :
ECD_P
ClientSampleId :
P007-SS005-0006-01




#39 AR-1262-4

R.T.: 7.315 min
Delta R.T.: -0.019 min
Response: 85549983
Conc: 236.90 ng/ml




#40 AR-1262-5

R.T.: 9.150 min
Delta R.T.: -0.027 min
Response: 15068144
Conc: 211.70 ng/ml



#40 AR-1262-5


R.T.: 7.857 min
Delta R.T.: -0.019 min
Response: 33544534
Conc: 194.84 ng/ml



#41 AR-1268-1


R.T.: 8.410 min
Delta R.T.: -0.005 min
Response: 39681421
Conc: 281.18 ng/ml

Instrument :
ECD_P
ClientSampleId :
P007-SS005-0006-01




#41 AR-1268-1

R.T.: 7.280 min
Delta R.T.: 0.017 min
Response: 2483686
Conc: 11.53 ng/ml




#42 AR-1268-2

R.T.: 8.525 min
Delta R.T.: 0.018 min
Response: 790946
Conc: 7.10 ng/ml



#42 AR-1268-2


R.T.: 7.315 min
Delta R.T.: -0.019 min
Response: 85549983
Conc: 236.90 ng/ml



#43 AR-1268-3


R.T.: 8.761 min
Delta R.T.: 0.022 min
Response: 682827
Conc: 102.79 ng/ml

Instrument :
ECD_P
ClientSampleId :
P007-SS005-0006-01




#43 AR-1268-3

R.T.: 7.568 min
Delta R.T.: 0.019 min
Response: 1168876
Conc: 63.02 ng/ml




#44 AR-1268-4

R.T.: 9.150 min
Delta R.T.: -0.027 min
Response: 15068144
Conc: 211.70 ng/ml



#44 AR-1268-4


R.T.: 7.857 min
Delta R.T.: -0.019 min
Response: 33544534
Conc: 194.84 ng/ml



#45 AR-1268-5

R.T.: 9.610 min
Delta R.T.: 0.023 min
Response: 31389
Conc: 1.17 ng/ml

Instrument :
ECD_P
ClientSampleId :
P007-SS005-0006-01



#45 AR-1268-5

R.T.: 8.152 min
Delta R.T.: -0.020 min
Response: 9683000
Conc: 161.51 ng/ml