

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP052522\
 Data File : PP048048.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 25 May 2022 21:40
 Operator : YP\AJ
 Sample : N2893-07
 Misc :
 ALS Vial : 22 Sample Multiplier: 1

Instrument :
 ECD_P
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: May 26 01:46:31 2022
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP052522.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Wed May 25 14:26:11 2022
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	3.830	3.099	55479840	66748201	24.648	24.368
2)	SA Decachlor...	9.869	8.386	28104158	51991622	21.118	20.316
Target Compounds							
3)	L1 AR-1016-1	5.075	4.247f	144347	109020	2.376	1.228 #
4)	L1 AR-1016-2	5.097	4.247	120217	109020	1.237	0.787 #
5)	L1 AR-1016-3	5.166	4.431	617358	54203	10.589	0.787 #
6)	L1 AR-1016-4	5.261	4.470	333373	71422	6.555	1.303 #
7)	L1 AR-1016-5	5.584	4.696	243634	50321	5.509	0.711 #
8)	L2 AR-1221-1	4.053	3.318	8996195	41065	366.238	1.329 #
9)	L2 AR-1221-2	4.145	3.392f	639631	11752473	35.450	511.609 #
10)	L2 AR-1221-3	4.226	3.491	236977	152243	4.104	2.053 #
11)	L3 AR-1232-1	4.226	3.484	236977	88486	4.221	1.302 #
12)	L3 AR-1232-2	4.787	4.247	81666	109020	2.997	1.635 #
13)	L3 AR-1232-3	5.097	4.431	120217	54203	2.528	1.670 #
14)	L3 AR-1232-4	5.261	4.518	333373	84052	14.493	2.937 #
15)	L3 AR-1232-5	5.367	4.696	254726	50321	15.770	1.528 #
16)	L4 AR-1242-1	5.075	4.247f	144347	109020	2.871	1.533 #
17)	L4 AR-1242-2	5.097	4.247	120217	109020	1.524	0.986 #
18)	L4 AR-1242-3	5.166	4.431	617358	54203	13.116	0.970 #
19)	L4 AR-1242-4	5.261	4.518	333373	84052	8.503	1.561 #
20)	L4 AR-1242-5	6.058	5.063	168398	502884	4.542	7.231 #
21)	L5 AR-1248-1	5.075	4.247f	144347	109020	3.776	2.012 #
22)	L5 AR-1248-2	5.367	4.470	254726	71422	4.670	0.921 #
23)	L5 AR-1248-3	5.584	4.518	243634	84052	4.040	1.040 #
24)	L5 AR-1248-4	5.992f	4.696	1308321	50321	20.284	0.524 #
25)	L5 AR-1248-5	6.058	5.113	168398	19132	2.664	0.198 #
26)	L6 AR-1254-1	5.992	5.063	1308321	502884	18.275	3.235 #
27)	L6 AR-1254-2	6.222	5.225	845170	912368	7.801	6.811
28)	L6 AR-1254-3	6.631	5.666	525420	4383153	5.299	20.960 #
29)	L6 AR-1254-4	6.940	5.903	763417	445482	9.810	3.294 #
30)	L6 AR-1254-5	7.394	6.346	9478104	14997261	118.729	79.950 #
31)	L7 AR-1260-1	6.802	5.790	3600384	5806019	51.098	45.156
32)	L7 AR-1260-2	7.084	5.996	8615021	13953839	91.290	78.382
33)	L7 AR-1260-3	7.477	6.155	8256232	8168995	97.443	52.859 #
34)	L7 AR-1260-4	7.723	6.663	6168872	10991851	81.846	80.404
35)	L7 AR-1260-5	8.062	6.932	11969658	25507253	73.318	68.951
36)	L8 AR-1262-1	7.477	6.385	8256232	15396923	61.577	58.668
37)	L8 AR-1262-2	8.062	6.663	11969658	10991851	65.418	52.312
38)	L8 AR-1262-3	8.402f	7.233	13476527	5509741	145.128	28.427 #
39)	L8 AR-1262-4	8.475	7.304	3787755	16718109	59.773	52.426
40)	L8 AR-1262-5	9.137	7.845	4404354	6556634	68.019	35.802 #
41)	L9 AR-1268-1	8.402f	7.233	13476527	5509741	51.320	9.817 #

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP052522\
 Data File : PP048048.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 25 May 2022 21:40
 Operator : YP\AJ
 Sample : N2893-07
 Misc :
 ALS Vial : 22 Sample Multiplier: 1

Instrument :
 ECD_P
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: May 26 01:46:31 2022
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP052522.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Wed May 25 14:26:11 2022
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml
42) L9	AR-1268-2	8.475	7.304	3787755	16718109	16.473	36.520 #
43) L9	AR-1268-3	8.705	7.547f	2904048	232421	13.727	0.569 #
44) L9	AR-1268-4	9.137	7.845	4404354	6556634	60.203	42.378 #
45) L9	AR-1268-5	9.549	8.135	1108220	1674583	2.244	1.497 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP052522\
Data File : PP048048.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 25 May 2022 21:40
Operator : YP\AJ
Sample : N2893-07
Misc :
ALS Vial : 22 Sample Multiplier: 1

Instrument :
ECD_P
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: May 26 01:46:31 2022
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP052522.M
Quant Title : GC EXTRACTABLES
QLast Update : Wed May 25 14:26:11 2022
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 3.830 min
Delta R.T.: -0.002 min
Response: 55479840
Conc: 24.65 ng/ml

Instrument :
ECD_P
ClientSampleId :




#1 Tetrachloro-m-xylene

R.T.: 3.099 min
Delta R.T.: 0.000 min
Response: 66748201
Conc: 24.37 ng/ml




#2 Decachlorobiphenyl

R.T.: 9.869 min
Delta R.T.: -0.003 min
Response: 28104158
Conc: 21.12 ng/ml



#2 Decachlorobiphenyl


R.T.: 8.386 min
Delta R.T.: -0.004 min
Response: 51991622
Conc: 20.32 ng/ml



#3 AR-1016-1


R.T.: 5.075 min
Delta R.T.: 0.003 min
Response: 144347
Conc: 2.38 ng/ml

Instrument :
ECD_P
ClientSampleId :




#3 AR-1016-1

R.T.: 4.247 min
Delta R.T.: 0.021 min
Response: 109020
Conc: 1.23 ng/ml




#4 AR-1016-2

R.T.: 5.097 min
Delta R.T.: 0.000 min
Response: 120217
Conc: 1.24 ng/ml



#4 AR-1016-2


R.T.: 4.247 min
Delta R.T.: 0.003 min
Response: 109020
Conc: 0.79 ng/ml



#5 AR-1016-3


R.T.: 5.166 min
Delta R.T.: 0.002 min
Response: 617358
Conc: 10.59 ng/ml

Instrument :
ECD_P
ClientSampleId :




#5 AR-1016-3

R.T.: 4.431 min
Delta R.T.: 0.004 min
Response: 54203
Conc: 0.79 ng/ml




#6 AR-1016-4

R.T.: 5.261 min
Delta R.T.: -0.006 min
Response: 333373
Conc: 6.56 ng/ml



#6 AR-1016-4


R.T.: 4.470 min
Delta R.T.: -0.005 min
Response: 71422
Conc: 1.30 ng/ml



#7 AR-1016-5


R.T.: 5.584 min
Delta R.T.: 0.000 min
Response: 243634
Conc: 5.51 ng/ml

Instrument :
ECD_P
ClientSampleId :




#7 AR-1016-5

R.T.: 4.696 min
Delta R.T.: -0.002 min
Response: 50321
Conc: 0.71 ng/ml




#8 AR-1221-1

R.T.: 4.053 min
Delta R.T.: -0.002 min
Response: 8996195
Conc: 366.24 ng/ml



#8 AR-1221-1


R.T.: 3.318 min
Delta R.T.: -0.003 min
Response: 41065
Conc: 1.33 ng/ml



#9 AR-1221-2


R.T.: 4.145 min
Delta R.T.: -0.003 min
Response: 639631
Conc: 35.45 ng/ml

Instrument :
ECD_P
ClientSampleId :




#9 AR-1221-2

R.T.: 3.392 min
Delta R.T.: -0.018 min
Response: 11752473
Conc: 511.61 ng/ml




#10 AR-1221-3

R.T.: 4.226 min
Delta R.T.: 0.000 min
Response: 236977
Conc: 4.10 ng/ml



#10 AR-1221-3


R.T.: 3.491 min
Delta R.T.: 0.003 min
Response: 152243
Conc: 2.05 ng/ml



#11 AR-1232-1


R.T.: 4.226 min
Delta R.T.: 0.000 min
Response: 236977
Conc: 4.22 ng/ml

Instrument :
ECD_P
ClientSampleId :




#11 AR-1232-1

R.T.: 3.484 min
Delta R.T.: -0.003 min
Response: 88486
Conc: 1.30 ng/ml




#12 AR-1232-2

R.T.: 4.787 min
Delta R.T.: 0.002 min
Response: 81666
Conc: 3.00 ng/ml



#12 AR-1232-2


R.T.: 4.247 min
Delta R.T.: 0.004 min
Response: 109020
Conc: 1.63 ng/ml



#13 AR-1232-3


R.T.: 5.097 min
Delta R.T.: 0.002 min
Response: 120217
Conc: 2.53 ng/ml

Instrument :
ECD_P
ClientSampleId :




#13 AR-1232-3

R.T.: 4.431 min
Delta R.T.: 0.005 min
Response: 54203
Conc: 1.67 ng/ml




#14 AR-1232-4

R.T.: 5.261 min
Delta R.T.: -0.005 min
Response: 333373
Conc: 14.49 ng/ml



#14 AR-1232-4


R.T.: 4.518 min
Delta R.T.: 0.002 min
Response: 84052
Conc: 2.94 ng/ml



#15 AR-1232-5


R.T.: 5.367 min
Delta R.T.: 0.000 min
Response: 254726
Conc: 15.77 ng/ml

Instrument :
ECD_P
ClientSampleId :




#15 AR-1232-5

R.T.: 4.696 min
Delta R.T.: 0.000 min
Response: 50321
Conc: 1.53 ng/ml




#16 AR-1242-1

R.T.: 5.075 min
Delta R.T.: 0.002 min
Response: 144347
Conc: 2.87 ng/ml



#16 AR-1242-1


R.T.: 4.247 min
Delta R.T.: 0.022 min
Response: 109020
Conc: 1.53 ng/ml



#17 AR-1242-2


R.T.: 5.097 min
Delta R.T.: 0.002 min
Response: 120217
Conc: 1.52 ng/ml

Instrument :
ECD_P
ClientSampleId :




#17 AR-1242-2

R.T.: 4.247 min
Delta R.T.: 0.004 min
Response: 109020
Conc: 0.99 ng/ml




#18 AR-1242-3

R.T.: 5.166 min
Delta R.T.: 0.005 min
Response: 617358
Conc: 13.12 ng/ml



#18 AR-1242-3


R.T.: 4.431 min
Delta R.T.: 0.004 min
Response: 54203
Conc: 0.97 ng/ml



#19 AR-1242-4


R.T.: 5.261 min
Delta R.T.: -0.005 min
Response: 333373
Conc: 8.50 ng/ml

Instrument :
ECD_P
ClientSampleId :




#19 AR-1242-4

R.T.: 4.518 min
Delta R.T.: 0.000 min
Response: 84052
Conc: 1.56 ng/ml




#20 AR-1242-5

R.T.: 6.058 min
Delta R.T.: -0.004 min
Response: 168398
Conc: 4.54 ng/ml



#20 AR-1242-5


R.T.: 5.063 min
Delta R.T.: -0.007 min
Response: 502884
Conc: 7.23 ng/ml



#21 AR-1248-1


R.T.: 5.075 min
Delta R.T.: 0.003 min
Response: 144347
Conc: 3.78 ng/ml

Instrument :
ECD_P
ClientSampleId :




#21 AR-1248-1

R.T.: 4.247 min
Delta R.T.: 0.022 min
Response: 109020
Conc: 2.01 ng/ml




#22 AR-1248-2

R.T.: 5.367 min
Delta R.T.: 0.001 min
Response: 254726
Conc: 4.67 ng/ml



#22 AR-1248-2


R.T.: 4.470 min
Delta R.T.: -0.004 min
Response: 71422
Conc: 0.92 ng/ml



#23 AR-1248-3


R.T.: 5.584 min
Delta R.T.: 0.002 min
Response: 243634
Conc: 4.04 ng/ml

Instrument :
ECD_P
ClientSampleId :




#23 AR-1248-3

R.T.: 4.518 min
Delta R.T.: 0.002 min
Response: 84052
Conc: 1.04 ng/ml




#24 AR-1248-4

R.T.: 5.992 min
Delta R.T.: -0.028 min
Response: 1308321
Conc: 20.28 ng/ml



#24 AR-1248-4


R.T.: 4.696 min
Delta R.T.: 0.000 min
Response: 50321
Conc: 0.52 ng/ml



#25 AR-1248-5


R.T.: 6.058 min
Delta R.T.: -0.004 min
Response: 168398
Conc: 2.66 ng/ml

Instrument :
ECD_P
ClientSampleId :




#25 AR-1248-5

R.T.: 5.113 min
Delta R.T.: 0.001 min
Response: 19132
Conc: 0.20 ng/ml




#26 AR-1254-1

R.T.: 5.992 min
Delta R.T.: 0.002 min
Response: 1308321
Conc: 18.27 ng/ml



#26 AR-1254-1


R.T.: 5.063 min
Delta R.T.: -0.004 min
Response: 502884
Conc: 3.23 ng/ml



#27 AR-1254-2


R.T.: 6.222 min
Delta R.T.: -0.006 min
Response: 845170
Conc: 7.80 ng/ml

Instrument :
ECD_P
ClientSampleId :




#27 AR-1254-2

R.T.: 5.225 min
Delta R.T.: -0.002 min
Response: 912368
Conc: 6.81 ng/ml




#28 AR-1254-3

R.T.: 6.631 min
Delta R.T.: 0.004 min
Response: 525420
Conc: 5.30 ng/ml



#28 AR-1254-3


R.T.: 5.666 min
Delta R.T.: 0.013 min
Response: 4383153
Conc: 20.96 ng/ml



#29 AR-1254-4


R.T.: 6.940 min
Delta R.T.: 0.000 min
Response: 763417
Conc: 9.81 ng/ml

Instrument :
ECD_P
ClientSampleId :




#29 AR-1254-4

R.T.: 5.903 min
Delta R.T.: 0.000 min
Response: 445482
Conc: 3.29 ng/ml




#30 AR-1254-5

R.T.: 7.394 min
Delta R.T.: 0.000 min
Response: 9478104
Conc: 118.73 ng/ml



#30 AR-1254-5


R.T.: 6.346 min
Delta R.T.: -0.002 min
Response: 14997261
Conc: 79.95 ng/ml



#31 AR-1260-1


R.T.: 6.802 min
Delta R.T.: -0.003 min
Response: 3600384
Conc: 51.10 ng/ml

Instrument :
ECD_P
ClientSampleId :




#31 AR-1260-1

R.T.: 5.790 min
Delta R.T.: -0.002 min
Response: 5806019
Conc: 45.16 ng/ml




#32 AR-1260-2

R.T.: 7.084 min
Delta R.T.: -0.004 min
Response: 8615021
Conc: 91.29 ng/ml



#32 AR-1260-2


R.T.: 5.996 min
Delta R.T.: -0.003 min
Response: 13953839
Conc: 78.38 ng/ml



#33 AR-1260-3


R.T.: 7.477 min
Delta R.T.: -0.002 min
Response: 8256232
Conc: 97.44 ng/ml

Instrument :
ECD_P
ClientSampleId :




#33 AR-1260-3

R.T.: 6.155 min
Delta R.T.: -0.003 min
Response: 8168995
Conc: 52.86 ng/ml




#34 AR-1260-4

R.T.: 7.723 min
Delta R.T.: -0.006 min
Response: 6168872
Conc: 81.85 ng/ml



#34 AR-1260-4


R.T.: 6.663 min
Delta R.T.: -0.003 min
Response: 10991851
Conc: 80.40 ng/ml



#35 AR-1260-5


R.T.: 8.062 min
Delta R.T.: -0.003 min
Response: 11969658
Conc: 73.32 ng/ml

Instrument :
ECD_P
ClientSampleId :




#35 AR-1260-5

R.T.: 6.932 min
Delta R.T.: -0.003 min
Response: 25507253
Conc: 68.95 ng/ml




#36 AR-1262-1

R.T.: 7.477 min
Delta R.T.: 0.000 min
Response: 8256232
Conc: 61.58 ng/ml



#36 AR-1262-1


R.T.: 6.385 min
Delta R.T.: -0.002 min
Response: 15396923
Conc: 58.67 ng/ml



#37 AR-1262-2


R.T.: 8.062 min
Delta R.T.: -0.001 min
Response: 11969658
Conc: 65.42 ng/ml

Instrument :
ECD_P
ClientSampleId :




#37 AR-1262-2

R.T.: 6.663 min
Delta R.T.: -0.002 min
Response: 10991851
Conc: 52.31 ng/ml




#38 AR-1262-3

R.T.: 8.402 min
Delta R.T.: 0.020 min
Response: 13476527
Conc: 145.13 ng/ml



#38 AR-1262-3


R.T.: 7.233 min
Delta R.T.: -0.002 min
Response: 5509741
Conc: 28.43 ng/ml



#39 AR-1262-4


R.T.: 8.475 min
Delta R.T.: -0.001 min
Response: 3787755
Conc: 59.77 ng/ml

Instrument :
ECD_P
ClientSampleId :




#39 AR-1262-4

R.T.: 7.304 min
Delta R.T.: -0.002 min
Response: 16718109
Conc: 52.43 ng/ml




#40 AR-1262-5

R.T.: 9.137 min
Delta R.T.: -0.002 min
Response: 4404354
Conc: 68.02 ng/ml



#40 AR-1262-5


R.T.: 7.845 min
Delta R.T.: -0.002 min
Response: 6556634
Conc: 35.80 ng/ml



#41 AR-1268-1


R.T.: 8.402 min
Delta R.T.: 0.021 min
Response: 13476527
Conc: 51.32 ng/ml

Instrument :
ECD_P
ClientSampleId :




#41 AR-1268-1

R.T.: 7.233 min
Delta R.T.: -0.001 min
Response: 5509741
Conc: 9.82 ng/ml




#42 AR-1268-2

R.T.: 8.475 min
Delta R.T.: -0.002 min
Response: 3787755
Conc: 16.47 ng/ml



#42 AR-1268-2


R.T.: 7.304 min
Delta R.T.: -0.002 min
Response: 16718109
Conc: 36.52 ng/ml



#43 AR-1268-3


R.T.: 8.705 min
Delta R.T.: 0.000 min
Response: 2904048
Conc: 13.73 ng/ml

Instrument :
ECD_P
ClientSampleId :




#43 AR-1268-3

R.T.: 7.547 min
Delta R.T.: 0.028 min
Response: 232421
Conc: 0.57 ng/ml




#44 AR-1268-4

R.T.: 9.137 min
Delta R.T.: -0.002 min
Response: 4404354
Conc: 60.20 ng/ml



#44 AR-1268-4


R.T.: 7.845 min
Delta R.T.: -0.002 min
Response: 6556634
Conc: 42.38 ng/ml



#45 AR-1268-5

R.T.: 9.549 min
Delta R.T.: 0.004 min
Response: 1108220
Conc: 2.24 ng/ml

Instrument :
ECD_P
ClientSampleId :



#45 AR-1268-5

R.T.: 8.135 min
Delta R.T.: -0.006 min
Response: 1674583
Conc: 1.50 ng/ml