

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP052722\
 Data File : PP048124.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 28 May 2022 00:11
 Operator : YP\AJ
 Sample : N2927-05
 Misc :
 ALS Vial : 21 Sample Multiplier: 1

Instrument :
 ECD_P
 ClientSampleId :
 P010-SS003-2430-01

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: May 28 02:20:40 2022
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP052722.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Fri May 27 23:53:39 2022
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	4.037	3.220	51059407	43928953	21.804	22.290
2)	SA Decachlor...	10.392	8.663	28056810	25589684	14.435	15.830
Target Compounds							
3)	L1 AR-1016-1	5.350f	0.000	333468	0	3.954	N.D. #
4)	L1 AR-1016-2	5.350	0.000	333468	0	2.818	N.D. #
5)	L1 AR-1016-3	5.416	4.621f	431215	67254	6.381	1.313 #
6)	L1 AR-1016-4	5.539	4.621f	193056	67254	3.132	1.765 #
7)	L1 AR-1016-5	5.849	4.852f	1508153	163688	26.774	3.428 #
8)	L2 AR-1221-1	4.274	0.000	1706896	0	64.566	N.D. #
9)	L2 AR-1221-2	4.371	3.534	1143431	766607	55.829	49.911
10)	L2 AR-1221-3	4.457	0.000	201881	0	3.225	N.D. #
11)	L3 AR-1232-1	4.457	0.000	201881	0	3.887	N.D. #
12)	L3 AR-1232-2	5.029	0.000	76061	0	3.168	N.D. #
13)	L3 AR-1232-3	5.350	4.621f	333468	67254	6.720	3.260 #
14)	L3 AR-1232-4	5.539	4.686	193056	26601	8.076	1.533 #
15)	L3 AR-1232-5	5.628	4.852f	429429	163688	26.285	8.357 #
16)	L4 AR-1242-1	5.350f	0.000	333468	0	5.963	N.D. #
17)	L4 AR-1242-2	5.350	0.000	333468	0	4.055	N.D. #
18)	L4 AR-1242-3	5.416	4.621f	431215	67254	8.784	1.939 #
19)	L4 AR-1242-4	5.539	4.686	193056	26601	4.879	0.828 #
20)	L4 AR-1242-5	0.000	5.252	0	436928	N.D.	10.462 #
21)	L5 AR-1248-1	5.350f	0.000	333468	0	7.731	N.D. #
22)	L5 AR-1248-2	5.628	4.621f	429429	67254	7.509	1.412 #
23)	L5 AR-1248-3	5.849	4.686	1508153	26601	22.282	0.537 #
24)	L5 AR-1248-4	6.297	4.852f	676997	163688	8.705	2.810 #
25)	L5 AR-1248-5	0.000	5.293	0	55041	N.D.	0.913 #
26)	L6 AR-1254-1	6.270	5.252	1108343	436928	15.267	4.984 #
27)	L6 AR-1254-2	6.511	5.411	2437426	516963	20.485	6.880 #
28)	L6 AR-1254-3	6.930	5.866f	1550108	3222807	13.049	26.267 #
29)	L6 AR-1254-4	7.232	6.095	1308029	201773	14.502	2.687 #
30)	L6 AR-1254-5	7.699	6.551	25860925	24027401	279.081	237.339
31)	L7 AR-1260-1	7.096	5.988	4533570	3854695	48.572	45.030
32)	L7 AR-1260-2	7.383	6.195	12055792	9084650	107.847	88.134
33)	L7 AR-1260-3	7.780	6.361	19679354	5703855	229.747	57.602 #
34)	L7 AR-1260-4	8.032	6.877	14872655	11135858	143.341	133.763
35)	L7 AR-1260-5	8.396	7.143	32495676	33286455	157.473	167.764
36)	L8 AR-1262-1	7.780	6.595	19679354	20420496	172.551	189.004
37)	L8 AR-1262-2	8.396	6.877	32495676	11135858	152.455	112.524 #
38)	L8 AR-1262-3	8.763f	7.455	23848091	8289296	255.898	110.150 #
39)	L8 AR-1262-4	8.819f	7.522	8277661	22415177	139.218	153.901
40)	L8 AR-1262-5	9.573	8.067	9608901	9709874	121.405	143.865
41)	L9 AR-1268-1	8.763f	7.455	23848091	8289296	90.151	35.493 #

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP052722\
 Data File : PP048124.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 28 May 2022 00:11
 Operator : YP\AJ
 Sample : N2927-05
 Misc :
 ALS Vial : 21 Sample Multiplier: 1

Instrument :
 ECD_P
 ClientSampleId :
 P010-SS003-2430-01

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: May 28 02:20:40 2022
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP052722.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Fri May 27 23:53:39 2022
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml
42) L9	AR-1268-2	8.819f	7.522	8277661	22415177	34.277	103.599 #
43) L9	AR-1268-3	9.093	0.000	879169	0	4.276	N.D. #
44) L9	AR-1268-4	9.573	8.067	9608901	9709874	106.968	118.197
45) L9	AR-1268-5	10.022	8.386	2569260	1834256	3.639	3.027



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP052722\
Data File : PP048124.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 28 May 2022 00:11
Operator : YP\AJ
Sample : N2927-05
Misc :
ALS Vial : 21 Sample Multiplier: 1

Instrument :
ECD_P
ClientSampleId :
P010-SS003-2430-01

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: May 28 02:20:40 2022
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP052722.M
Quant Title : GC EXTRACTABLES
QLast Update : Fri May 27 23:53:39 2022
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 4.037 min
Delta R.T.: 0.000 min
Response: 51059407
Conc: 21.80 ng/ml

Instrument :
ECD_P
ClientSampleId :
P010-SS003-2430-01




#1 Tetrachloro-m-xylene

R.T.: 3.220 min
Delta R.T.: -0.003 min
Response: 43928953
Conc: 22.29 ng/ml




#2 Decachlorobiphenyl

R.T.: 10.392 min
Delta R.T.: 0.000 min
Response: 28056810
Conc: 14.44 ng/ml



#2 Decachlorobiphenyl


R.T.: 8.663 min
Delta R.T.: -0.006 min
Response: 25589684
Conc: 15.83 ng/ml



#3 AR-1016-1


R.T.: 5.350 min
Delta R.T.: 0.024 min
Response: 333468
Conc: 3.95 ng/ml

Instrument :
ECD_P
ClientSampleId :
P010-SS003-2430-01




#3 AR-1016-1

R.T.: 0.000 min
Exp R.T. : 4.387 min
Response: 0
Conc: N.D.




#4 AR-1016-2

R.T.: 5.350 min
Delta R.T.: 0.000 min
Response: 333468
Conc: 2.82 ng/ml



#4 AR-1016-2


R.T.: 0.000 min
Exp R.T. : 4.407 min
Response: 0
Conc: N.D.



#5 AR-1016-3


R.T.: 5.416 min
Delta R.T.: 0.000 min
Response: 431215
Conc: 6.38 ng/ml

Instrument :
ECD_P
ClientSampleId :
P010-SS003-2430-01




#5 AR-1016-3

R.T.: 4.621 min
Delta R.T.: 0.027 min
Response: 67254
Conc: 1.31 ng/ml




#6 AR-1016-4

R.T.: 5.539 min
Delta R.T.: 0.013 min
Response: 193056
Conc: 3.13 ng/ml



#6 AR-1016-4


R.T.: 4.621 min
Delta R.T.: -0.022 min
Response: 67254
Conc: 1.77 ng/ml



#7 AR-1016-5


R.T.: 5.849 min
Delta R.T.: -0.002 min
Response: 1508153
Conc: 26.77 ng/ml

Instrument :
ECD_P
ClientSampleId :
P010-SS003-2430-01




#7 AR-1016-5

R.T.: 4.852 min
Delta R.T.: -0.018 min
Response: 163688
Conc: 3.43 ng/ml




#8 AR-1221-1

R.T.: 4.274 min
Delta R.T.: 0.001 min
Response: 1706896
Conc: 64.57 ng/ml



#8 AR-1221-1


R.T.: 0.000 min
Exp R.T. : 3.457 min
Response: 0
Conc: N.D.



#9 AR-1221-2


R.T.: 4.371 min
Delta R.T.: 0.002 min
Response: 1143431
Conc: 55.83 ng/ml

Instrument :
ECD_P
ClientSampleId :
P010-SS003-2430-01




#9 AR-1221-2

R.T.: 3.534 min
Delta R.T.: -0.013 min
Response: 766607
Conc: 49.91 ng/ml




#10 AR-1221-3

R.T.: 4.457 min
Delta R.T.: 0.005 min
Response: 201881
Conc: 3.22 ng/ml



#10 AR-1221-3


R.T.: 0.000 min
Exp R.T. : 3.628 min
Response: 0
Conc: N.D.



#11 AR-1232-1


R.T.: 4.457 min
Delta R.T.: 0.006 min
Response: 201881
Conc: 3.89 ng/ml

Instrument :
ECD_P
ClientSampleId :
P010-SS003-2430-01




#11 AR-1232-1

R.T.: 0.000 min
Exp R.T. : 3.627 min
Response: 0
Conc: N.D.




#12 AR-1232-2

R.T.: 5.029 min
Delta R.T.: 0.000 min
Response: 76061
Conc: 3.17 ng/ml



#12 AR-1232-2


R.T.: 0.000 min
Exp R.T. : 4.406 min
Response: 0
Conc: N.D.



#13 AR-1232-3


R.T.: 5.350 min
Delta R.T.: 0.000 min
Response: 333468
Conc: 6.72 ng/ml

Instrument :
ECD_P
ClientSampleId :
P010-SS003-2430-01




#13 AR-1232-3

R.T.: 4.621 min
Delta R.T.: 0.028 min
Response: 67254
Conc: 3.26 ng/ml




#14 AR-1232-4

R.T.: 5.539 min
Delta R.T.: 0.012 min
Response: 193056
Conc: 8.08 ng/ml



#14 AR-1232-4


R.T.: 4.686 min
Delta R.T.: 0.000 min
Response: 26601
Conc: 1.53 ng/ml



#15 AR-1232-5


R.T.: 5.628 min
Delta R.T.: 0.002 min
Response: 429429
Conc: 26.29 ng/ml

Instrument :
ECD_P
ClientSampleId :
P010-SS003-2430-01




#15 AR-1232-5

R.T.: 4.852 min
Delta R.T.: -0.017 min
Response: 163688
Conc: 8.36 ng/ml




#16 AR-1242-1

R.T.: 5.350 min
Delta R.T.: 0.024 min
Response: 333468
Conc: 5.96 ng/ml



#16 AR-1242-1


R.T.: 0.000 min
Exp R.T. : 4.386 min
Response: 0
Conc: N.D.



#17 AR-1242-2


R.T.: 5.350 min
Delta R.T.: 0.000 min
Response: 333468
Conc: 4.05 ng/ml

Instrument :
ECD_P
ClientSampleId :
P010-SS003-2430-01




#17 AR-1242-2

R.T.: 0.000 min
Exp R.T. : 4.406 min
Response: 0
Conc: N.D.




#18 AR-1242-3

R.T.: 5.416 min
Delta R.T.: -0.001 min
Response: 431215
Conc: 8.78 ng/ml



#18 AR-1242-3


R.T.: 4.621 min
Delta R.T.: 0.028 min
Response: 67254
Conc: 1.94 ng/ml



#19 AR-1242-4


R.T.: 5.539 min
Delta R.T.: 0.012 min
Response: 193056
Conc: 4.88 ng/ml

Instrument :
ECD_P
ClientSampleId :
P010-SS003-2430-01




#19 AR-1242-4

R.T.: 4.686 min
Delta R.T.: 0.000 min
Response: 26601
Conc: 0.83 ng/ml




#20 AR-1242-5

R.T.: 0.000 min
Exp R.T. : 6.340 min
Response: 0
Conc: N.D.



#20 AR-1242-5


R.T.: 5.252 min
Delta R.T.: 0.001 min
Response: 436928
Conc: 10.46 ng/ml



#21 AR-1248-1


R.T.: 5.350 min
Delta R.T.: 0.026 min
Response: 333468
Conc: 7.73 ng/ml

Instrument :
ECD_P
ClientSampleId :
P010-SS003-2430-01




#21 AR-1248-1

R.T.: 0.000 min
Exp R.T. : 4.386 min
Response: 0
Conc: N.D.




#22 AR-1248-2

R.T.: 5.628 min
Delta R.T.: 0.002 min
Response: 429429
Conc: 7.51 ng/ml



#22 AR-1248-2


R.T.: 4.621 min
Delta R.T.: -0.021 min
Response: 67254
Conc: 1.41 ng/ml



#23 AR-1248-3


R.T.: 5.849 min
Delta R.T.: 0.000 min
Response: 1508153
Conc: 22.28 ng/ml

Instrument :
ECD_P
ClientSampleId :
P010-SS003-2430-01




#23 AR-1248-3

R.T.: 4.686 min
Delta R.T.: 0.000 min
Response: 26601
Conc: 0.54 ng/ml




#24 AR-1248-4

R.T.: 6.297 min
Delta R.T.: 0.000 min
Response: 676997
Conc: 8.71 ng/ml



#24 AR-1248-4


R.T.: 4.852 min
Delta R.T.: -0.017 min
Response: 163688
Conc: 2.81 ng/ml



#25 AR-1248-5


R.T.: 0.000 min
Exp R.T.: 6.340 min
Response: 0
Conc: N.D.

Instrument :
ECD_P
ClientSampleId :
P010-SS003-2430-01




#25 AR-1248-5

R.T.: 5.293 min
Delta R.T.: -0.001 min
Response: 55041
Conc: 0.91 ng/ml




#26 AR-1254-1

R.T.: 6.270 min
Delta R.T.: 0.002 min
Response: 1108343
Conc: 15.27 ng/ml



#26 AR-1254-1


R.T.: 5.252 min
Delta R.T.: 0.002 min
Response: 436928
Conc: 4.98 ng/ml



#27 AR-1254-2


R.T.: 6.511 min
Delta R.T.: 0.000 min
Response: 2437426
Conc: 20.48 ng/ml

Instrument :
ECD_P
ClientSampleId :
P010-SS003-2430-01




#27 AR-1254-2

R.T.: 5.411 min
Delta R.T.: 0.000 min
Response: 516963
Conc: 6.88 ng/ml




#28 AR-1254-3

R.T.: 6.930 min
Delta R.T.: 0.014 min
Response: 1550108
Conc: 13.05 ng/ml



#28 AR-1254-3


R.T.: 5.866 min
Delta R.T.: 0.018 min
Response: 3222807
Conc: 26.27 ng/ml



#29 AR-1254-4


R.T.: 7.232 min
Delta R.T.: -0.005 min
Response: 1308029
Conc: 14.50 ng/ml

Instrument :
ECD_P
ClientSampleId :
P010-SS003-2430-01




#29 AR-1254-4

R.T.: 6.095 min
Delta R.T.: -0.002 min
Response: 201773
Conc: 2.69 ng/ml




#30 AR-1254-5

R.T.: 7.699 min
Delta R.T.: -0.004 min
Response: 25860925
Conc: 279.08 ng/ml



#30 AR-1254-5


R.T.: 6.551 min
Delta R.T.: -0.003 min
Response: 24027401
Conc: 237.34 ng/ml



#31 AR-1260-1


R.T.: 7.096 min
Delta R.T.: 0.000 min
Response: 4533570
Conc: 48.57 ng/ml

Instrument :
ECD_P
ClientSampleId :
P010-SS003-2430-01




#31 AR-1260-1

R.T.: 5.988 min
Delta R.T.: -0.005 min
Response: 3854695
Conc: 45.03 ng/ml




#32 AR-1260-2

R.T.: 7.383 min
Delta R.T.: -0.001 min
Response: 12055792
Conc: 107.85 ng/ml



#32 AR-1260-2


R.T.: 6.195 min
Delta R.T.: -0.005 min
Response: 9084650
Conc: 88.13 ng/ml



#33 AR-1260-3


R.T.: 7.780 min
Delta R.T.: 0.000 min
Response: 19679354
Conc: 229.75 ng/ml

Instrument :
ECD_P
ClientSampleId :
P010-SS003-2430-01




#33 AR-1260-3

R.T.: 6.361 min
Delta R.T.: -0.004 min
Response: 5703855
Conc: 57.60 ng/ml




#34 AR-1260-4

R.T.: 8.032 min
Delta R.T.: 0.000 min
Response: 14872655
Conc: 143.34 ng/ml



#34 AR-1260-4


R.T.: 6.877 min
Delta R.T.: -0.006 min
Response: 11135858
Conc: 133.76 ng/ml



#35 AR-1260-5


R.T.: 8.396 min
Delta R.T.: 0.000 min
Response: 32495676
Conc: 157.47 ng/ml

Instrument :
ECD_P
ClientSampleId :
P010-SS003-2430-01




#35 AR-1260-5

R.T.: 7.143 min
Delta R.T.: -0.006 min
Response: 33286455
Conc: 167.76 ng/ml




#36 AR-1262-1

R.T.: 7.780 min
Delta R.T.: 0.000 min
Response: 19679354
Conc: 172.55 ng/ml



#36 AR-1262-1


R.T.: 6.595 min
Delta R.T.: -0.003 min
Response: 20420496
Conc: 189.00 ng/ml



#37 AR-1262-2


R.T.: 8.396 min
Delta R.T.: 0.000 min
Response: 32495676
Conc: 152.46 ng/ml

Instrument :
ECD_P
ClientSampleId :
P010-SS003-2430-01




#37 AR-1262-2

R.T.: 6.877 min
Delta R.T.: -0.003 min
Response: 11135858
Conc: 112.52 ng/ml




#38 AR-1262-3

R.T.: 8.763 min
Delta R.T.: 0.024 min
Response: 23848091
Conc: 255.90 ng/ml



#38 AR-1262-3


R.T.: 7.455 min
Delta R.T.: -0.004 min
Response: 8289296
Conc: 110.15 ng/ml



#39 AR-1262-4


R.T.: 8.819 min
Delta R.T.: -0.023 min
Response: 8277661
Conc: 139.22 ng/ml

Instrument :
ECD_P
ClientSampleId :
P010-SS003-2430-01




#39 AR-1262-4

R.T.: 7.522 min
Delta R.T.: -0.006 min
Response: 22415177
Conc: 153.90 ng/ml




#40 AR-1262-5

R.T.: 9.573 min
Delta R.T.: 0.000 min
Response: 9608901
Conc: 121.40 ng/ml



#40 AR-1262-5


R.T.: 8.067 min
Delta R.T.: -0.003 min
Response: 9709874
Conc: 143.86 ng/ml



#41 AR-1268-1


R.T.: 8.763 min
Delta R.T.: 0.025 min
Response: 23848091
Conc: 90.15 ng/ml

Instrument :
ECD_P
ClientSampleId :
P010-SS003-2430-01




#41 AR-1268-1

R.T.: 7.455 min
Delta R.T.: -0.003 min
Response: 8289296
Conc: 35.49 ng/ml




#42 AR-1268-2

R.T.: 8.819 min
Delta R.T.: -0.026 min
Response: 8277661
Conc: 34.28 ng/ml



#42 AR-1268-2


R.T.: 7.522 min
Delta R.T.: -0.006 min
Response: 22415177
Conc: 103.60 ng/ml



#43 AR-1268-3


R.T.: 9.093 min
Delta R.T.: 0.001 min
Response: 879169
Conc: 4.28 ng/ml

Instrument :
ECD_P
ClientSampleId :
P010-SS003-2430-01




#43 AR-1268-3

R.T.: 0.000 min
Exp R.T. : 7.757 min
Response: 0
Conc: N.D.




#44 AR-1268-4

R.T.: 9.573 min
Delta R.T.: 0.000 min
Response: 9608901
Conc: 106.97 ng/ml



#44 AR-1268-4


R.T.: 8.067 min
Delta R.T.: -0.002 min
Response: 9709874
Conc: 118.20 ng/ml



#45 AR-1268-5

R.T.: 10.022 min
Delta R.T.: -0.003 min
Response: 2569260
Conc: 3.64 ng/ml

Instrument :
ECD_P
ClientSampleId :
P010-SS003-2430-01



#45 AR-1268-5

R.T.: 8.386 min
Delta R.T.: -0.003 min
Response: 1834256
Conc: 3.03 ng/ml