Quantitation Report (Not Reviewed)

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP052725\
Data File : PP072380.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 27 May 2025 17:16
Operator : YP\AJ
Sample : PB168160BL
Misc :
ALS Vial : 17 Sample Multiplier: 1

Instrument :
ECD_P
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: May 28 06:27:09 2025
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP051925.M
Quant Title : GC EXTRACTABLES
QLast Update : Sat May 24 03:32:20 2025
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml	
	System Monitoring Compounds							
1)	SA Tetrachlo...	4.499	3.796	38873397	33545479	19.332	20.987	
2)	SA Decachlor...	10.198	8.813	31934268	24482400	19.602	23.127	
	Target Compounds							
3)	L1 AR-1016-1	5.630	4.910	414453	144137	5.520	2.346	#
4)	L1 AR-1016-2	5.673	4.910	386105	144137	3.609	1.642	#
5)	L1 AR-1016-3	5.736	5.076	344971	49139	5.262	1.031	#
6)	L1 AR-1016-4	5.841	5.076f	155661	49139	2.922	1.292	#
7)	L1 AR-1016-5	6.124	5.319	8518	207419	0.174	4.163	#
8)	L2 AR-1221-1	4.705	4.015	255699	82211	9.781	3.066	#
9)	L2 AR-1221-2	4.801	4.097	826270	592252	40.505	28.841	#
10)	L2 AR-1221-3	4.864	4.162	220593	13984	3.646	0.237	#
11)	L3 AR-1232-1	4.864	4.162	220593	13984	4.683	0.323	#
12)	L3 AR-1232-2	5.381	4.910	82244	144137	3.532	3.262	
13)	L3 AR-1232-3	5.673	5.076	386105	49139	7.712	2.101	#
14)	L3 AR-1232-4	5.841	5.170	155661	86840	6.202	4.191	#
15)	L3 AR-1232-5	5.910	5.319	144645	207419	8.256	8.958	
16)	L4 AR-1242-1	5.673	4.910	386105	144137	6.168	2.766	#
17)	L4 AR-1242-2	5.673	4.910	386105	144137	4.449	1.961	#
18)	L4 AR-1242-3	5.736	5.076	344971	49139	6.265	1.256	#
19)	L4 AR-1242-4	5.841	5.170	155661	86840	3.510	2.311	#
20)	L4 AR-1242-5	6.561	5.706	198886	63108	3.901	1.308	#
21)	L5 AR-1248-1	5.673	4.910	386105	144137	7.978	3.327	#
22)	L5 AR-1248-2	5.941	5.076f	184628	49139	3.045	0.870	#
23)	L5 AR-1248-3	6.137	5.170	43039	86840	0.650	1.469	#
24)	L5 AR-1248-4	6.530	5.319	271756	207419	3.110	2.978	
25)	L5 AR-1248-5	6.561	5.734	198886	46971	2.395	0.674	#
26)	L6 AR-1254-1	6.511	5.706	687784	63108	7.997	0.631	#
27)	L6 AR-1254-2	6.740	5.819	351846	41529	2.692	0.481	#
28)	L6 AR-1254-3	7.075	6.248	279934	205612	2.121	1.599	
29)	L6 AR-1254-4	7.365	6.477	73128	233917	0.560	2.742	#
30)	L6 AR-1254-5	7.784	6.902	126701	404755	1.139	3.571	#
31)	L7 AR-1260-1	7.243	6.348	68190	43657	0.729	0.547	
32)	L7 AR-1260-2	7.532	6.541	310188	311082	2.162	3.067	#
33)	L7 AR-1260-3	7.887	6.728	240075	290081	2.108	3.338	#
34)	L7 AR-1260-4	8.118	7.197	617080	218392	5.751	3.029	#
35)	L7 AR-1260-5	8.364f	7.350f	342702	202318	1.448	1.165	
36)	L8 AR-1262-1	8.118	6.902	617080	404755	4.631	3.581	
37)	L8 AR-1262-2	8.364f	7.197	342702	218392	1.258	2.249	#
38)	L8 AR-1262-3	8.732	0.000	227082	0	1.224	N.D.	#
39)	L8 AR-1262-4	8.796	0.000	205716	0	1.532	N.D.	#
40)	L8 AR-1262-5	9.475	8.299	181312	44007	1.961	0.676	#
41)	L9 AR-1268-1	8.714	0.000	841109	0	2.525	N.D.	#

Quantitation Report (Not Reviewed)

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP052725\
Data File : PP072380.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 27 May 2025 17:16
Operator : YP\AJ
Sample : PB168160BL
Misc :
ALS Vial : 17 Sample Multiplier: 1

Instrument :
ECD_P
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: May 28 06:27:09 2025
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP051925.M
Quant Title : GC EXTRACTABLES
QLast Update : Sat May 24 03:32:20 2025
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml	
42)	L9 AR-1268-2	8.825	0.000	121951	0	0.436	N.D.	#
43)	L9 AR-1268-3	9.027	8.023f	206071	187228	0.853	1.105	#
44)	L9 AR-1268-4	9.475	8.299	181312	44007	1.728	0.603	#
45)	L9 AR-1268-5	9.882	8.553	185918	373800	0.275	0.818	#

(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.

Quantitation Report (Not Reviewed)

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP052725\
Data File : PP072380.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 27 May 2025 17:16
Operator : YP\AJ
Sample : PB168160BL
Misc :
ALS Vial : 17 Sample Multiplier: 1

Instrument :
ECD_P
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: May 28 06:27:09 2025
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP051925.M
Quant Title : GC EXTRACTABLES
QLast Update : Sat May 24 03:32:20 2025
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm







#1 Tetrachloro-m-xylene

R.T.: 4.499 min
Delta R.T.: 0.000 min
Response: 38873397
Conc: 19.33 ng/ml

Instrument :
ECD_P
ClientSampleId :



#1 Tetrachloro-m-xylene

R.T.: 3.796 min
Delta R.T.: 0.002 min
Response: 33545479
Conc: 20.99 ng/ml



#2 Decachlorobiphenyl

R.T.: 10.198 min
Delta R.T.: -0.014 min
Response: 31934268
Conc: 19.60 ng/ml



#2 Decachlorobiphenyl

R.T.: 8.813 min
Delta R.T.: -0.008 min
Response: 24482400
Conc: 23.13 ng/ml



#3 AR-1016-1

R.T.: 5.630 min
Delta R.T.: -0.021 min
Response: 414453
Conc: 5.52 ng/ml

Instrument :
ECD_P
ClientSampleId :



#3 AR-1016-1

R.T.: 4.910 min
Delta R.T.: 0.031 min
Response: 144137
Conc: 2.35 ng/ml



#4 AR-1016-2

R.T.: 5.673 min
Delta R.T.: 0.001 min
Response: 386105
Conc: 3.61 ng/ml



#4 AR-1016-2

R.T.: 4.910 min
Delta R.T.: 0.014 min
Response: 144137
Conc: 1.64 ng/ml



#5 AR-1016-3

R.T.: 5.736 min
Delta R.T.: 0.002 min
Response: 344971
Conc: 5.26 ng/ml

Instrument :
ECD_P
ClientSampleId :



#5 AR-1016-3

R.T.: 5.076 min
Delta R.T.: 0.003 min
Response: 49139
Conc: 1.03 ng/ml



#6 AR-1016-4

R.T.: 5.841 min
Delta R.T.: 0.010 min
Response: 155661
Conc: 2.92 ng/ml



#6 AR-1016-4

R.T.: 5.076 min
Delta R.T.: -0.039 min
Response: 49139
Conc: 1.29 ng/ml



#7 AR-1016-5

R.T.: 6.124 min
Delta R.T.: -0.003 min
Response: 8518
Conc: 0.17 ng/ml

Instrument :
ECD_P
ClientSampleId :



#7 AR-1016-5

R.T.: 5.319 min
Delta R.T.: -0.012 min
Response: 207419
Conc: 4.16 ng/ml



#8 AR-1221-1

R.T.: 4.705 min
Delta R.T.: 0.002 min
Response: 255699
Conc: 9.78 ng/ml



#8 AR-1221-1

R.T.: 4.015 min
Delta R.T.: 0.008 min
Response: 82211
Conc: 3.07 ng/ml



#9 AR-1221-2

R.T.: 4.801 min
Delta R.T.: 0.013 min
Response: 826270
Conc: 40.50 ng/ml

Instrument :
ECD_P
ClientSampleId :



#9 AR-1221-2

R.T.: 4.097 min
Delta R.T.: 0.004 min
Response: 592252
Conc: 28.84 ng/ml



#10 AR-1221-3

R.T.: 4.864 min
Delta R.T.: 0.001 min
Response: 220593
Conc: 3.65 ng/ml



#10 AR-1221-3

R.T.: 4.162 min
Delta R.T.: -0.007 min
Response: 13984
Conc: 0.24 ng/ml



#11 AR-1232-1

R.T.: 4.864 min
Delta R.T.: 0.002 min
Response: 220593
Conc: 4.68 ng/ml

Instrument :
ECD_P
ClientSampleId :



#11 AR-1232-1

R.T.: 4.162 min
Delta R.T.: -0.006 min
Response: 13984
Conc: 0.32 ng/ml



#12 AR-1232-2

R.T.: 5.381 min
Delta R.T.: -0.008 min
Response: 82244
Conc: 3.53 ng/ml



#12 AR-1232-2

R.T.: 4.910 min
Delta R.T.: 0.012 min
Response: 144137
Conc: 3.26 ng/ml



#13 AR-1232-3

R.T.: 5.673 min
Delta R.T.: -0.002 min
Response: 386105
Conc: 7.71 ng/ml

Instrument :
ECD_P
ClientSampleId :



#13 AR-1232-3

R.T.: 5.076 min
Delta R.T.: 0.002 min
Response: 49139
Conc: 2.10 ng/ml



#14 AR-1232-4

R.T.: 5.841 min
Delta R.T.: 0.006 min
Response: 155661
Conc: 6.20 ng/ml



#14 AR-1232-4

R.T.: 5.170 min
Delta R.T.: 0.011 min
Response: 86840
Conc: 4.19 ng/ml



#15 AR-1232-5

R.T.: 5.910 min
Delta R.T.: -0.015 min
Response: 144645
Conc: 8.26 ng/ml

Instrument :
ECD_P
ClientSampleId :



#15 AR-1232-5

R.T.: 5.319 min
Delta R.T.: -0.012 min
Response: 207419
Conc: 8.96 ng/ml



#16 AR-1242-1

R.T.: 5.673 min
Delta R.T.: 0.017 min
Response: 386105
Conc: 6.17 ng/ml



#16 AR-1242-1

R.T.: 4.910 min
Delta R.T.: 0.029 min
Response: 144137
Conc: 2.77 ng/ml



#17 AR-1242-2

R.T.: 5.673 min
Delta R.T.: -0.004 min
Response: 386105
Conc: 4.45 ng/ml

Instrument :
ECD_P
ClientSampleId :



#17 AR-1242-2

R.T.: 4.910 min
Delta R.T.: 0.011 min
Response: 144137
Conc: 1.96 ng/ml



#18 AR-1242-3

R.T.: 5.736 min
Delta R.T.: -0.004 min
Response: 344971
Conc: 6.26 ng/ml



#18 AR-1242-3

R.T.: 5.076 min
Delta R.T.: 0.000 min
Response: 49139
Conc: 1.26 ng/ml



#19 AR-1242-4

R.T.: 5.841 min
Delta R.T.: 0.004 min
Response: 155661
Conc: 3.51 ng/ml

Instrument :
ECD_P
ClientSampleId :



#19 AR-1242-4

R.T.: 5.170 min
Delta R.T.: 0.010 min
Response: 86840
Conc: 2.31 ng/ml



#20 AR-1242-5

R.T.: 6.561 min
Delta R.T.: -0.007 min
Response: 198886
Conc: 3.90 ng/ml



#20 AR-1242-5

R.T.: 5.706 min
Delta R.T.: 0.023 min
Response: 63108
Conc: 1.31 ng/ml



#21 AR-1248-1

R.T.: 5.673 min
Delta R.T.: 0.014 min
Response: 386105
Conc: 7.98 ng/ml

Instrument :
ECD_P
ClientSampleId :



#21 AR-1248-1

R.T.: 4.910 min
Delta R.T.: 0.029 min
Response: 144137
Conc: 3.33 ng/ml



#22 AR-1248-2

R.T.: 5.941 min
Delta R.T.: 0.011 min
Response: 184628
Conc: 3.04 ng/ml



#22 AR-1248-2

R.T.: 5.076 min
Delta R.T.: -0.042 min
Response: 49139
Conc: 0.87 ng/ml



#23 AR-1248-3

R.T.: 6.137 min
Delta R.T.: 0.004 min
Response: 43039
Conc: 0.65 ng/ml

Instrument :
ECD_P
ClientSampleId :



#23 AR-1248-3

R.T.: 5.170 min
Delta R.T.: 0.009 min
Response: 86840
Conc: 1.47 ng/ml



#24 AR-1248-4

R.T.: 6.530 min
Delta R.T.: -0.003 min
Response: 271756
Conc: 3.11 ng/ml



#24 AR-1248-4

R.T.: 5.319 min
Delta R.T.: -0.014 min
Response: 207419
Conc: 2.98 ng/ml



#25 AR-1248-5

R.T.: 6.561 min
Delta R.T.: -0.011 min
Response: 198886
Conc: 2.40 ng/ml

Instrument :
ECD_P
ClientSampleId :



#25 AR-1248-5

R.T.: 5.734 min
Delta R.T.: 0.009 min
Response: 46971
Conc: 0.67 ng/ml



#26 AR-1254-1

R.T.: 6.511 min
Delta R.T.: 0.004 min
Response: 687784
Conc: 8.00 ng/ml



#26 AR-1254-1

R.T.: 5.706 min
Delta R.T.: 0.021 min
Response: 63108
Conc: 0.63 ng/ml



#27 AR-1254-2

R.T.: 6.740 min
Delta R.T.: 0.016 min
Response: 351846
Conc: 2.69 ng/ml

Instrument :
ECD_P
ClientSampleId :



#27 AR-1254-2

R.T.: 5.819 min
Delta R.T.: -0.015 min
Response: 41529
Conc: 0.48 ng/ml



#28 AR-1254-3

R.T.: 7.075 min
Delta R.T.: -0.012 min
Response: 279934
Conc: 2.12 ng/ml



#28 AR-1254-3

R.T.: 6.248 min
Delta R.T.: 0.012 min
Response: 205612
Conc: 1.60 ng/ml



#29 AR-1254-4

R.T.: 7.365 min
Delta R.T.: -0.005 min
Response: 73128
Conc: 0.56 ng/ml

Instrument :
ECD_P
ClientSampleId :



#29 AR-1254-4

R.T.: 6.477 min
Delta R.T.: 0.012 min
Response: 233917
Conc: 2.74 ng/ml



#30 AR-1254-5

R.T.: 7.784 min
Delta R.T.: -0.003 min
Response: 126701
Conc: 1.14 ng/ml



#30 AR-1254-5

R.T.: 6.902 min
Delta R.T.: 0.020 min
Response: 404755
Conc: 3.57 ng/ml



#31 AR-1260-1

R.T.: 7.243 min
Delta R.T.: -0.004 min
Response: 68190
Conc: 0.73 ng/ml

Instrument :
ECD_P
ClientSampleId :



#31 AR-1260-1

R.T.: 6.348 min
Delta R.T.: -0.016 min
Response: 43657
Conc: 0.55 ng/ml



#32 AR-1260-2

R.T.: 7.532 min
Delta R.T.: 0.031 min
Response: 310188
Conc: 2.16 ng/ml



#32 AR-1260-2

R.T.: 6.541 min
Delta R.T.: -0.012 min
Response: 311082
Conc: 3.07 ng/ml



#33 AR-1260-3

R.T.: 7.887 min
Delta R.T.: 0.028 min
Response: 240075
Conc: 2.11 ng/ml

Instrument :
ECD_P
ClientSampleId :



#33 AR-1260-3

R.T.: 6.728 min
Delta R.T.: 0.023 min
Response: 290081
Conc: 3.34 ng/ml



#34 AR-1260-4

R.T.: 8.118 min
Delta R.T.: 0.035 min
Response: 617080
Conc: 5.75 ng/ml



#34 AR-1260-4

R.T.: 7.197 min
Delta R.T.: 0.020 min
Response: 218392
Conc: 3.03 ng/ml



#35 AR-1260-5

R.T.: 8.364 min
Delta R.T.: -0.039 min
Response: 342702
Conc: 1.45 ng/ml

Instrument :
ECD_P
ClientSampleId :



#35 AR-1260-5

R.T.: 7.350 min
Delta R.T.: -0.068 min
Response: 202318
Conc: 1.17 ng/ml



#36 AR-1262-1

R.T.: 8.118 min
Delta R.T.: 0.030 min
Response: 617080
Conc: 4.63 ng/ml



#36 AR-1262-1

R.T.: 6.902 min
Delta R.T.: -0.018 min
Response: 404755
Conc: 3.58 ng/ml



#37 AR-1262-2

R.T.: 8.364 min
Delta R.T.: -0.043 min
Response: 342702
Conc: 1.26 ng/ml

Instrument :
ECD_P
ClientSampleId :



#37 AR-1262-2

R.T.: 7.197 min
Delta R.T.: 0.017 min
Response: 218392
Conc: 2.25 ng/ml



#38 AR-1262-3

R.T.: 8.732 min
Delta R.T.: 0.008 min
Response: 227082
Conc: 1.22 ng/ml



#38 AR-1262-3

R.T.: 0.000 min
Exp R.T. : 7.703 min
Response: 0
Conc: N.D.



#39 AR-1262-4

R.T.: 8.796 min
Delta R.T.: -0.013 min
Response: 205716
Conc: 1.53 ng/ml

Instrument :
ECD_P
ClientSampleId :



#39 AR-1262-4

R.T.: 0.000 min
Exp R.T. : 7.767 min
Response: 0
Conc: N.D.



#40 AR-1262-5

R.T.: 9.475 min
Delta R.T.: 0.011 min
Response: 181312
Conc: 1.96 ng/ml



#40 AR-1262-5

R.T.: 8.299 min
Delta R.T.: 0.032 min
Response: 44007
Conc: 0.68 ng/ml



#41 AR-1268-1

R.T.: 8.714 min
Delta R.T.: -0.004 min
Response: 841109
Conc: 2.52 ng/ml

Instrument :
ECD_P
ClientSampleId :



#41 AR-1268-1

R.T.: 0.000 min
Exp R.T. : 7.702 min
Response: 0
Conc: N.D.



#42 AR-1268-2

R.T.: 8.825 min
Delta R.T.: 0.014 min
Response: 121951
Conc: 0.44 ng/ml



#42 AR-1268-2

R.T.: 0.000 min
Exp R.T. : 7.768 min
Response: 0
Conc: N.D.



#43 AR-1268-3

R.T.: 9.027 min
Delta R.T.: -0.014 min
Response: 206071
Conc: 0.85 ng/ml

Instrument :
ECD_P
ClientSampleId :



#43 AR-1268-3

R.T.: 8.023 min
Delta R.T.: 0.051 min
Response: 187228
Conc: 1.11 ng/ml



#44 AR-1268-4

R.T.: 9.475 min
Delta R.T.: 0.015 min
Response: 181312
Conc: 1.73 ng/ml



#44 AR-1268-4

R.T.: 8.299 min
Delta R.T.: 0.034 min
Response: 44007
Conc: 0.60 ng/ml



#45 AR-1268-5

R.T.: 9.882 min
Delta R.T.: 0.006 min
Response: 185918
Conc: 0.27 ng/ml

Instrument :
ECD_P
ClientSampleId :



#45 AR-1268-5

R.T.: 8.553 min
Delta R.T.: -0.011 min
Response: 373800
Conc: 0.82 ng/ml