

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP053123\
 Data File : PP058070.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 31 May 2023 15:45
 Operator : YP\AJ
 Sample : 02972-01
 Misc :
 ALS Vial : 16 Sample Multiplier: 1

Instrument :
 ECD_P
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Jun 01 02:04:23 2023
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP050823.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Mon May 08 19:18:05 2023
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	4.380	3.619	52722319	57398744	24.032	25.304
2)	SA Decachlor...	10.201	8.675	29400226	35162565	25.943	22.400
Target Compounds							
3)	L1 AR-1016-1	5.562	0.000	47563	0	0.764	N.D. #
4)	L1 AR-1016-2	5.594	4.753	103779	250229	1.154	2.421 #
5)	L1 AR-1016-3	5.653	4.908	17477	213254	0.309	3.617 #
6)	L1 AR-1016-4	5.730f	4.957	-1236	112207	N.D.	2.385 #
7)	L1 AR-1016-5	6.056	5.156f	36055	328484	0.773	5.532 #
8)	L2 AR-1221-1	4.584	3.841	309321	50768	10.689	1.722 #
9)	L2 AR-1221-2	4.688	3.923	854918	1285045	39.445	57.690 #
10)	L2 AR-1221-3	4.761	4.012	41937	86015	0.696	1.350 #
11)	L3 AR-1232-1	4.761	4.012	41937	86015	0.957	1.864 #
12)	L3 AR-1232-2	5.300	4.753	45958	250229	1.762	5.288 #
13)	L3 AR-1232-3	5.594	4.908	103779	213254	2.543	7.835 #
14)	L3 AR-1232-4	5.730f	5.011	-1236	171307	N.D.	7.027 #
15)	L3 AR-1232-5	5.843	5.156f	25386	328484	1.390	11.879 #
16)	L4 AR-1242-1	5.562	0.000	47563	0	0.998	N.D. #
17)	L4 AR-1242-2	5.594	4.753	103779	250229	1.518	3.135 #
18)	L4 AR-1242-3	5.653	4.908	17477	213254	0.401	4.547 #
19)	L4 AR-1242-4	5.730f	5.011	-1236	171307	N.D.	3.692 #
20)	L4 AR-1242-5	6.487	5.517	75943	227713	2.344	4.073 #
21)	L5 AR-1248-1	5.562	0.000	47563	0	1.130	N.D. #
22)	L5 AR-1248-2	5.843	4.957	25386	112207	0.389	1.563 #
23)	L5 AR-1248-3	6.056	5.011	36055	171307	0.519	2.264 #
24)	L5 AR-1248-4	6.458	5.156f	135538	328484	2.121	3.682 #
25)	L5 AR-1248-5	6.487	5.568	75943	237580	1.184	2.858 #
26)	L6 AR-1254-1	6.440	5.517	241543	227713	3.599	2.039 #
27)	L6 AR-1254-2	6.638f	5.673	217346	142820	2.298	1.431 #
28)	L6 AR-1254-3	7.015	6.098	611762	163857	6.716	1.047 #
29)	L6 AR-1254-4	7.308	6.314	769900	100659	12.926	1.091 #
30)	L6 AR-1254-5	7.746	6.745	117027	532862	1.705	3.681 #
31)	L7 AR-1260-1	7.184	6.210	364551	39212	4.621	0.357 #
32)	L7 AR-1260-2	7.461	6.387f	248068	276999	3.096	2.179 #
33)	L7 AR-1260-3	7.822	6.563	213504	136825	3.747	1.116 #
34)	L7 AR-1260-4	8.059f	7.039	210195	10072	3.164	0.115 #
35)	L7 AR-1260-5	8.369	7.273	43537	29169	0.405	0.158 #
36)	L8 AR-1262-1	7.822	6.835	213504	132480	2.479	2.085
37)	L8 AR-1262-2	8.369	7.039	43537	10072	0.358	0.081 #
38)	L8 AR-1262-3	8.692	7.559	114190	321389	1.313	3.425 #
39)	L8 AR-1262-4	8.751f	7.638	163569	103155	2.440	0.606 #
40)	L8 AR-1262-5	9.440	8.132	25177	5410	0.658	0.074 #
41)	L9 AR-1268-1	8.692	7.559	114190	321389	0.733	1.221 #

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP053123\
 Data File : PP058070.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 31 May 2023 15:45
 Operator : YP\AJ
 Sample : 02972-01
 Misc :
 ALS Vial : 16 Sample Multiplier: 1

Instrument :
 ECD_P
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Jun 01 02:04:23 2023
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP050823.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Mon May 08 19:18:05 2023
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml
42) L9	AR-1268-2	8.794f	7.638	43238	103155	0.331	0.421 #
43) L9	AR-1268-3	8.998	7.832	177380	160288	1.374	0.791 #
44) L9	AR-1268-4	9.440	8.132	25177	5410	0.595	0.065 #
45) L9	AR-1268-5	9.883	8.418	29148	247006	0.089	0.478 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP053123\
Data File : PP058070.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 31 May 2023 15:45
Operator : YP\AJ
Sample : 02972-01
Misc :
ALS Vial : 16 Sample Multiplier: 1

Instrument :
ECD_P
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Jun 01 02:04:23 2023
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP050823.M
Quant Title : GC EXTRACTABLES
QLast Update : Mon May 08 19:18:05 2023
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 4.380 min
Delta R.T.: -0.010 min
Response: 52722319
Conc: 24.03 ng/ml

Instrument :
ECD_P
ClientSampleId :




#1 Tetrachloro-m-xylene

R.T.: 3.619 min
Delta R.T.: -0.004 min
Response: 57398744
Conc: 25.30 ng/ml




#2 Decachlorobiphenyl

R.T.: 10.201 min
Delta R.T.: -0.022 min
Response: 29400226
Conc: 25.94 ng/ml



#2 Decachlorobiphenyl


R.T.: 8.675 min
Delta R.T.: -0.011 min
Response: 35162565
Conc: 22.40 ng/ml



#3 AR-1016-1


R.T.: 5.562 min
Delta R.T.: -0.007 min
Response: 47563
Conc: 0.76 ng/ml

Instrument :
ECD_P
ClientSampleId :




#3 AR-1016-1

R.T.: 0.000 min
Exp R.T. : 4.721 min
Response: 0
Conc: N.D.




#4 AR-1016-2

R.T.: 5.594 min
Delta R.T.: 0.001 min
Response: 103779
Conc: 1.15 ng/ml



#4 AR-1016-2


R.T.: 4.753 min
Delta R.T.: 0.013 min
Response: 250229
Conc: 2.42 ng/ml



#5 AR-1016-3


R.T.: 5.653 min
Delta R.T.: -0.003 min
Response: 17477
Conc: 0.31 ng/ml

Instrument :
ECD_P
ClientSampleId :




#5 AR-1016-3

R.T.: 4.908 min
Delta R.T.: -0.010 min
Response: 213254
Conc: 3.62 ng/ml




#6 AR-1016-4

R.T.: 5.730 min
Delta R.T.: -0.025 min
Response: -1236
Conc: N.D.



#6 AR-1016-4


R.T.: 4.957 min
Delta R.T.: -0.003 min
Response: 112207
Conc: 2.39 ng/ml



#7 AR-1016-5


R.T.: 6.056 min
Delta R.T.: 0.003 min
Response: 36055
Conc: 0.77 ng/ml

Instrument :
ECD_P
ClientSampleId :




#7 AR-1016-5

R.T.: 5.156 min
Delta R.T.: -0.020 min
Response: 328484
Conc: 5.53 ng/ml




#8 AR-1221-1

R.T.: 4.584 min
Delta R.T.: -0.014 min
Response: 309321
Conc: 10.69 ng/ml



#8 AR-1221-1


R.T.: 3.841 min
Delta R.T.: 0.002 min
Response: 50768
Conc: 1.72 ng/ml



#9 AR-1221-2


R.T.: 4.688 min
Delta R.T.: 0.003 min
Response: 854918
Conc: 39.45 ng/ml

Instrument :
ECD_P
ClientSampleId :




#9 AR-1221-2

R.T.: 3.923 min
Delta R.T.: -0.002 min
Response: 1285045
Conc: 57.69 ng/ml




#10 AR-1221-3

R.T.: 4.761 min
Delta R.T.: -0.001 min
Response: 41937
Conc: 0.70 ng/ml



#10 AR-1221-3


R.T.: 4.012 min
Delta R.T.: 0.010 min
Response: 86015
Conc: 1.35 ng/ml



#11 AR-1232-1


R.T.: 4.761 min
Delta R.T.: -0.001 min
Response: 41937
Conc: 0.96 ng/ml

Instrument :
ECD_P
ClientSampleId :




#11 AR-1232-1

R.T.: 4.012 min
Delta R.T.: 0.010 min
Response: 86015
Conc: 1.86 ng/ml




#12 AR-1232-2

R.T.: 5.300 min
Delta R.T.: 0.003 min
Response: 45958
Conc: 1.76 ng/ml



#12 AR-1232-2


R.T.: 4.753 min
Delta R.T.: 0.014 min
Response: 250229
Conc: 5.29 ng/ml



#13 AR-1232-3


R.T.: 5.594 min
Delta R.T.: 0.002 min
Response: 103779
Conc: 2.54 ng/ml

Instrument :
ECD_P
ClientSampleId :




#13 AR-1232-3

R.T.: 4.908 min
Delta R.T.: -0.010 min
Response: 213254
Conc: 7.83 ng/ml




#14 AR-1232-4

R.T.: 5.730 min
Delta R.T.: -0.023 min
Response: -1236
Conc: N.D.



#14 AR-1232-4


R.T.: 5.011 min
Delta R.T.: 0.010 min
Response: 171307
Conc: 7.03 ng/ml



#15 AR-1232-5


R.T.: 5.843 min
Delta R.T.: -0.003 min
Response: 25386
Conc: 1.39 ng/ml

Instrument :
ECD_P
ClientSampleId :




#15 AR-1232-5

R.T.: 5.156 min
Delta R.T.: -0.019 min
Response: 328484
Conc: 11.88 ng/ml




#16 AR-1242-1

R.T.: 5.562 min
Delta R.T.: -0.006 min
Response: 47563
Conc: 1.00 ng/ml



#16 AR-1242-1


R.T.: 0.000 min
Exp R.T.: 4.720 min
Response: 0
Conc: N.D.



#17 AR-1242-2


R.T.: 5.594 min
Delta R.T.: 0.003 min
Response: 103779
Conc: 1.52 ng/ml

Instrument :
ECD_P
ClientSampleId :




#17 AR-1242-2

R.T.: 4.753 min
Delta R.T.: 0.014 min
Response: 250229
Conc: 3.13 ng/ml




#18 AR-1242-3

R.T.: 5.653 min
Delta R.T.: -0.001 min
Response: 17477
Conc: 0.40 ng/ml



#18 AR-1242-3


R.T.: 4.908 min
Delta R.T.: -0.009 min
Response: 213254
Conc: 4.55 ng/ml



#19 AR-1242-4


R.T.: 5.730 min
Delta R.T.: -0.023 min
Response: -1236
Conc: N.D.

Instrument :
ECD_P
ClientSampleId :




#19 AR-1242-4

R.T.: 5.011 min
Delta R.T.: 0.009 min
Response: 171307
Conc: 3.69 ng/ml




#20 AR-1242-5

R.T.: 6.487 min
Delta R.T.: -0.010 min
Response: 75943
Conc: 2.34 ng/ml



#20 AR-1242-5


R.T.: 5.517 min
Delta R.T.: -0.013 min
Response: 227713
Conc: 4.07 ng/ml



#21 AR-1248-1


R.T.: 5.562 min
Delta R.T.: -0.006 min
Response: 47563
Conc: 1.13 ng/ml

Instrument :
ECD_P
ClientSampleId :




#21 AR-1248-1

R.T.: 0.000 min
Exp R.T. : 4.720 min
Response: 0
Conc: N.D.




#22 AR-1248-2

R.T.: 5.843 min
Delta R.T.: -0.003 min
Response: 25386
Conc: 0.39 ng/ml



#22 AR-1248-2


R.T.: 4.957 min
Delta R.T.: -0.003 min
Response: 112207
Conc: 1.56 ng/ml



#23 AR-1248-3


R.T.: 6.056 min
Delta R.T.: 0.004 min
Response: 36055
Conc: 0.52 ng/ml

Instrument :
ECD_P
ClientSampleId :




#23 AR-1248-3

R.T.: 5.011 min
Delta R.T.: 0.009 min
Response: 171307
Conc: 2.26 ng/ml




#24 AR-1248-4

R.T.: 6.458 min
Delta R.T.: 0.000 min
Response: 135538
Conc: 2.12 ng/ml



#24 AR-1248-4


R.T.: 5.156 min
Delta R.T.: -0.019 min
Response: 328484
Conc: 3.68 ng/ml



#25 AR-1248-5


R.T.: 6.487 min
Delta R.T.: -0.011 min
Response: 75943
Conc: 1.18 ng/ml

Instrument :
ECD_P
ClientSampleId :




#25 AR-1248-5

R.T.: 5.568 min
Delta R.T.: -0.005 min
Response: 237580
Conc: 2.86 ng/ml




#26 AR-1254-1

R.T.: 6.440 min
Delta R.T.: 0.006 min
Response: 241543
Conc: 3.60 ng/ml



#26 AR-1254-1


R.T.: 5.517 min
Delta R.T.: -0.014 min
Response: 227713
Conc: 2.04 ng/ml



#27 AR-1254-2


R.T.: 6.638 min
Delta R.T.: -0.016 min
Response: 217346
Conc: 2.30 ng/ml

Instrument :
ECD_P
ClientSampleId :




#27 AR-1254-2

R.T.: 5.673 min
Delta R.T.: -0.007 min
Response: 142820
Conc: 1.43 ng/ml




#28 AR-1254-3

R.T.: 7.015 min
Delta R.T.: -0.008 min
Response: 611762
Conc: 6.72 ng/ml



#28 AR-1254-3


R.T.: 6.098 min
Delta R.T.: 0.010 min
Response: 163857
Conc: 1.05 ng/ml



#29 AR-1254-4


R.T.: 7.308 min
Delta R.T.: -0.003 min
Response: 769900
Conc: 12.93 ng/ml

Instrument :
ECD_P
ClientSampleId :




#29 AR-1254-4

R.T.: 6.314 min
Delta R.T.: -0.005 min
Response: 100659
Conc: 1.09 ng/ml




#30 AR-1254-5

R.T.: 7.746 min
Delta R.T.: 0.010 min
Response: 117027
Conc: 1.70 ng/ml



#30 AR-1254-5


R.T.: 6.745 min
Delta R.T.: 0.005 min
Response: 532862
Conc: 3.68 ng/ml



#31 AR-1260-1


R.T.: 7.184 min
Delta R.T.: -0.006 min
Response: 364551
Conc: 4.62 ng/ml

Instrument :
ECD_P
ClientSampleId :




#31 AR-1260-1

R.T.: 6.210 min
Delta R.T.: -0.009 min
Response: 39212
Conc: 0.36 ng/ml




#32 AR-1260-2

R.T.: 7.461 min
Delta R.T.: 0.011 min
Response: 248068
Conc: 3.10 ng/ml



#32 AR-1260-2


R.T.: 6.387 min
Delta R.T.: -0.021 min
Response: 276999
Conc: 2.18 ng/ml



#33 AR-1260-3


R.T.: 7.822 min
Delta R.T.: 0.010 min
Response: 213504
Conc: 3.75 ng/ml

Instrument :
ECD_P
ClientSampleId :




#33 AR-1260-3

R.T.: 6.563 min
Delta R.T.: 0.000 min
Response: 136825
Conc: 1.12 ng/ml




#34 AR-1260-4

R.T.: 8.059 min
Delta R.T.: 0.019 min
Response: 210195
Conc: 3.16 ng/ml



#34 AR-1260-4


R.T.: 7.039 min
Delta R.T.: 0.000 min
Response: 10072
Conc: 0.12 ng/ml



#35 AR-1260-5


R.T.: 8.369 min
Delta R.T.: 0.005 min
Response: 43537
Conc: 0.41 ng/ml

Instrument :
ECD_P
ClientSampleId :




#35 AR-1260-5

R.T.: 7.273 min
Delta R.T.: -0.010 min
Response: 29169
Conc: 0.16 ng/ml




#36 AR-1262-1

R.T.: 7.822 min
Delta R.T.: 0.011 min
Response: 213504
Conc: 2.48 ng/ml



#36 AR-1262-1


R.T.: 6.835 min
Delta R.T.: 0.004 min
Response: 132480
Conc: 2.09 ng/ml



#37 AR-1262-2


R.T.: 8.369 min
Delta R.T.: 0.007 min
Response: 43537
Conc: 0.36 ng/ml

Instrument :
ECD_P
ClientSampleId :




#37 AR-1262-2

R.T.: 7.039 min
Delta R.T.: 0.000 min
Response: 10072
Conc: 0.08 ng/ml




#38 AR-1262-3

R.T.: 8.692 min
Delta R.T.: 0.011 min
Response: 114190
Conc: 1.31 ng/ml



#38 AR-1262-3


R.T.: 7.559 min
Delta R.T.: -0.008 min
Response: 321389
Conc: 3.43 ng/ml



#39 AR-1262-4


R.T.: 8.751 min
Delta R.T.: -0.021 min
Response: 163569
Conc: 2.44 ng/ml

Instrument :
ECD_P
ClientSampleId :




#39 AR-1262-4

R.T.: 7.638 min
Delta R.T.: 0.006 min
Response: 103155
Conc: 0.61 ng/ml




#40 AR-1262-5

R.T.: 9.440 min
Delta R.T.: -0.002 min
Response: 25177
Conc: 0.66 ng/ml



#40 AR-1262-5


R.T.: 8.132 min
Delta R.T.: 0.001 min
Response: 5410
Conc: 0.07 ng/ml



#41 AR-1268-1


R.T.: 8.692 min
Delta R.T.: 0.012 min
Response: 114190
Conc: 0.73 ng/ml

Instrument :
ECD_P
ClientSampleId :




#41 AR-1268-1

R.T.: 7.559 min
Delta R.T.: -0.009 min
Response: 321389
Conc: 1.22 ng/ml




#42 AR-1268-2

R.T.: 8.794 min
Delta R.T.: 0.019 min
Response: 43238
Conc: 0.33 ng/ml



#42 AR-1268-2


R.T.: 7.638 min
Delta R.T.: 0.005 min
Response: 103155
Conc: 0.42 ng/ml



#43 AR-1268-3


R.T.: 8.998 min
Delta R.T.: -0.011 min
Response: 177380
Conc: 1.37 ng/ml

Instrument :
ECD_P
ClientSampleId :




#43 AR-1268-3

R.T.: 7.832 min
Delta R.T.: -0.010 min
Response: 160288
Conc: 0.79 ng/ml




#44 AR-1268-4

R.T.: 9.440 min
Delta R.T.: -0.004 min
Response: 25177
Conc: 0.59 ng/ml



#44 AR-1268-4


R.T.: 8.132 min
Delta R.T.: 0.001 min
Response: 5410
Conc: 0.07 ng/ml



#45 AR-1268-5

R.T.: 9.883 min
Delta R.T.: 0.012 min
Response: 29148
Conc: 0.09 ng/ml

Instrument :
ECD_P
ClientSampleId :



#45 AR-1268-5

R.T.: 8.418 min
Delta R.T.: -0.010 min
Response: 247006
Conc: 0.48 ng/ml