

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP060123\
 Data File : PP058142.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 01 Jun 2023 20:52
 Operator : YP\AJ
 Sample : 02986-07
 Misc :
 ALS Vial : 28 Sample Multiplier: 1

Instrument :
 ECD_P
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Jun 02 04:54:09 2023
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP050823.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Mon May 08 19:18:05 2023
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	4.379	3.619	51486753	56156555	23.469	24.757
2)	SA Decachlor...	10.200	8.675	21816236	24312069	19.251	15.488
Target Compounds							
3)	L1 AR-1016-1	5.578	4.721	159193	67937	2.555	0.912 #
4)	L1 AR-1016-2	5.593	4.734	34132	90559	0.380	0.876 #
5)	L1 AR-1016-3	5.662	4.906	16942	444441	0.300	7.539 #
6)	L1 AR-1016-4	5.749	4.960	11063	210368	0.240	4.472 #
7)	L1 AR-1016-5	6.044	5.192f	66920	64159	1.435	1.081
8)	L2 AR-1221-1	4.588	0.000	3657268	0	126.386	N.D. #
9)	L2 AR-1221-2	4.687	3.906f	882124	3881585	40.701	174.258 #
10)	L2 AR-1221-3	4.776	3.995	47933	182183	0.796	2.859 #
11)	L3 AR-1232-1	4.776	3.995	47933	182183	1.094	3.948 #
12)	L3 AR-1232-2	5.305	4.734	88304	90559	3.386	1.914 #
13)	L3 AR-1232-3	5.593	4.906	34132	444441	0.836	16.329 #
14)	L3 AR-1232-4	5.749	4.994	11063	88617	0.520	3.635 #
15)	L3 AR-1232-5	5.859	5.192f	239144	64159	13.095	2.320 #
16)	L4 AR-1242-1	5.578	4.721	159193	67937	3.342	1.167 #
17)	L4 AR-1242-2	5.593	4.734	34132	90559	0.499	1.135 #
18)	L4 AR-1242-3	5.662	4.906	16942	444441	0.389	9.477 #
19)	L4 AR-1242-4	5.749	4.994	11063	88617	0.314	1.910 #
20)	L4 AR-1242-5	6.485	5.516	123836	342892	3.822	6.133 #
21)	L5 AR-1248-1	5.578	4.721	159193	67937	3.783	1.320 #
22)	L5 AR-1248-2	5.859	4.960	239144	210368	3.668	2.930
23)	L5 AR-1248-3	6.044	4.994	66920	88617	0.964	1.171
24)	L5 AR-1248-4	6.457	5.192f	291922	64159	4.568	0.719 #
25)	L5 AR-1248-5	6.485	5.564	123836	187471	1.930	2.255
26)	L6 AR-1254-1	6.457f	5.516f	291922	342892	4.349	3.071 #
27)	L6 AR-1254-2	6.657	5.672	45617	318065	0.482	3.187 #
28)	L6 AR-1254-3	7.013	6.094	1203523	445595	13.213	2.848 #
29)	L6 AR-1254-4	7.319	6.312	110501	86621	1.855	0.939 #
30)	L6 AR-1254-5	7.730	6.738	128224	349646	1.868	2.415 #
31)	L7 AR-1260-1	7.195	6.210	1274700	101873	16.157	0.927 #
32)	L7 AR-1260-2	7.444	6.427f	275649	28004	3.441	0.220 #
33)	L7 AR-1260-3	7.804	6.577	87760	40408	1.540	0.330 #
34)	L7 AR-1260-4	8.052	0.000	192282	0	2.894	N.D. #
35)	L7 AR-1260-5	8.351	7.266f	93232	37892	0.868	0.205 #
36)	L8 AR-1262-1	7.804	6.830	87760	241767	1.019	3.805 #
37)	L8 AR-1262-2	8.351	0.000	93232	0	0.766	N.D. #
38)	L8 AR-1262-3	0.000	7.561	0	452571	N.D.	4.823 #
39)	L8 AR-1262-4	8.759	7.616f	132160	442823	1.972	2.599 #
40)	L8 AR-1262-5	9.420f	8.116	55451	59600	1.448	0.810 #
41)	L9 AR-1268-1	0.000	7.561	0	452571	N.D.	1.719 #

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP060123\
 Data File : PP058142.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 01 Jun 2023 20:52
 Operator : YP\AJ
 Sample : 02986-07
 Misc :
 ALS Vial : 28 Sample Multiplier: 1

Instrument :
 ECD_P
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Jun 02 04:54:09 2023
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP050823.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Mon May 08 19:18:05 2023
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml
42) L9	AR-1268-2	8.759f	7.616f	132160	442823	1.013	1.809 #
43) L9	AR-1268-3	9.015	0.000	40799	0	0.316	N.D. #
44) L9	AR-1268-4	9.420f	8.116	55451	59600	1.309	0.720 #
45) L9	AR-1268-5	9.890f	8.415	91629	115992	0.280	0.224



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP060123\
Data File : PP058142.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 01 Jun 2023 20:52
Operator : YP\AJ
Sample : 02986-07
Misc :
ALS Vial : 28 Sample Multiplier: 1

Instrument :
ECD_P
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Jun 02 04:54:09 2023
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP050823.M
Quant Title : GC EXTRACTABLES
QLast Update : Mon May 08 19:18:05 2023
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 4.379 min
Delta R.T.: -0.011 min
Response: 51486753
Conc: 23.47 ng/ml

Instrument :
ECD_P
ClientSampleId :




#1 Tetrachloro-m-xylene

R.T.: 3.619 min
Delta R.T.: -0.004 min
Response: 56156555
Conc: 24.76 ng/ml




#2 Decachlorobiphenyl

R.T.: 10.200 min
Delta R.T.: -0.023 min
Response: 21816236
Conc: 19.25 ng/ml



#2 Decachlorobiphenyl


R.T.: 8.675 min
Delta R.T.: -0.011 min
Response: 24312069
Conc: 15.49 ng/ml



#3 AR-1016-1


R.T.: 5.578 min
Delta R.T.: 0.008 min
Response: 159193
Conc: 2.56 ng/ml

Instrument :
ECD_P
ClientSampleId :




#3 AR-1016-1

R.T.: 4.721 min
Delta R.T.: 0.000 min
Response: 67937
Conc: 0.91 ng/ml




#4 AR-1016-2

R.T.: 5.593 min
Delta R.T.: 0.000 min
Response: 34132
Conc: 0.38 ng/ml



#4 AR-1016-2


R.T.: 4.734 min
Delta R.T.: -0.006 min
Response: 90559
Conc: 0.88 ng/ml



#5 AR-1016-3


R.T.: 5.662 min
Delta R.T.: 0.007 min
Response: 16942
Conc: 0.30 ng/ml

Instrument :
ECD_P
ClientSampleId :




#5 AR-1016-3

R.T.: 4.906 min
Delta R.T.: -0.012 min
Response: 444441
Conc: 7.54 ng/ml




#6 AR-1016-4

R.T.: 5.749 min
Delta R.T.: -0.005 min
Response: 11063
Conc: 0.24 ng/ml



#6 AR-1016-4


R.T.: 4.960 min
Delta R.T.: 0.000 min
Response: 210368
Conc: 4.47 ng/ml



#7 AR-1016-5


R.T.: 6.044 min
Delta R.T.: -0.009 min
Response: 66920
Conc: 1.43 ng/ml

Instrument :
ECD_P
ClientSampleId :




#7 AR-1016-5

R.T.: 5.192 min
Delta R.T.: 0.016 min
Response: 64159
Conc: 1.08 ng/ml




#8 AR-1221-1

R.T.: 4.588 min
Delta R.T.: -0.010 min
Response: 3657268
Conc: 126.39 ng/ml



#8 AR-1221-1


R.T.: 0.000 min
Exp R.T. : 3.839 min
Response: 0
Conc: N.D.



#9 AR-1221-2


R.T.: 4.687 min
Delta R.T.: 0.002 min
Response: 882124
Conc: 40.70 ng/ml

Instrument :
ECD_P
ClientSampleId :




#9 AR-1221-2

R.T.: 3.906 min
Delta R.T.: -0.019 min
Response: 3881585
Conc: 174.26 ng/ml




#10 AR-1221-3

R.T.: 4.776 min
Delta R.T.: 0.013 min
Response: 47933
Conc: 0.80 ng/ml



#10 AR-1221-3


R.T.: 3.995 min
Delta R.T.: -0.007 min
Response: 182183
Conc: 2.86 ng/ml



#11 AR-1232-1


R.T.: 4.776 min
Delta R.T.: 0.013 min
Response: 47933
Conc: 1.09 ng/ml

Instrument :
ECD_P
ClientSampleId :




#11 AR-1232-1

R.T.: 3.995 min
Delta R.T.: -0.007 min
Response: 182183
Conc: 3.95 ng/ml




#12 AR-1232-2

R.T.: 5.305 min
Delta R.T.: 0.007 min
Response: 88304
Conc: 3.39 ng/ml



#12 AR-1232-2


R.T.: 4.734 min
Delta R.T.: -0.005 min
Response: 90559
Conc: 1.91 ng/ml



#13 AR-1232-3


R.T.: 5.593 min
Delta R.T.: 0.002 min
Response: 34132
Conc: 0.84 ng/ml

Instrument :
ECD_P
ClientSampleId :




#13 AR-1232-3

R.T.: 4.906 min
Delta R.T.: -0.011 min
Response: 444441
Conc: 16.33 ng/ml




#14 AR-1232-4

R.T.: 5.749 min
Delta R.T.: -0.003 min
Response: 11063
Conc: 0.52 ng/ml



#14 AR-1232-4


R.T.: 4.994 min
Delta R.T.: -0.007 min
Response: 88617
Conc: 3.64 ng/ml



#15 AR-1232-5


R.T.: 5.859 min
Delta R.T.: 0.013 min
Response: 239144
Conc: 13.09 ng/ml

Instrument :
ECD_P
ClientSampleId :




#15 AR-1232-5

R.T.: 5.192 min
Delta R.T.: 0.017 min
Response: 64159
Conc: 2.32 ng/ml




#16 AR-1242-1

R.T.: 5.578 min
Delta R.T.: 0.010 min
Response: 159193
Conc: 3.34 ng/ml



#16 AR-1242-1


R.T.: 4.721 min
Delta R.T.: 0.000 min
Response: 67937
Conc: 1.17 ng/ml



#17 AR-1242-2


R.T.: 5.593 min
Delta R.T.: 0.002 min
Response: 34132
Conc: 0.50 ng/ml

Instrument :
ECD_P
ClientSampleId :




#17 AR-1242-2

R.T.: 4.734 min
Delta R.T.: -0.005 min
Response: 90559
Conc: 1.13 ng/ml




#18 AR-1242-3

R.T.: 5.662 min
Delta R.T.: 0.008 min
Response: 16942
Conc: 0.39 ng/ml



#18 AR-1242-3


R.T.: 4.906 min
Delta R.T.: -0.011 min
Response: 444441
Conc: 9.48 ng/ml



#19 AR-1242-4


R.T.: 5.749 min
Delta R.T.: -0.004 min
Response: 11063
Conc: 0.31 ng/ml

Instrument :
ECD_P
ClientSampleId :




#19 AR-1242-4

R.T.: 4.994 min
Delta R.T.: -0.008 min
Response: 88617
Conc: 1.91 ng/ml




#20 AR-1242-5

R.T.: 6.485 min
Delta R.T.: -0.012 min
Response: 123836
Conc: 3.82 ng/ml



#20 AR-1242-5


R.T.: 5.516 min
Delta R.T.: -0.014 min
Response: 342892
Conc: 6.13 ng/ml



#21 AR-1248-1


R.T.: 5.578 min
Delta R.T.: 0.009 min
Response: 159193
Conc: 3.78 ng/ml

Instrument :
ECD_P
ClientSampleId :




#21 AR-1248-1

R.T.: 4.721 min
Delta R.T.: 0.000 min
Response: 67937
Conc: 1.32 ng/ml




#22 AR-1248-2

R.T.: 5.859 min
Delta R.T.: 0.014 min
Response: 239144
Conc: 3.67 ng/ml



#22 AR-1248-2


R.T.: 4.960 min
Delta R.T.: 0.000 min
Response: 210368
Conc: 2.93 ng/ml



#23 AR-1248-3


R.T.: 6.044 min
Delta R.T.: -0.008 min
Response: 66920
Conc: 0.96 ng/ml

Instrument :
ECD_P
ClientSampleId :




#23 AR-1248-3

R.T.: 4.994 min
Delta R.T.: -0.008 min
Response: 88617
Conc: 1.17 ng/ml




#24 AR-1248-4

R.T.: 6.457 min
Delta R.T.: -0.002 min
Response: 291922
Conc: 4.57 ng/ml



#24 AR-1248-4


R.T.: 5.192 min
Delta R.T.: 0.017 min
Response: 64159
Conc: 0.72 ng/ml



#25 AR-1248-5


R.T.: 6.485 min
Delta R.T.: -0.013 min
Response: 123836
Conc: 1.93 ng/ml

Instrument :
ECD_P
ClientSampleId :




#25 AR-1248-5

R.T.: 5.564 min
Delta R.T.: -0.009 min
Response: 187471
Conc: 2.25 ng/ml




#26 AR-1254-1

R.T.: 6.457 min
Delta R.T.: 0.024 min
Response: 291922
Conc: 4.35 ng/ml



#26 AR-1254-1


R.T.: 5.516 min
Delta R.T.: -0.015 min
Response: 342892
Conc: 3.07 ng/ml



#27 AR-1254-2


R.T.: 6.657 min
Delta R.T.: 0.003 min
Response: 45617
Conc: 0.48 ng/ml

Instrument :
ECD_P
ClientSampleId :




#27 AR-1254-2

R.T.: 5.672 min
Delta R.T.: -0.009 min
Response: 318065
Conc: 3.19 ng/ml




#28 AR-1254-3

R.T.: 7.013 min
Delta R.T.: -0.010 min
Response: 1203523
Conc: 13.21 ng/ml



#28 AR-1254-3


R.T.: 6.094 min
Delta R.T.: 0.006 min
Response: 445595
Conc: 2.85 ng/ml



#29 AR-1254-4


R.T.: 7.319 min
Delta R.T.: 0.007 min
Response: 110501
Conc: 1.86 ng/ml

Instrument :
ECD_P
ClientSampleId :




#29 AR-1254-4

R.T.: 6.312 min
Delta R.T.: -0.007 min
Response: 86621
Conc: 0.94 ng/ml




#30 AR-1254-5

R.T.: 7.730 min
Delta R.T.: -0.005 min
Response: 128224
Conc: 1.87 ng/ml



#30 AR-1254-5


R.T.: 6.738 min
Delta R.T.: -0.002 min
Response: 349646
Conc: 2.42 ng/ml



#31 AR-1260-1


R.T.: 7.195 min
Delta R.T.: 0.005 min
Response: 1274700
Conc: 16.16 ng/ml

Instrument :
ECD_P
ClientSampleId :




#31 AR-1260-1

R.T.: 6.210 min
Delta R.T.: -0.009 min
Response: 101873
Conc: 0.93 ng/ml




#32 AR-1260-2

R.T.: 7.444 min
Delta R.T.: -0.005 min
Response: 275649
Conc: 3.44 ng/ml



#32 AR-1260-2


R.T.: 6.427 min
Delta R.T.: 0.019 min
Response: 28004
Conc: 0.22 ng/ml



#33 AR-1260-3


R.T.: 7.804 min
Delta R.T.: -0.009 min
Response: 87760
Conc: 1.54 ng/ml

Instrument :
ECD_P
ClientSampleId :




#33 AR-1260-3

R.T.: 6.577 min
Delta R.T.: 0.014 min
Response: 40408
Conc: 0.33 ng/ml




#34 AR-1260-4

R.T.: 8.052 min
Delta R.T.: 0.012 min
Response: 192282
Conc: 2.89 ng/ml



#34 AR-1260-4


R.T.: 0.000 min
Exp R.T.: 7.040 min
Response: 0
Conc: N.D.



#35 AR-1260-5


R.T.: 8.351 min
Delta R.T.: -0.013 min
Response: 93232
Conc: 0.87 ng/ml

Instrument :
ECD_P
ClientSampleId :




#35 AR-1260-5

R.T.: 7.266 min
Delta R.T.: -0.016 min
Response: 37892
Conc: 0.21 ng/ml




#36 AR-1262-1

R.T.: 7.804 min
Delta R.T.: -0.008 min
Response: 87760
Conc: 1.02 ng/ml



#36 AR-1262-1


R.T.: 6.830 min
Delta R.T.: -0.001 min
Response: 241767
Conc: 3.81 ng/ml



#37 AR-1262-2


R.T.: 8.351 min
Delta R.T.: -0.012 min
Response: 93232
Conc: 0.77 ng/ml

Instrument :
ECD_P
ClientSampleId :




#37 AR-1262-2

R.T.: 0.000 min
Exp R.T. : 7.039 min
Response: 0
Conc: N.D.




#38 AR-1262-3

R.T.: 0.000 min
Exp R.T. : 8.681 min
Response: 0
Conc: N.D.



#38 AR-1262-3


R.T.: 7.561 min
Delta R.T.: -0.006 min
Response: 452571
Conc: 4.82 ng/ml



#39 AR-1262-4


R.T.: 8.759 min
Delta R.T.: -0.014 min
Response: 132160
Conc: 1.97 ng/ml

Instrument :
ECD_P
ClientSampleId :




#39 AR-1262-4

R.T.: 7.616 min
Delta R.T.: -0.015 min
Response: 442823
Conc: 2.60 ng/ml




#40 AR-1262-5

R.T.: 9.420 min
Delta R.T.: -0.022 min
Response: 55451
Conc: 1.45 ng/ml



#40 AR-1262-5


R.T.: 8.116 min
Delta R.T.: -0.014 min
Response: 59600
Conc: 0.81 ng/ml



#41 AR-1268-1


R.T.: 0.000 min
Exp R.T.: 8.680 min
Response: 0
Conc: N.D.

Instrument :
ECD_P
ClientSampleId :




#41 AR-1268-1

R.T.: 7.561 min
Delta R.T.: -0.007 min
Response: 452571
Conc: 1.72 ng/ml




#42 AR-1268-2

R.T.: 8.759 min
Delta R.T.: -0.017 min
Response: 132160
Conc: 1.01 ng/ml



#42 AR-1268-2


R.T.: 7.616 min
Delta R.T.: -0.017 min
Response: 442823
Conc: 1.81 ng/ml



#43 AR-1268-3


R.T.: 9.015 min
Delta R.T.: 0.005 min
Response: 40799
Conc: 0.32 ng/ml

Instrument :
ECD_P
ClientSampleId :




#43 AR-1268-3

R.T.: 0.000 min
Exp R.T. : 7.842 min
Response: 0
Conc: N.D.




#44 AR-1268-4

R.T.: 9.420 min
Delta R.T.: -0.024 min
Response: 55451
Conc: 1.31 ng/ml



#44 AR-1268-4


R.T.: 8.116 min
Delta R.T.: -0.014 min
Response: 59600
Conc: 0.72 ng/ml



#45 AR-1268-5

R.T.: 9.890 min
Delta R.T.: 0.019 min
Response: 91629
Conc: 0.28 ng/ml

Instrument :
ECD_P
ClientSampleId :



#45 AR-1268-5

R.T.: 8.415 min
Delta R.T.: -0.013 min
Response: 115992
Conc: 0.22 ng/ml