

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP060525\
 Data File : PP072669.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 05 Jun 2025 16:46
 Operator : YP\AJ
 Sample : Q2206-01MSD
 Misc :
 ALS Vial : 19 Sample Multiplier: 1

Instrument :
 ECD_P
 ClientSampleId :
 TP-1MSD

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Jun 06 02:50:44 2025
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP051925.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Sat May 24 03:32:20 2025
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	4.500	3.797	34002623	30606899	16.910	19.149
2)	SA Decachlor...	10.202	8.812	26226433	19669523	16.098	18.581
Target Compounds							
3)	L1 AR-1016-1	5.652	4.878	23308656	22755487	310.436	370.432
4)	L1 AR-1016-2	5.673	4.896	35200290	32514052	329.000	370.364
5)	L1 AR-1016-3	5.736	5.073	21224234	17845447	323.713	374.476
6)	L1 AR-1016-4	5.833	5.115	18080653	14224310	339.415	373.878
7)	L1 AR-1016-5	6.125	5.329	15737366	17914570	321.767	359.554
8)	L2 AR-1221-1	4.701	4.006	3502883	2677728	133.994	99.877 #
9)	L2 AR-1221-2	4.787	4.093	2919089	4669268	143.098	227.382 #
10)	L2 AR-1221-3	4.863	4.168	13575808	13105562	224.396	222.552
11)	L3 AR-1232-1	4.863	4.168	13575808	13105562	288.182	302.358
12)	L3 AR-1232-2	5.387	4.896	20468910	32514052	879.128	735.933
13)	L3 AR-1232-3	5.673	5.073	35200290	17845447	703.118	763.177
14)	L3 AR-1232-4	5.833	5.157	18080653	16873146	720.372	814.335
15)	L3 AR-1232-5	5.923	5.329	13873546	17914570	791.890	773.700
16)	L4 AR-1242-1	5.652	4.878	23308656	22755487	372.359	436.695
17)	L4 AR-1242-2	5.673	4.896	35200290	32514052	405.627	442.391
18)	L4 AR-1242-3	5.736	5.073	21224234	17845447	385.433	456.107
19)	L4 AR-1242-4	5.833	5.157	18080653	16873146	407.690	448.959
20)	L4 AR-1242-5	6.563	5.679	5101576	14799926	100.061	306.686 #
21)	L5 AR-1248-1	5.652	4.878	23308656	22755487	481.629	525.269
22)	L5 AR-1248-2	5.923	5.115	13873546	14224310	228.785	251.859
23)	L5 AR-1248-3	6.125	5.157	15737366	16873146	237.796	285.467
24)	L5 AR-1248-4	6.563	5.329	5101576	17914570	58.376	257.198 #
25)	L5 AR-1248-5	6.563	5.721	5101576	2934608	61.446	42.080 #
26)	L6 AR-1254-1	6.499	5.679	16908333	14799926	196.601	148.067
27)	L6 AR-1254-2	6.715	5.827	17086328	14923332	130.752	172.910 #
28)	L6 AR-1254-3	7.079	6.245	9037585	24132164	68.465	187.623 #
29)	L6 AR-1254-4	7.361	6.459	6200980	3079456	47.513	36.103
30)	L6 AR-1254-5	7.775	6.874	48085746	39511122	432.244	348.571
31)	L7 AR-1260-1	7.243	6.361	31698319	30957558	338.676	388.164
32)	L7 AR-1260-2	7.496	6.549	45990436	35870648	320.514	353.677
33)	L7 AR-1260-3	7.854	6.701	31335451	31658639	275.184	364.301 #
34)	L7 AR-1260-4	8.078	7.171	37130920	22755966	346.039	315.656
35)	L7 AR-1260-5	8.397	7.413	69362919	53796420	293.088	309.844
36)	L8 AR-1262-1	8.078	6.912	37130920	26307368	278.666	232.750
37)	L8 AR-1262-2	8.397	7.171	69362919	22755966	254.650	234.291
38)	L8 AR-1262-3	8.720	7.694	42137170	11676357	227.118	143.213 #
39)	L8 AR-1262-4	8.782	7.758	21386851	37610231	159.269	267.452 #
40)	L8 AR-1262-5	9.450	8.257	14962115	12264024	161.822	188.434
41)	L9 AR-1268-1	8.720	7.694	42137170	11676357	126.481	49.853 #

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP060525\
Data File : PP072669.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 05 Jun 2025 16:46
Operator : YP\AJ
Sample : Q2206-01MSD
Misc :
ALS Vial : 19 Sample Multiplier: 1

Instrument :
ECD_P
ClientSampleId :
TP-1MSD

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Jun 06 02:50:44 2025
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP051925.M
Quant Title : GC EXTRACTABLES
QLast Update : Sat May 24 03:32:20 2025
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml
42)	L9 AR-1268-2	8.782	7.758	21386851	37610231	76.385	181.850 #
43)	L9 AR-1268-3	9.032	7.962	1565993	886956	6.485	5.237
44)	L9 AR-1268-4	9.450	8.257	14962115	12264024	142.567	168.100
45)	L9 AR-1268-5	9.864	8.554	5425373	3857634	8.014	8.442



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP060525\
Data File : PP072669.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 05 Jun 2025 16:46
Operator : YP\AJ
Sample : Q2206-01MSD
Misc :
ALS Vial : 19 Sample Multiplier: 1

Instrument :
ECD_P
ClientSampleId :
TP-1MSD

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Jun 06 02:50:44 2025
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP051925.M
Quant Title : GC EXTRACTABLES
QLast Update : Sat May 24 03:32:20 2025
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 4.500 min
Delta R.T.: 0.002 min
Response: 34002623
Conc: 16.91 ng/ml

Instrument :
ECD_P
ClientSampleId :
TP-1MSD




#1 Tetrachloro-m-xylene

R.T.: 3.797 min
Delta R.T.: 0.004 min
Response: 30606899
Conc: 19.15 ng/ml




#2 Decachlorobiphenyl

R.T.: 10.202 min
Delta R.T.: -0.010 min
Response: 26226433
Conc: 16.10 ng/ml



#2 Decachlorobiphenyl


R.T.: 8.812 min
Delta R.T.: -0.009 min
Response: 19669523
Conc: 18.58 ng/ml



#3 AR-1016-1


R.T.: 5.652 min
Delta R.T.: 0.002 min
Response: 23308656
Conc: 310.44 ng/ml

Instrument :
ECD_P
ClientSampleId :
TP-1MSD




#3 AR-1016-1

R.T.: 4.878 min
Delta R.T.: 0.000 min
Response: 22755487
Conc: 370.43 ng/ml




#4 AR-1016-2

R.T.: 5.673 min
Delta R.T.: 0.001 min
Response: 35200290
Conc: 329.00 ng/ml



#4 AR-1016-2


R.T.: 4.896 min
Delta R.T.: 0.000 min
Response: 32514052
Conc: 370.36 ng/ml



#5 AR-1016-3


R.T.: 5.736 min
Delta R.T.: 0.002 min
Response: 21224234
Conc: 323.71 ng/ml

Instrument :
ECD_P
ClientSampleId :
TP-1MSD




#5 AR-1016-3

R.T.: 5.073 min
Delta R.T.: 0.000 min
Response: 17845447
Conc: 374.48 ng/ml




#6 AR-1016-4

R.T.: 5.833 min
Delta R.T.: 0.001 min
Response: 18080653
Conc: 339.42 ng/ml



#6 AR-1016-4


R.T.: 5.115 min
Delta R.T.: 0.000 min
Response: 14224310
Conc: 373.88 ng/ml



#7 AR-1016-5


R.T.: 6.125 min
Delta R.T.: -0.002 min
Response: 15737366
Conc: 321.77 ng/ml

Instrument :
ECD_P
ClientSampleId :
TP-1MSD




#7 AR-1016-5

R.T.: 5.329 min
Delta R.T.: -0.002 min
Response: 17914570
Conc: 359.55 ng/ml




#8 AR-1221-1

R.T.: 4.701 min
Delta R.T.: -0.001 min
Response: 3502883
Conc: 133.99 ng/ml



#8 AR-1221-1


R.T.: 4.006 min
Delta R.T.: -0.001 min
Response: 2677728
Conc: 99.88 ng/ml



#9 AR-1221-2


R.T.: 4.787 min
Delta R.T.: -0.001 min
Response: 2919089
Conc: 143.10 ng/ml

Instrument :
ECD_P
ClientSampleId :
TP-1MSD




#9 AR-1221-2

R.T.: 4.093 min
Delta R.T.: 0.000 min
Response: 4669268
Conc: 227.38 ng/ml




#10 AR-1221-3

R.T.: 4.863 min
Delta R.T.: 0.000 min
Response: 13575808
Conc: 224.40 ng/ml



#10 AR-1221-3


R.T.: 4.168 min
Delta R.T.: 0.000 min
Response: 13105562
Conc: 222.55 ng/ml



#11 AR-1232-1


R.T.: 4.863 min
Delta R.T.: 0.000 min
Response: 13575808
Conc: 288.18 ng/ml

Instrument :
ECD_P
ClientSampleId :
TP-1MSD




#11 AR-1232-1

R.T.: 4.168 min
Delta R.T.: 0.000 min
Response: 13105562
Conc: 302.36 ng/ml




#12 AR-1232-2

R.T.: 5.387 min
Delta R.T.: -0.002 min
Response: 20468910
Conc: 879.13 ng/ml



#12 AR-1232-2


R.T.: 4.896 min
Delta R.T.: -0.002 min
Response: 32514052
Conc: 735.93 ng/ml



#13 AR-1232-3


R.T.: 5.673 min
Delta R.T.: -0.002 min
Response: 35200290
Conc: 703.12 ng/ml

Instrument :
ECD_P
ClientSampleId :
TP-1MSD




#13 AR-1232-3

R.T.: 5.073 min
Delta R.T.: -0.002 min
Response: 17845447
Conc: 763.18 ng/ml




#14 AR-1232-4

R.T.: 5.833 min
Delta R.T.: -0.002 min
Response: 18080653
Conc: 720.37 ng/ml



#14 AR-1232-4


R.T.: 5.157 min
Delta R.T.: -0.002 min
Response: 16873146
Conc: 814.33 ng/ml



#15 AR-1232-5


R.T.: 5.923 min
Delta R.T.: -0.002 min
Response: 13873546
Conc: 791.89 ng/ml

Instrument :
ECD_P
ClientSampleId :
TP-1MSD




#15 AR-1232-5

R.T.: 5.329 min
Delta R.T.: -0.002 min
Response: 17914570
Conc: 773.70 ng/ml




#16 AR-1242-1

R.T.: 5.652 min
Delta R.T.: -0.004 min
Response: 23308656
Conc: 372.36 ng/ml



#16 AR-1242-1


R.T.: 4.878 min
Delta R.T.: -0.003 min
Response: 22755487
Conc: 436.70 ng/ml



#17 AR-1242-2


R.T.: 5.673 min
Delta R.T.: -0.004 min
Response: 35200290
Conc: 405.63 ng/ml

Instrument :
ECD_P
ClientSampleId :
TP-1MSD




#17 AR-1242-2

R.T.: 4.896 min
Delta R.T.: -0.003 min
Response: 32514052
Conc: 442.39 ng/ml




#18 AR-1242-3

R.T.: 5.736 min
Delta R.T.: -0.005 min
Response: 21224234
Conc: 385.43 ng/ml



#18 AR-1242-3


R.T.: 5.073 min
Delta R.T.: -0.003 min
Response: 17845447
Conc: 456.11 ng/ml



#19 AR-1242-4


R.T.: 5.833 min
Delta R.T.: -0.005 min
Response: 18080653
Conc: 407.69 ng/ml

Instrument :
ECD_P
ClientSampleId :
TP-1MSD




#19 AR-1242-4

R.T.: 5.157 min
Delta R.T.: -0.003 min
Response: 16873146
Conc: 448.96 ng/ml




#20 AR-1242-5

R.T.: 6.563 min
Delta R.T.: -0.005 min
Response: 5101576
Conc: 100.06 ng/ml



#20 AR-1242-5


R.T.: 5.679 min
Delta R.T.: -0.004 min
Response: 14799926
Conc: 306.69 ng/ml



#21 AR-1248-1


R.T.: 5.652 min
Delta R.T.: -0.007 min
Response: 23308656
Conc: 481.63 ng/ml

Instrument :
ECD_P
ClientSampleId :
TP-1MSD




#21 AR-1248-1

R.T.: 4.878 min
Delta R.T.: -0.003 min
Response: 22755487
Conc: 525.27 ng/ml




#22 AR-1248-2

R.T.: 5.923 min
Delta R.T.: -0.008 min
Response: 13873546
Conc: 228.79 ng/ml



#22 AR-1248-2


R.T.: 5.115 min
Delta R.T.: -0.004 min
Response: 14224310
Conc: 251.86 ng/ml



#23 AR-1248-3


R.T.: 6.125 min
Delta R.T.: -0.008 min
Response: 15737366
Conc: 237.80 ng/ml

Instrument :
ECD_P
ClientSampleId :
TP-1MSD




#23 AR-1248-3

R.T.: 5.157 min
Delta R.T.: -0.004 min
Response: 16873146
Conc: 285.47 ng/ml




#24 AR-1248-4

R.T.: 6.563 min
Delta R.T.: 0.030 min
Response: 5101576
Conc: 58.38 ng/ml



#24 AR-1248-4


R.T.: 5.329 min
Delta R.T.: -0.004 min
Response: 17914570
Conc: 257.20 ng/ml



#25 AR-1248-5


R.T.: 6.563 min
Delta R.T.: -0.009 min
Response: 5101576
Conc: 61.45 ng/ml

Instrument :
ECD_P
ClientSampleId :
TP-1MSD




#25 AR-1248-5

R.T.: 5.721 min
Delta R.T.: -0.005 min
Response: 2934608
Conc: 42.08 ng/ml




#26 AR-1254-1

R.T.: 6.499 min
Delta R.T.: -0.008 min
Response: 16908333
Conc: 196.60 ng/ml



#26 AR-1254-1


R.T.: 5.679 min
Delta R.T.: -0.006 min
Response: 14799926
Conc: 148.07 ng/ml



#27 AR-1254-2


R.T.: 6.715 min
Delta R.T.: -0.008 min
Response: 17086328
Conc: 130.75 ng/ml

Instrument :
ECD_P
ClientSampleId :
TP-1MSD




#27 AR-1254-2

R.T.: 5.827 min
Delta R.T.: -0.006 min
Response: 14923332
Conc: 172.91 ng/ml




#28 AR-1254-3

R.T.: 7.079 min
Delta R.T.: -0.009 min
Response: 9037585
Conc: 68.46 ng/ml



#28 AR-1254-3


R.T.: 6.245 min
Delta R.T.: 0.009 min
Response: 24132164
Conc: 187.62 ng/ml



#29 AR-1254-4


R.T.: 7.361 min
Delta R.T.: -0.009 min
Response: 6200980
Conc: 47.51 ng/ml

Instrument :
ECD_P
ClientSampleId :
TP-1MSD




#29 AR-1254-4

R.T.: 6.459 min
Delta R.T.: -0.006 min
Response: 3079456
Conc: 36.10 ng/ml




#30 AR-1254-5

R.T.: 7.775 min
Delta R.T.: -0.011 min
Response: 48085746
Conc: 432.24 ng/ml



#30 AR-1254-5


R.T.: 6.874 min
Delta R.T.: -0.008 min
Response: 39511122
Conc: 348.57 ng/ml



#31 AR-1260-1


R.T.: 7.243 min
Delta R.T.: -0.005 min
Response: 31698319
Conc: 338.68 ng/ml

Instrument :
ECD_P
ClientSampleId :
TP-1MSD




#31 AR-1260-1

R.T.: 6.361 min
Delta R.T.: -0.003 min
Response: 30957558
Conc: 388.16 ng/ml




#32 AR-1260-2

R.T.: 7.496 min
Delta R.T.: -0.005 min
Response: 45990436
Conc: 320.51 ng/ml



#32 AR-1260-2


R.T.: 6.549 min
Delta R.T.: -0.004 min
Response: 35870648
Conc: 353.68 ng/ml



#33 AR-1260-3


R.T.: 7.854 min
Delta R.T.: -0.005 min
Response: 31335451
Conc: 275.18 ng/ml

Instrument :
ECD_P
ClientSampleId :
TP-1MSD




#33 AR-1260-3

R.T.: 6.701 min
Delta R.T.: -0.004 min
Response: 31658639
Conc: 364.30 ng/ml




#34 AR-1260-4

R.T.: 8.078 min
Delta R.T.: -0.005 min
Response: 37130920
Conc: 346.04 ng/ml



#34 AR-1260-4


R.T.: 7.171 min
Delta R.T.: -0.005 min
Response: 22755966
Conc: 315.66 ng/ml



#35 AR-1260-5


R.T.: 8.397 min
Delta R.T.: -0.006 min
Response: 69362919
Conc: 293.09 ng/ml

Instrument :
ECD_P
ClientSampleId :
TP-1MSD




#35 AR-1260-5

R.T.: 7.413 min
Delta R.T.: -0.005 min
Response: 53796420
Conc: 309.84 ng/ml




#36 AR-1262-1

R.T.: 8.078 min
Delta R.T.: -0.010 min
Response: 37130920
Conc: 278.67 ng/ml



#36 AR-1262-1


R.T.: 6.912 min
Delta R.T.: -0.008 min
Response: 26307368
Conc: 232.75 ng/ml



#37 AR-1262-2


R.T.: 8.397 min
Delta R.T.: -0.011 min
Response: 69362919
Conc: 254.65 ng/ml

Instrument :
ECD_P
ClientSampleId :
TP-1MSD




#37 AR-1262-2

R.T.: 7.171 min
Delta R.T.: -0.008 min
Response: 22755966
Conc: 234.29 ng/ml




#38 AR-1262-3

R.T.: 8.720 min
Delta R.T.: -0.004 min
Response: 42137170
Conc: 227.12 ng/ml



#38 AR-1262-3


R.T.: 7.694 min
Delta R.T.: -0.009 min
Response: 11676357
Conc: 143.21 ng/ml



#39 AR-1262-4


R.T.: 8.782 min
Delta R.T.: -0.027 min
Response: 21386851
Conc: 159.27 ng/ml

Instrument :
ECD_P
ClientSampleId :
TP-1MSD




#39 AR-1262-4

R.T.: 7.758 min
Delta R.T.: -0.010 min
Response: 37610231
Conc: 267.45 ng/ml




#40 AR-1262-5

R.T.: 9.450 min
Delta R.T.: -0.014 min
Response: 14962115
Conc: 161.82 ng/ml



#40 AR-1262-5


R.T.: 8.257 min
Delta R.T.: -0.011 min
Response: 12264024
Conc: 188.43 ng/ml



#41 AR-1268-1


R.T.: 8.720 min
Delta R.T.: 0.002 min
Response: 42137170
Conc: 126.48 ng/ml

Instrument :
ECD_P
ClientSampleId :
TP-1MSD




#41 AR-1268-1

R.T.: 7.694 min
Delta R.T.: -0.008 min
Response: 11676357
Conc: 49.85 ng/ml




#42 AR-1268-2

R.T.: 8.782 min
Delta R.T.: -0.028 min
Response: 21386851
Conc: 76.38 ng/ml



#42 AR-1268-2


R.T.: 7.758 min
Delta R.T.: -0.010 min
Response: 37610231
Conc: 181.85 ng/ml



#43 AR-1268-3


R.T.: 9.032 min
Delta R.T.: -0.009 min
Response: 1565993
Conc: 6.49 ng/ml

Instrument :
ECD_P
ClientSampleId :
TP-1MSD




#43 AR-1268-3

R.T.: 7.962 min
Delta R.T.: -0.009 min
Response: 886956
Conc: 5.24 ng/ml




#44 AR-1268-4

R.T.: 9.450 min
Delta R.T.: -0.010 min
Response: 14962115
Conc: 142.57 ng/ml



#44 AR-1268-4


R.T.: 8.257 min
Delta R.T.: -0.009 min
Response: 12264024
Conc: 168.10 ng/ml



#45 AR-1268-5

R.T.: 9.864 min
Delta R.T.: -0.012 min
Response: 5425373
Conc: 8.01 ng/ml

Instrument :
ECD_P
ClientSampleId :
TP-1MSD



#45 AR-1268-5

R.T.: 8.554 min
Delta R.T.: -0.010 min
Response: 3857634
Conc: 8.44 ng/ml