

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP060623\
 Data File : PP058252.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 06 Jun 2023 04:52
 Operator : YP\AJ
 Sample : AR1268ICV500
 Misc :
 ALS Vial : 35 Sample Multiplier: 1

Instrument :
 ECD_P
 ClientSampleId :
 ICVPP060623AR1268

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Jun 06 05:15:56 2023
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP060623.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Tue Jun 06 04:59:28 2023
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	4.380	3.618	116.1E6	109.0E6	50.746	50.510
2)	SA Decachlor...	10.206	8.678	90059436	141.3E6	80.624	85.676
Target Compounds							
3)	L1 AR-1016-1	5.560	4.716	334714	392989	5.259	5.602
4)	L1 AR-1016-2	5.584	4.735	355955	611468	3.855	6.212 #
5)	L1 AR-1016-3	5.645	4.912	209289	323064	3.565	5.746 #
6)	L1 AR-1016-4	5.746	4.955	213831	393271	4.490	8.795 #
7)	L1 AR-1016-5	6.042	5.170	494476	498795	9.769	8.662
8)	L2 AR-1221-1	4.595	3.828	59071	71668	2.087	2.697 #
9)	L2 AR-1221-2	4.688	3.922	1822425	1772639	86.243	87.465
10)	L2 AR-1221-3	4.758	3.996	101228	102862	1.702	1.737
11)	L3 AR-1232-1	4.758	3.996	101228	102862	2.240	2.356
12)	L3 AR-1232-2	5.290	4.735	244610	611468	8.728	13.462 #
13)	L3 AR-1232-3	5.584	4.912	355955	323064	8.202	12.347 #
14)	L3 AR-1232-4	5.746	4.996	213831	449562	9.408	19.019 #
15)	L3 AR-1232-5	5.836	5.170	309335	498795	15.553	18.829
16)	L4 AR-1242-1	5.560	4.716	334714	392989	6.585	7.109
17)	L4 AR-1242-2	5.584	4.735	355955	611468	4.840	7.954 #
18)	L4 AR-1242-3	5.645	4.912	209289	323064	4.470	7.311 #
19)	L4 AR-1242-4	5.746	4.996	213831	449562	5.610	10.119 #
20)	L4 AR-1242-5	6.490	5.525	634084	877156	17.906	15.871
21)	L5 AR-1248-1	5.560	4.716	334714	392989	8.367	8.919
22)	L5 AR-1248-2	5.836	4.955	309335	393271	4.826	6.343 #
23)	L5 AR-1248-3	6.042	4.996	494476	449562	7.183	6.855
24)	L5 AR-1248-4	6.451	5.170	596978	498795	9.462	6.453 #
25)	L5 AR-1248-5	6.490	5.566	634084	774723	9.926	10.493
26)	L6 AR-1254-1	6.423	5.525	410220	877156	5.614	8.090 #
27)	L6 AR-1254-2	6.649	5.675	568282	305662	5.534	3.149 #
28)	L6 AR-1254-3	7.017	6.082	635244	641713	6.444	4.145 #
29)	L6 AR-1254-4	7.306	6.312	381083	461234	5.743	4.915
30)	L6 AR-1254-5	7.716	6.733	1056914	155068	14.443	1.067 #
31)	L7 AR-1260-1	0.000	6.207	0	298346	N.D.	2.741 #
32)	L7 AR-1260-2	7.444	6.402	634146	836207	7.603	6.492
33)	L7 AR-1260-3	7.805	6.562	18562952	2369822	323.361	19.216 #
34)	L7 AR-1260-4	8.053f	7.030	24394228	35780653	360.982	395.247
35)	L7 AR-1260-5	8.355	7.276	8542703	15813583	79.641	77.965
36)	L8 AR-1262-1	7.805	6.825	18562952	2387428	201.782	38.149 #
37)	L8 AR-1262-2	8.355	7.030	8542703	35780653	64.978	284.660 #
38)	L8 AR-1262-3	8.670	7.562	78886118	136.9E6	836.032	1379.556 #
39)	L8 AR-1262-4	8.766	7.627	69116434	123.4E6	941.851	682.503 #
40)	L8 AR-1262-5	9.434	8.125	23970762	44144035	540.134	546.812
41)	L9 AR-1268-1	8.670	7.562	78886118	136.9E6	493.358	495.514

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP060623\
 Data File : PP058252.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 06 Jun 2023 04:52
 Operator : YP\AJ
 Sample : AR1268ICV500
 Misc :
 ALS Vial : 35 Sample Multiplier: 1

Instrument :
 ECD_P
 ClientSampleId :
 ICVPP060623AR1268

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Jun 06 05:15:56 2023
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP060623.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Tue Jun 06 04:59:28 2023
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml
42) L9	AR-1268-2	8.766	7.627	69116434	123.4E6	497.604	485.334
43) L9	AR-1268-3	8.999	7.834	63974095	105.6E6	495.144	493.900
44) L9	AR-1268-4	9.434	8.125	23970762	44144035	507.155	504.754
45) L9	AR-1268-5	9.858	8.420	164.1E6	293.6E6	493.058	510.374



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP060623\
Data File : PP058252.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 06 Jun 2023 04:52
Operator : YP\AJ
Sample : AR1268ICV500
Misc :
ALS Vial : 35 Sample Multiplier: 1

Instrument :
ECD_P
ClientSampleId :
ICVPP060623AR1268

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Jun 06 05:15:56 2023
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP060623.M
Quant Title : GC EXTRACTABLES
QLast Update : Tue Jun 06 04:59:28 2023
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 4.380 min
Delta R.T.: 0.000 min
Response: 116141249
Conc: 50.75 ng/ml

Instrument :
ECD_P
ClientSampleId :
ICVPP060623AR1268




#1 Tetrachloro-m-xylene

R.T.: 3.618 min
Delta R.T.: 0.000 min
Response: 108984634
Conc: 50.51 ng/ml




#2 Decachlorobiphenyl

R.T.: 10.206 min
Delta R.T.: 0.002 min
Response: 90059436
Conc: 80.62 ng/ml



#2 Decachlorobiphenyl


R.T.: 8.678 min
Delta R.T.: 0.000 min
Response: 141260369
Conc: 85.68 ng/ml



#3 AR-1016-1


R.T.: 5.560 min
Delta R.T.: 0.001 min
Response: 334714
Conc: 5.26 ng/ml

Instrument :
ECD_P
ClientSampleId :
ICVPP060623AR1268




#3 AR-1016-1

R.T.: 4.716 min
Delta R.T.: 0.002 min
Response: 392989
Conc: 5.60 ng/ml




#4 AR-1016-2

R.T.: 5.584 min
Delta R.T.: 0.003 min
Response: 355955
Conc: 3.86 ng/ml



#4 AR-1016-2


R.T.: 4.735 min
Delta R.T.: 0.002 min
Response: 611468
Conc: 6.21 ng/ml



#5 AR-1016-3


R.T.: 5.645 min
Delta R.T.: 0.000 min
Response: 209289
Conc: 3.57 ng/ml

Instrument :
ECD_P
ClientSampleId :
ICVPP060623AR1268




#5 AR-1016-3

R.T.: 4.912 min
Delta R.T.: 0.000 min
Response: 323064
Conc: 5.75 ng/ml




#6 AR-1016-4

R.T.: 5.746 min
Delta R.T.: 0.003 min
Response: 213831
Conc: 4.49 ng/ml



#6 AR-1016-4


R.T.: 4.955 min
Delta R.T.: 0.002 min
Response: 393271
Conc: 8.80 ng/ml



#7 AR-1016-5


R.T.: 6.042 min
Delta R.T.: 0.000 min
Response: 494476
Conc: 9.77 ng/ml

Instrument :
ECD_P
ClientSampleId :
ICVPP060623AR1268




#7 AR-1016-5

R.T.: 5.170 min
Delta R.T.: 0.000 min
Response: 498795
Conc: 8.66 ng/ml




#8 AR-1221-1

R.T.: 4.595 min
Delta R.T.: 0.006 min
Response: 59071
Conc: 2.09 ng/ml



#8 AR-1221-1


R.T.: 3.828 min
Delta R.T.: -0.005 min
Response: 71668
Conc: 2.70 ng/ml



#9 AR-1221-2


R.T.: 4.688 min
Delta R.T.: 0.012 min
Response: 1822425
Conc: 86.24 ng/ml

Instrument :
ECD_P
ClientSampleId :
ICVPP060623AR1268




#9 AR-1221-2

R.T.: 3.922 min
Delta R.T.: 0.002 min
Response: 1772639
Conc: 87.46 ng/ml




#10 AR-1221-3

R.T.: 4.758 min
Delta R.T.: 0.005 min
Response: 101228
Conc: 1.70 ng/ml



#10 AR-1221-3


R.T.: 3.996 min
Delta R.T.: 0.000 min
Response: 102862
Conc: 1.74 ng/ml



#11 AR-1232-1


R.T.: 4.758 min
Delta R.T.: 0.005 min
Response: 101228
Conc: 2.24 ng/ml

Instrument :
ECD_P
ClientSampleId :
ICVPP060623AR1268




#11 AR-1232-1

R.T.: 3.996 min
Delta R.T.: 0.000 min
Response: 102862
Conc: 2.36 ng/ml




#12 AR-1232-2

R.T.: 5.290 min
Delta R.T.: 0.002 min
Response: 244610
Conc: 8.73 ng/ml



#12 AR-1232-2


R.T.: 4.735 min
Delta R.T.: 0.002 min
Response: 611468
Conc: 13.46 ng/ml



#13 AR-1232-3


R.T.: 5.584 min
Delta R.T.: 0.003 min
Response: 355955
Conc: 8.20 ng/ml

Instrument :
ECD_P
ClientSampleId :
ICVPP060623AR1268




#13 AR-1232-3

R.T.: 4.912 min
Delta R.T.: 0.000 min
Response: 323064
Conc: 12.35 ng/ml




#14 AR-1232-4

R.T.: 5.746 min
Delta R.T.: 0.003 min
Response: 213831
Conc: 9.41 ng/ml



#14 AR-1232-4


R.T.: 4.996 min
Delta R.T.: 0.001 min
Response: 449562
Conc: 19.02 ng/ml



#15 AR-1232-5


R.T.: 5.836 min
Delta R.T.: 0.000 min
Response: 309335
Conc: 15.55 ng/ml

Instrument :
ECD_P
ClientSampleId :
ICVPP060623AR1268




#15 AR-1232-5

R.T.: 5.170 min
Delta R.T.: 0.000 min
Response: 498795
Conc: 18.83 ng/ml




#16 AR-1242-1

R.T.: 5.560 min
Delta R.T.: 0.000 min
Response: 334714
Conc: 6.58 ng/ml



#16 AR-1242-1


R.T.: 4.716 min
Delta R.T.: 0.002 min
Response: 392989
Conc: 7.11 ng/ml



#17 AR-1242-2


R.T.: 5.584 min
Delta R.T.: 0.002 min
Response: 355955
Conc: 4.84 ng/ml

Instrument :
ECD_P
ClientSampleId :
ICVPP060623AR1268




#17 AR-1242-2

R.T.: 4.735 min
Delta R.T.: 0.002 min
Response: 611468
Conc: 7.95 ng/ml




#18 AR-1242-3

R.T.: 5.645 min
Delta R.T.: 0.000 min
Response: 209289
Conc: 4.47 ng/ml



#18 AR-1242-3


R.T.: 4.912 min
Delta R.T.: 0.000 min
Response: 323064
Conc: 7.31 ng/ml



#19 AR-1242-4


R.T.: 5.746 min
Delta R.T.: 0.002 min
Response: 213831
Conc: 5.61 ng/ml

Instrument :
ECD_P
ClientSampleId :
ICVPP060623AR1268




#19 AR-1242-4

R.T.: 4.996 min
Delta R.T.: 0.000 min
Response: 449562
Conc: 10.12 ng/ml




#20 AR-1242-5

R.T.: 6.490 min
Delta R.T.: 0.000 min
Response: 634084
Conc: 17.91 ng/ml



#20 AR-1242-5


R.T.: 5.525 min
Delta R.T.: 0.000 min
Response: 877156
Conc: 15.87 ng/ml



#21 AR-1248-1


R.T.: 5.560 min
Delta R.T.: 0.000 min
Response: 334714
Conc: 8.37 ng/ml

Instrument :
ECD_P
ClientSampleId :
ICVPP060623AR1268




#21 AR-1248-1

R.T.: 4.716 min
Delta R.T.: 0.002 min
Response: 392989
Conc: 8.92 ng/ml




#22 AR-1248-2

R.T.: 5.836 min
Delta R.T.: 0.000 min
Response: 309335
Conc: 4.83 ng/ml



#22 AR-1248-2


R.T.: 4.955 min
Delta R.T.: 0.002 min
Response: 393271
Conc: 6.34 ng/ml



#23 AR-1248-3


R.T.: 6.042 min
Delta R.T.: 0.000 min
Response: 494476
Conc: 7.18 ng/ml

Instrument :
ECD_P
ClientSampleId :
ICVPP060623AR1268




#23 AR-1248-3

R.T.: 4.996 min
Delta R.T.: 0.001 min
Response: 449562
Conc: 6.85 ng/ml




#24 AR-1248-4

R.T.: 6.451 min
Delta R.T.: 0.001 min
Response: 596978
Conc: 9.46 ng/ml



#24 AR-1248-4


R.T.: 5.170 min
Delta R.T.: 0.000 min
Response: 498795
Conc: 6.45 ng/ml



#25 AR-1248-5


R.T.: 6.490 min
Delta R.T.: 0.001 min
Response: 634084
Conc: 9.93 ng/ml

Instrument :
ECD_P
ClientSampleId :
ICVPP060623AR1268




#25 AR-1248-5

R.T.: 5.566 min
Delta R.T.: 0.000 min
Response: 774723
Conc: 10.49 ng/ml




#26 AR-1254-1

R.T.: 6.423 min
Delta R.T.: 0.000 min
Response: 410220
Conc: 5.61 ng/ml



#26 AR-1254-1


R.T.: 5.525 min
Delta R.T.: 0.000 min
Response: 877156
Conc: 8.09 ng/ml



#27 AR-1254-2


R.T.: 6.649 min
Delta R.T.: 0.004 min
Response: 568282
Conc: 5.53 ng/ml

Instrument :
ECD_P
ClientSampleId :
ICVPP060623AR1268




#27 AR-1254-2

R.T.: 5.675 min
Delta R.T.: 0.000 min
Response: 305662
Conc: 3.15 ng/ml




#28 AR-1254-3

R.T.: 7.017 min
Delta R.T.: 0.002 min
Response: 635244
Conc: 6.44 ng/ml



#28 AR-1254-3


R.T.: 6.082 min
Delta R.T.: 0.000 min
Response: 641713
Conc: 4.14 ng/ml



#29 AR-1254-4


R.T.: 7.306 min
Delta R.T.: 0.004 min
Response: 381083
Conc: 5.74 ng/ml

Instrument :
ECD_P
ClientSampleId :
ICVPP060623AR1268




#29 AR-1254-4

R.T.: 6.312 min
Delta R.T.: 0.000 min
Response: 461234
Conc: 4.92 ng/ml




#30 AR-1254-5

R.T.: 7.716 min
Delta R.T.: -0.010 min
Response: 1056914
Conc: 14.44 ng/ml



#30 AR-1254-5


R.T.: 6.733 min
Delta R.T.: 0.000 min
Response: 155068
Conc: 1.07 ng/ml



#31 AR-1260-1


R.T.: 0.000 min
Exp R.T.: 7.180 min
Response: 0
Conc: N.D.

Instrument :
ECD_P
ClientSampleId :
ICVPP060623AR1268




#31 AR-1260-1

R.T.: 6.207 min
Delta R.T.: -0.005 min
Response: 298346
Conc: 2.74 ng/ml




#32 AR-1260-2

R.T.: 7.444 min
Delta R.T.: 0.005 min
Response: 634146
Conc: 7.60 ng/ml



#32 AR-1260-2


R.T.: 6.402 min
Delta R.T.: 0.000 min
Response: 836207
Conc: 6.49 ng/ml



#33 AR-1260-3


R.T.: 7.805 min
Delta R.T.: 0.002 min
Response: 18562952
Conc: 323.36 ng/ml

Instrument :
ECD_P
ClientSampleId :
ICVPP060623AR1268




#33 AR-1260-3

R.T.: 6.562 min
Delta R.T.: 0.006 min
Response: 2369822
Conc: 19.22 ng/ml




#34 AR-1260-4

R.T.: 8.053 min
Delta R.T.: 0.023 min
Response: 24394228
Conc: 360.98 ng/ml



#34 AR-1260-4


R.T.: 7.030 min
Delta R.T.: -0.002 min
Response: 35780653
Conc: 395.25 ng/ml



#35 AR-1260-5


R.T.: 8.355 min
Delta R.T.: 0.002 min
Response: 8542703
Conc: 79.64 ng/ml

Instrument :
ECD_P
ClientSampleId :
ICVPP060623AR1268




#35 AR-1260-5

R.T.: 7.276 min
Delta R.T.: 0.000 min
Response: 15813583
Conc: 77.96 ng/ml




#36 AR-1262-1

R.T.: 7.805 min
Delta R.T.: 0.002 min
Response: 18562952
Conc: 201.78 ng/ml



#36 AR-1262-1


R.T.: 6.825 min
Delta R.T.: 0.000 min
Response: 2387428
Conc: 38.15 ng/ml



#37 AR-1262-2


R.T.: 8.355 min
Delta R.T.: 0.000 min
Response: 8542703
Conc: 64.98 ng/ml

Instrument :
ECD_P
ClientSampleId :
ICVPP060623AR1268




#37 AR-1262-2

R.T.: 7.030 min
Delta R.T.: -0.002 min
Response: 35780653
Conc: 284.66 ng/ml




#38 AR-1262-3

R.T.: 8.670 min
Delta R.T.: -0.002 min
Response: 78886118
Conc: 836.03 ng/ml



#38 AR-1262-3


R.T.: 7.562 min
Delta R.T.: 0.001 min
Response: 136944268
Conc: 1379.56 ng/ml



#39 AR-1262-4


R.T.: 8.766 min
Delta R.T.: 0.004 min
Response: 69116434
Conc: 941.85 ng/ml

Instrument :
ECD_P
ClientSampleId :
ICVPP060623AR1268




#39 AR-1262-4

R.T.: 7.627 min
Delta R.T.: 0.001 min
Response: 123419560
Conc: 682.50 ng/ml




#40 AR-1262-5

R.T.: 9.434 min
Delta R.T.: 0.001 min
Response: 23970762
Conc: 540.13 ng/ml



#40 AR-1262-5


R.T.: 8.125 min
Delta R.T.: 0.000 min
Response: 44144035
Conc: 546.81 ng/ml



#41 AR-1268-1


R.T.: 8.670 min
Delta R.T.: 0.000 min
Response: 78886118
Conc: 493.36 ng/ml

Instrument :
ECD_P
ClientSampleId :
ICVPP060623AR1268




#41 AR-1268-1

R.T.: 7.562 min
Delta R.T.: 0.000 min
Response: 136944268
Conc: 495.51 ng/ml




#42 AR-1268-2

R.T.: 8.766 min
Delta R.T.: 0.000 min
Response: 69116434
Conc: 497.60 ng/ml



#42 AR-1268-2


R.T.: 7.627 min
Delta R.T.: 0.000 min
Response: 123419560
Conc: 485.33 ng/ml



#43 AR-1268-3


R.T.: 8.999 min
Delta R.T.: 0.001 min
Response: 63974095
Conc: 495.14 ng/ml

Instrument :
ECD_P
ClientSampleId :
ICVPP060623AR1268




#43 AR-1268-3

R.T.: 7.834 min
Delta R.T.: 0.001 min
Response: 105625302
Conc: 493.90 ng/ml




#44 AR-1268-4

R.T.: 9.434 min
Delta R.T.: 0.001 min
Response: 23970762
Conc: 507.15 ng/ml



#44 AR-1268-4


R.T.: 8.125 min
Delta R.T.: 0.000 min
Response: 44144035
Conc: 504.75 ng/ml



#45 AR-1268-5

R.T.: 9.858 min
Delta R.T.: 0.000 min
Response: 164086153
Conc: 493.06 ng/ml

Instrument :
ECD_P
ClientSampleId :
ICVPP060623AR1268



#45 AR-1268-5

R.T.: 8.420 min
Delta R.T.: 0.000 min
Response: 293608916
Conc: 510.37 ng/ml