

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP060625\
 Data File : PP072691.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 06 Jun 2025 13:10
 Operator : YP\AJ
 Sample : Q2223-01
 Misc :
 ALS Vial : 10 Sample Multiplier: 1

Instrument :
 ECD_P
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Jun 06 14:07:00 2025
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP051925.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Sat May 24 03:32:20 2025
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	4.503	3.795	28150337	25653276	14.000	16.050
2)	SA Decachlor...	10.203	8.809	27476218	21086452	16.866	19.919
Target Compounds							
3)	L1 AR-1016-1	5.633	4.877	1152648	952186	15.352	15.500
4)	L1 AR-1016-2	5.684	4.877	873826	952186	8.167	10.846 #
5)	L1 AR-1016-3	5.739	5.068	1219908	353619	18.606	7.420 #
6)	L1 AR-1016-4	5.811	5.113	1403896	735899	26.354	19.343 #
7)	L1 AR-1016-5	6.100	5.320	248618	816732	5.083	16.392 #
8)	L2 AR-1221-1	4.705	3.991	2537606	152718	97.070	5.696 #
9)	L2 AR-1221-2	4.809	4.077	728551	2403737	35.715	117.056 #
10)	L2 AR-1221-3	4.868	4.169	685235	566983	11.326	9.628
11)	L3 AR-1232-1	4.868	4.169	685235	566983	14.546	13.081
12)	L3 AR-1232-2	5.405	4.877	172354	952186	7.403	21.552 #
13)	L3 AR-1232-3	5.684	5.068	873826	353619	17.454	15.123
14)	L3 AR-1232-4	5.811	5.157	1403896	463396	55.934	22.365 #
15)	L3 AR-1232-5	5.928	5.320	1193188	816732	68.106	35.273 #
16)	L4 AR-1242-1	5.633	4.877	1152648	952186	18.414	18.273
17)	L4 AR-1242-2	5.684	4.877	873826	952186	10.069	12.956 #
18)	L4 AR-1242-3	5.739	5.068	1219908	353619	22.154	9.038 #
19)	L4 AR-1242-4	5.811	5.157	1403896	463396	31.656	12.330 #
20)	L4 AR-1242-5	6.580	5.678	2813862	1038582	55.190	21.522 #
21)	L5 AR-1248-1	5.633	4.877	1152648	952186	23.817	21.979
22)	L5 AR-1248-2	5.928	5.113	1193188	735899	19.677	13.030 #
23)	L5 AR-1248-3	6.100	5.157	248618	463396	3.757	7.840 #
24)	L5 AR-1248-4	6.531	5.320	1047449	816732	11.986	11.726
25)	L5 AR-1248-5	6.580	5.718	2813862	351247	33.891	5.037 #
26)	L6 AR-1254-1	6.501	5.678	935534	1038582	10.878	10.391
27)	L6 AR-1254-2	6.715	5.826	2076357	626233	15.889	7.256 #
28)	L6 AR-1254-3	7.092	6.242	2631567	2311543	19.936	17.972
29)	L6 AR-1254-4	7.364	6.458	1429383	862410	10.952	10.111
30)	L6 AR-1254-5	7.782	6.871	855024	1707740	7.686	15.066 #
31)	L7 AR-1260-1	7.243	6.358	1068540	597138	11.417	7.487 #
32)	L7 AR-1260-2	7.487	6.546	5704295	539078	39.754	5.315 #
33)	L7 AR-1260-3	7.867	6.698	1286933	446819	11.302	5.142 #
34)	L7 AR-1260-4	8.062	7.168	1861797	360144	17.351	4.996 #
35)	L7 AR-1260-5	8.398	7.410	982867	909312	4.153	5.237 #
36)	L8 AR-1262-1	8.062	6.908	1861797	467500	13.973	4.136 #
37)	L8 AR-1262-2	8.398	7.168	982867	360144	3.608	3.708
38)	L8 AR-1262-3	8.727	7.693	377270	369884	2.033	4.537 #
39)	L8 AR-1262-4	8.807	7.753	1101467	683731	8.203	4.862 #
40)	L8 AR-1262-5	9.457	8.255	96136	110042	1.040	1.691 #
41)	L9 AR-1268-1	8.727	7.693	377270	369884	1.132	1.579 #

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP060625\
Data File : PP072691.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 06 Jun 2025 13:10
Operator : YP\AJ
Sample : Q2223-01
Misc :
ALS Vial : 10 Sample Multiplier: 1

Instrument :
ECD_P
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Jun 06 14:07:00 2025
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP051925.M
Quant Title : GC EXTRACTABLES
QLast Update : Sat May 24 03:32:20 2025
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml
42)	L9 AR-1268-2	8.807	7.753	1101467	683731	3.934	3.306
43)	L9 AR-1268-3	9.035	7.961	737360	134656	3.054	0.795 #
44)	L9 AR-1268-4	9.457	8.255	96136	110042	0.916	1.508 #
45)	L9 AR-1268-5	9.872	8.551	574232	484290	0.848	1.060


(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP060625\
Data File : PP072691.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 06 Jun 2025 13:10
Operator : YP\AJ
Sample : Q2223-01
Misc :
ALS Vial : 10 Sample Multiplier: 1

Instrument :
ECD_P
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Jun 06 14:07:00 2025
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP051925.M
Quant Title : GC EXTRACTABLES
QLast Update : Sat May 24 03:32:20 2025
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 4.503 min
Delta R.T.: 0.005 min
Response: 28150337
Conc: 14.00 ng/ml

Instrument :
ECD_P
ClientSampleId :




#1 Tetrachloro-m-xylene

R.T.: 3.795 min
Delta R.T.: 0.001 min
Response: 25653276
Conc: 16.05 ng/ml




#2 Decachlorobiphenyl

R.T.: 10.203 min
Delta R.T.: -0.009 min
Response: 27476218
Conc: 16.87 ng/ml



#2 Decachlorobiphenyl


R.T.: 8.809 min
Delta R.T.: -0.012 min
Response: 21086452
Conc: 19.92 ng/ml



#3 AR-1016-1


R.T.: 5.633 min
Delta R.T.: -0.017 min
Response: 1152648
Conc: 15.35 ng/ml

Instrument :
ECD_P
ClientSampleId :




#3 AR-1016-1

R.T.: 4.877 min
Delta R.T.: -0.001 min
Response: 952186
Conc: 15.50 ng/ml




#4 AR-1016-2

R.T.: 5.684 min
Delta R.T.: 0.012 min
Response: 873826
Conc: 8.17 ng/ml



#4 AR-1016-2


R.T.: 4.877 min
Delta R.T.: -0.019 min
Response: 952186
Conc: 10.85 ng/ml



#5 AR-1016-3


R.T.: 5.739 min
Delta R.T.: 0.005 min
Response: 1219908
Conc: 18.61 ng/ml

Instrument :
ECD_P
ClientSampleId :




#5 AR-1016-3

R.T.: 5.068 min
Delta R.T.: -0.005 min
Response: 353619
Conc: 7.42 ng/ml




#6 AR-1016-4

R.T.: 5.811 min
Delta R.T.: -0.021 min
Response: 1403896
Conc: 26.35 ng/ml



#6 AR-1016-4


R.T.: 5.113 min
Delta R.T.: -0.002 min
Response: 735899
Conc: 19.34 ng/ml



#7 AR-1016-5


R.T.: 6.100 min
Delta R.T.: -0.027 min
Response: 248618
Conc: 5.08 ng/ml

Instrument :
ECD_P
ClientSampleId :




#7 AR-1016-5

R.T.: 5.320 min
Delta R.T.: -0.010 min
Response: 816732
Conc: 16.39 ng/ml




#8 AR-1221-1

R.T.: 4.705 min
Delta R.T.: 0.003 min
Response: 2537606
Conc: 97.07 ng/ml



#8 AR-1221-1


R.T.: 3.991 min
Delta R.T.: -0.016 min
Response: 152718
Conc: 5.70 ng/ml



#9 AR-1221-2


R.T.: 4.809 min
Delta R.T.: 0.021 min
Response: 728551
Conc: 35.71 ng/ml

Instrument :
ECD_P
ClientSampleId :




#9 AR-1221-2

R.T.: 4.077 min
Delta R.T.: -0.017 min
Response: 2403737
Conc: 117.06 ng/ml




#10 AR-1221-3

R.T.: 4.868 min
Delta R.T.: 0.005 min
Response: 685235
Conc: 11.33 ng/ml



#10 AR-1221-3


R.T.: 4.169 min
Delta R.T.: 0.000 min
Response: 566983
Conc: 9.63 ng/ml



#11 AR-1232-1


R.T.: 4.868 min
Delta R.T.: 0.005 min
Response: 685235
Conc: 14.55 ng/ml

Instrument :
ECD_P
ClientSampleId :




#11 AR-1232-1

R.T.: 4.169 min
Delta R.T.: 0.001 min
Response: 566983
Conc: 13.08 ng/ml




#12 AR-1232-2

R.T.: 5.405 min
Delta R.T.: 0.016 min
Response: 172354
Conc: 7.40 ng/ml



#12 AR-1232-2


R.T.: 4.877 min
Delta R.T.: -0.021 min
Response: 952186
Conc: 21.55 ng/ml



#13 AR-1232-3


R.T.: 5.684 min
Delta R.T.: 0.009 min
Response: 873826
Conc: 17.45 ng/ml

Instrument :
ECD_P
ClientSampleId :




#13 AR-1232-3

R.T.: 5.068 min
Delta R.T.: -0.007 min
Response: 353619
Conc: 15.12 ng/ml




#14 AR-1232-4

R.T.: 5.811 min
Delta R.T.: -0.024 min
Response: 1403896
Conc: 55.93 ng/ml



#14 AR-1232-4


R.T.: 5.157 min
Delta R.T.: -0.002 min
Response: 463396
Conc: 22.36 ng/ml



#15 AR-1232-5


R.T.: 5.928 min
Delta R.T.: 0.003 min
Response: 1193188
Conc: 68.11 ng/ml

Instrument :
ECD_P
ClientSampleId :




#15 AR-1232-5

R.T.: 5.320 min
Delta R.T.: -0.011 min
Response: 816732
Conc: 35.27 ng/ml




#16 AR-1242-1

R.T.: 5.633 min
Delta R.T.: -0.023 min
Response: 1152648
Conc: 18.41 ng/ml



#16 AR-1242-1


R.T.: 4.877 min
Delta R.T.: -0.004 min
Response: 952186
Conc: 18.27 ng/ml



#17 AR-1242-2


R.T.: 5.684 min
Delta R.T.: 0.007 min
Response: 873826
Conc: 10.07 ng/ml

Instrument :
ECD_P
ClientSampleId :




#17 AR-1242-2

R.T.: 4.877 min
Delta R.T.: -0.022 min
Response: 952186
Conc: 12.96 ng/ml




#18 AR-1242-3

R.T.: 5.739 min
Delta R.T.: -0.002 min
Response: 1219908
Conc: 22.15 ng/ml



#18 AR-1242-3


R.T.: 5.068 min
Delta R.T.: -0.008 min
Response: 353619
Conc: 9.04 ng/ml



#19 AR-1242-4


R.T.: 5.811 min
Delta R.T.: -0.027 min
Response: 1403896
Conc: 31.66 ng/ml

Instrument :
ECD_P
ClientSampleId :




#19 AR-1242-4

R.T.: 5.157 min
Delta R.T.: -0.004 min
Response: 463396
Conc: 12.33 ng/ml




#20 AR-1242-5

R.T.: 6.580 min
Delta R.T.: 0.012 min
Response: 2813862
Conc: 55.19 ng/ml



#20 AR-1242-5


R.T.: 5.678 min
Delta R.T.: -0.006 min
Response: 1038582
Conc: 21.52 ng/ml



#21 AR-1248-1


R.T.: 5.633 min
Delta R.T.: -0.025 min
Response: 1152648
Conc: 23.82 ng/ml

Instrument :
ECD_P
ClientSampleId :




#21 AR-1248-1

R.T.: 4.877 min
Delta R.T.: -0.004 min
Response: 952186
Conc: 21.98 ng/ml




#22 AR-1248-2

R.T.: 5.928 min
Delta R.T.: -0.003 min
Response: 1193188
Conc: 19.68 ng/ml



#22 AR-1248-2


R.T.: 5.113 min
Delta R.T.: -0.005 min
Response: 735899
Conc: 13.03 ng/ml



#23 AR-1248-3


R.T.: 6.100 min
Delta R.T.: -0.033 min
Response: 248618
Conc: 3.76 ng/ml

Instrument :
ECD_P
ClientSampleId :




#23 AR-1248-3

R.T.: 5.157 min
Delta R.T.: -0.004 min
Response: 463396
Conc: 7.84 ng/ml




#24 AR-1248-4

R.T.: 6.531 min
Delta R.T.: -0.002 min
Response: 1047449
Conc: 11.99 ng/ml



#24 AR-1248-4


R.T.: 5.320 min
Delta R.T.: -0.013 min
Response: 816732
Conc: 11.73 ng/ml



#25 AR-1248-5


R.T.: 6.580 min
Delta R.T.: 0.009 min
Response: 2813862
Conc: 33.89 ng/ml

Instrument :
ECD_P
ClientSampleId :




#25 AR-1248-5

R.T.: 5.718 min
Delta R.T.: -0.007 min
Response: 351247
Conc: 5.04 ng/ml




#26 AR-1254-1

R.T.: 6.501 min
Delta R.T.: -0.006 min
Response: 935534
Conc: 10.88 ng/ml



#26 AR-1254-1


R.T.: 5.678 min
Delta R.T.: -0.007 min
Response: 1038582
Conc: 10.39 ng/ml



#27 AR-1254-2


R.T.: 6.715 min
Delta R.T.: -0.008 min
Response: 2076357
Conc: 15.89 ng/ml

Instrument :
ECD_P
ClientSampleId :




#27 AR-1254-2

R.T.: 5.826 min
Delta R.T.: -0.008 min
Response: 626233
Conc: 7.26 ng/ml




#28 AR-1254-3

R.T.: 7.092 min
Delta R.T.: 0.004 min
Response: 2631567
Conc: 19.94 ng/ml



#28 AR-1254-3


R.T.: 6.242 min
Delta R.T.: 0.006 min
Response: 2311543
Conc: 17.97 ng/ml



#29 AR-1254-4


R.T.: 7.364 min
Delta R.T.: -0.007 min
Response: 1429383
Conc: 10.95 ng/ml

Instrument :
ECD_P
ClientSampleId :




#29 AR-1254-4

R.T.: 6.458 min
Delta R.T.: -0.007 min
Response: 862410
Conc: 10.11 ng/ml




#30 AR-1254-5

R.T.: 7.782 min
Delta R.T.: -0.005 min
Response: 855024
Conc: 7.69 ng/ml



#30 AR-1254-5


R.T.: 6.871 min
Delta R.T.: -0.012 min
Response: 1707740
Conc: 15.07 ng/ml



#31 AR-1260-1


R.T.: 7.243 min
Delta R.T.: -0.004 min
Response: 1068540
Conc: 11.42 ng/ml

Instrument :
ECD_P
ClientSampleId :




#31 AR-1260-1

R.T.: 6.358 min
Delta R.T.: -0.006 min
Response: 597138
Conc: 7.49 ng/ml




#32 AR-1260-2

R.T.: 7.487 min
Delta R.T.: -0.013 min
Response: 5704295
Conc: 39.75 ng/ml



#32 AR-1260-2


R.T.: 6.546 min
Delta R.T.: -0.007 min
Response: 539078
Conc: 5.32 ng/ml



#33 AR-1260-3


R.T.: 7.867 min
Delta R.T.: 0.008 min
Response: 1286933
Conc: 11.30 ng/ml

Instrument :
ECD_P
ClientSampleId :




#33 AR-1260-3

R.T.: 6.698 min
Delta R.T.: -0.007 min
Response: 446819
Conc: 5.14 ng/ml




#34 AR-1260-4

R.T.: 8.062 min
Delta R.T.: -0.021 min
Response: 1861797
Conc: 17.35 ng/ml



#34 AR-1260-4


R.T.: 7.168 min
Delta R.T.: -0.008 min
Response: 360144
Conc: 5.00 ng/ml



#35 AR-1260-5


R.T.: 8.398 min
Delta R.T.: -0.005 min
Response: 982867
Conc: 4.15 ng/ml

Instrument :
ECD_P
ClientSampleId :




#35 AR-1260-5

R.T.: 7.410 min
Delta R.T.: -0.008 min
Response: 909312
Conc: 5.24 ng/ml




#36 AR-1262-1

R.T.: 8.062 min
Delta R.T.: -0.026 min
Response: 1861797
Conc: 13.97 ng/ml



#36 AR-1262-1


R.T.: 6.908 min
Delta R.T.: -0.013 min
Response: 467500
Conc: 4.14 ng/ml



#37 AR-1262-2


R.T.: 8.398 min
Delta R.T.: -0.010 min
Response: 982867
Conc: 3.61 ng/ml

Instrument :
ECD_P
ClientSampleId :




#37 AR-1262-2

R.T.: 7.168 min
Delta R.T.: -0.011 min
Response: 360144
Conc: 3.71 ng/ml




#38 AR-1262-3

R.T.: 8.727 min
Delta R.T.: 0.004 min
Response: 377270
Conc: 2.03 ng/ml



#38 AR-1262-3


R.T.: 7.693 min
Delta R.T.: -0.010 min
Response: 369884
Conc: 4.54 ng/ml



#39 AR-1262-4


R.T.: 8.807 min
Delta R.T.: -0.002 min
Response: 1101467
Conc: 8.20 ng/ml

Instrument :
ECD_P
ClientSampleId :




#39 AR-1262-4

R.T.: 7.753 min
Delta R.T.: -0.014 min
Response: 683731
Conc: 4.86 ng/ml




#40 AR-1262-5

R.T.: 9.457 min
Delta R.T.: -0.007 min
Response: 96136
Conc: 1.04 ng/ml



#40 AR-1262-5


R.T.: 8.255 min
Delta R.T.: -0.012 min
Response: 110042
Conc: 1.69 ng/ml



#41 AR-1268-1


R.T.: 8.727 min
Delta R.T.: 0.010 min
Response: 377270
Conc: 1.13 ng/ml

Instrument :
ECD_P
ClientSampleId :




#41 AR-1268-1

R.T.: 7.693 min
Delta R.T.: -0.009 min
Response: 369884
Conc: 1.58 ng/ml




#42 AR-1268-2

R.T.: 8.807 min
Delta R.T.: -0.003 min
Response: 1101467
Conc: 3.93 ng/ml



#42 AR-1268-2


R.T.: 7.753 min
Delta R.T.: -0.015 min
Response: 683731
Conc: 3.31 ng/ml



#43 AR-1268-3


R.T.: 9.035 min
Delta R.T.: -0.006 min
Response: 737360
Conc: 3.05 ng/ml

Instrument :
ECD_P
ClientSampleId :




#43 AR-1268-3

R.T.: 7.961 min
Delta R.T.: -0.010 min
Response: 134656
Conc: 0.80 ng/ml




#44 AR-1268-4

R.T.: 9.457 min
Delta R.T.: -0.003 min
Response: 96136
Conc: 0.92 ng/ml



#44 AR-1268-4


R.T.: 8.255 min
Delta R.T.: -0.010 min
Response: 110042
Conc: 1.51 ng/ml



#45 AR-1268-5

R.T.: 9.872 min
Delta R.T.: -0.004 min
Response: 574232
Conc: 0.85 ng/ml

Instrument :
ECD_P
ClientSampleId :



#45 AR-1268-5

R.T.: 8.551 min
Delta R.T.: -0.013 min
Response: 484290
Conc: 1.06 ng/ml