

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP060723\
 Data File : PP058300.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 07 Jun 2023 01:50
 Operator : YP\AJ
 Sample : I.BLK
 Misc :
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 ECD_P
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Jun 07 05:44:00 2023
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP060623.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Tue Jun 06 04:59:28 2023
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	4.379	3.617	47677251	44619281	20.832	20.679
2)	SA Decachlor...	10.204	8.677	26969464	39582679	24.144	24.007
Target Compounds							
3)	L1 AR-1016-1	5.546	4.722	133066	312284	2.091	4.452 #
4)	L1 AR-1016-2	5.583	4.722	152656	312284	1.653	3.173 #
5)	L1 AR-1016-3	5.636	4.915	305254	286294	5.200	5.092
6)	L1 AR-1016-4	5.749	4.961	25221	632408	0.530	14.143 #
7)	L1 AR-1016-5	6.043	5.168	112253	630015	2.218	10.941 #
8)	L2 AR-1221-1	4.588	3.826	58124	43387	2.053	1.633
9)	L2 AR-1221-2	4.687	3.921	929596	890406	43.991	43.934
10)	L2 AR-1221-3	4.753	3.991	243392	79628	4.092	1.344 #
11)	L3 AR-1232-1	4.753	3.991	243392	79628	5.386	1.824 #
12)	L3 AR-1232-2	5.287	4.722	28027	312284	1.000	6.875 #
13)	L3 AR-1232-3	5.583	4.915	152656	286294	3.518	10.942 #
14)	L3 AR-1232-4	5.749	0.000	25221	0	1.110	N.D. #
15)	L3 AR-1232-5	5.844	5.168	67867	630015	3.412	23.783 #
16)	L4 AR-1242-1	5.546	4.722	133066	312284	2.618	5.649 #
17)	L4 AR-1242-2	5.583	4.722	152656	312284	2.076	4.062 #
18)	L4 AR-1242-3	5.636	4.915	305254	286294	6.520	6.479
19)	L4 AR-1242-4	5.749	0.000	25221	0	0.662	N.D. #
20)	L4 AR-1242-5	6.495	5.501f	224638	378867	6.344	6.855
21)	L5 AR-1248-1	5.546	4.722	133066	312284	3.326	7.088 #
22)	L5 AR-1248-2	5.844	4.961	67867	632408	1.059	10.200 #
23)	L5 AR-1248-3	6.043	0.000	112253	0	1.631	N.D. #
24)	L5 AR-1248-4	6.460	5.168	305787	630015	4.847	8.151 #
25)	L5 AR-1248-5	6.495	5.550f	224638	2182694	3.516	29.562 #
26)	L6 AR-1254-1	6.425	5.501f	770364	378867	10.543	3.494 #
27)	L6 AR-1254-2	6.624f	5.674	161040	459305	1.568	4.732 #
28)	L6 AR-1254-3	7.015	6.077	1446489	637512	14.672	4.117 #
29)	L6 AR-1254-4	7.311	6.305	401113	336848	6.045	3.590 #
30)	L6 AR-1254-5	7.730	6.727	388346	325931	5.307	2.242 #
31)	L7 AR-1260-1	7.194	6.217	153480	311695	1.831	2.863 #
32)	L7 AR-1260-2	7.426	6.388	45377	1462878	0.544	11.357 #
33)	L7 AR-1260-3	7.827f	6.538f	227750	339981	3.967	2.757 #
34)	L7 AR-1260-4	8.034	7.013f	105125	126798	1.556	1.401
35)	L7 AR-1260-5	0.000	7.270	0	61497	N.D.	0.303 #
36)	L8 AR-1262-1	7.827f	6.840f	227750	390110	2.476	6.234 #
37)	L8 AR-1262-2	0.000	7.013f	0	126798	N.D.	1.009 #
38)	L8 AR-1262-3	8.677	7.571	32572	459203	0.345	4.626 #
39)	L8 AR-1262-4	8.775	7.631	129616	81892	1.766	0.453 #
40)	L8 AR-1262-5	9.431	8.141f	57795	14998	1.302	0.186 #
41)	L9 AR-1268-1	8.677	7.571	32572	459203	0.204	1.662 #

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP060723\
 Data File : PP058300.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 07 Jun 2023 01:50
 Operator : YP\AJ
 Sample : I.BLK
 Misc :
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 ECD_P
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Jun 07 05:44:00 2023
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP060623.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Tue Jun 06 04:59:28 2023
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml
42) L9	AR-1268-2	8.775	7.631	129616	81892	0.933	0.322 #
43) L9	AR-1268-3	8.987	7.833	171118	369664	1.324	1.729 #
44) L9	AR-1268-4	9.431	8.141f	57795	14998	1.223	0.171 #
45) L9	AR-1268-5	9.858	8.417	68696	157351	0.206	0.274 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP060723\
Data File : PP058300.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 07 Jun 2023 01:50
Operator : YP\AJ
Sample : I.BLK
Misc :
ALS Vial : 2 Sample Multiplier: 1

Instrument :
ECD_P
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Jun 07 05:44:00 2023
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP060623.M
Quant Title : GC EXTRACTABLES
QLast Update : Tue Jun 06 04:59:28 2023
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 4.379 min
Delta R.T.: 0.000 min
Response: 47677251
Conc: 20.83 ng/ml

Instrument :
ECD_P
ClientSampleId :




#1 Tetrachloro-m-xylene

R.T.: 3.617 min
Delta R.T.: 0.000 min
Response: 44619281
Conc: 20.68 ng/ml




#2 Decachlorobiphenyl

R.T.: 10.204 min
Delta R.T.: 0.000 min
Response: 26969464
Conc: 24.14 ng/ml



#2 Decachlorobiphenyl


R.T.: 8.677 min
Delta R.T.: 0.000 min
Response: 39582679
Conc: 24.01 ng/ml



#3 AR-1016-1


R.T.: 5.546 min
Delta R.T.: -0.013 min
Response: 133066
Conc: 2.09 ng/ml

Instrument :
ECD_P
ClientSampleId :




#3 AR-1016-1

R.T.: 4.722 min
Delta R.T.: 0.008 min
Response: 312284
Conc: 4.45 ng/ml




#4 AR-1016-2

R.T.: 5.583 min
Delta R.T.: 0.002 min
Response: 152656
Conc: 1.65 ng/ml



#4 AR-1016-2


R.T.: 4.722 min
Delta R.T.: -0.011 min
Response: 312284
Conc: 3.17 ng/ml



#5 AR-1016-3


R.T.: 5.636 min
Delta R.T.: -0.008 min
Response: 305254
Conc: 5.20 ng/ml

Instrument :
ECD_P
ClientSampleId :




#5 AR-1016-3

R.T.: 4.915 min
Delta R.T.: 0.003 min
Response: 286294
Conc: 5.09 ng/ml




#6 AR-1016-4

R.T.: 5.749 min
Delta R.T.: 0.006 min
Response: 25221
Conc: 0.53 ng/ml



#6 AR-1016-4


R.T.: 4.961 min
Delta R.T.: 0.008 min
Response: 632408
Conc: 14.14 ng/ml



#7 AR-1016-5


R.T.: 6.043 min
Delta R.T.: 0.000 min
Response: 112253
Conc: 2.22 ng/ml

Instrument :
ECD_P
ClientSampleId :




#7 AR-1016-5

R.T.: 5.168 min
Delta R.T.: -0.001 min
Response: 630015
Conc: 10.94 ng/ml




#8 AR-1221-1

R.T.: 4.588 min
Delta R.T.: 0.000 min
Response: 58124
Conc: 2.05 ng/ml



#8 AR-1221-1


R.T.: 3.826 min
Delta R.T.: -0.007 min
Response: 43387
Conc: 1.63 ng/ml



#9 AR-1221-2


R.T.: 4.687 min
Delta R.T.: 0.011 min
Response: 929596
Conc: 43.99 ng/ml

Instrument :
ECD_P
ClientSampleId :




#9 AR-1221-2

R.T.: 3.921 min
Delta R.T.: 0.000 min
Response: 890406
Conc: 43.93 ng/ml




#10 AR-1221-3

R.T.: 4.753 min
Delta R.T.: 0.000 min
Response: 243392
Conc: 4.09 ng/ml



#10 AR-1221-3


R.T.: 3.991 min
Delta R.T.: -0.006 min
Response: 79628
Conc: 1.34 ng/ml



#11 AR-1232-1


R.T.: 4.753 min
Delta R.T.: 0.000 min
Response: 243392
Conc: 5.39 ng/ml

Instrument :
ECD_P
ClientSampleId :




#11 AR-1232-1

R.T.: 3.991 min
Delta R.T.: -0.006 min
Response: 79628
Conc: 1.82 ng/ml




#12 AR-1232-2

R.T.: 5.287 min
Delta R.T.: -0.002 min
Response: 28027
Conc: 1.00 ng/ml



#12 AR-1232-2


R.T.: 4.722 min
Delta R.T.: -0.011 min
Response: 312284
Conc: 6.88 ng/ml



#13 AR-1232-3


R.T.: 5.583 min
Delta R.T.: 0.002 min
Response: 152656
Conc: 3.52 ng/ml

Instrument :
ECD_P
ClientSampleId :




#13 AR-1232-3

R.T.: 4.915 min
Delta R.T.: 0.004 min
Response: 286294
Conc: 10.94 ng/ml




#14 AR-1232-4

R.T.: 5.749 min
Delta R.T.: 0.006 min
Response: 25221
Conc: 1.11 ng/ml



#14 AR-1232-4


R.T.: 0.000 min
Exp R.T.: 4.995 min
Response: 0
Conc: N.D.



#15 AR-1232-5


R.T.: 5.844 min
Delta R.T.: 0.008 min
Response: 67867
Conc: 3.41 ng/ml

Instrument :
ECD_P
ClientSampleId :




#15 AR-1232-5

R.T.: 5.168 min
Delta R.T.: 0.000 min
Response: 630015
Conc: 23.78 ng/ml




#16 AR-1242-1

R.T.: 5.546 min
Delta R.T.: -0.014 min
Response: 133066
Conc: 2.62 ng/ml



#16 AR-1242-1


R.T.: 4.722 min
Delta R.T.: 0.008 min
Response: 312284
Conc: 5.65 ng/ml



#17 AR-1242-2


R.T.: 5.583 min
Delta R.T.: 0.001 min
Response: 152656
Conc: 2.08 ng/ml

Instrument :
ECD_P
ClientSampleId :




#17 AR-1242-2

R.T.: 4.722 min
Delta R.T.: -0.011 min
Response: 312284
Conc: 4.06 ng/ml




#18 AR-1242-3

R.T.: 5.636 min
Delta R.T.: -0.009 min
Response: 305254
Conc: 6.52 ng/ml



#18 AR-1242-3


R.T.: 4.915 min
Delta R.T.: 0.004 min
Response: 286294
Conc: 6.48 ng/ml



#19 AR-1242-4


R.T.: 5.749 min
Delta R.T.: 0.005 min
Response: 25221
Conc: 0.66 ng/ml

Instrument :
ECD_P
ClientSampleId :




#19 AR-1242-4

R.T.: 0.000 min
Exp R.T. : 4.995 min
Response: 0
Conc: N.D.




#20 AR-1242-5

R.T.: 6.495 min
Delta R.T.: 0.006 min
Response: 224638
Conc: 6.34 ng/ml



#20 AR-1242-5


R.T.: 5.501 min
Delta R.T.: -0.023 min
Response: 378867
Conc: 6.86 ng/ml



#21 AR-1248-1


R.T.: 5.546 min
Delta R.T.: -0.013 min
Response: 133066
Conc: 3.33 ng/ml

Instrument :
ECD_P
ClientSampleId :




#21 AR-1248-1

R.T.: 4.722 min
Delta R.T.: 0.008 min
Response: 312284
Conc: 7.09 ng/ml




#22 AR-1248-2

R.T.: 5.844 min
Delta R.T.: 0.008 min
Response: 67867
Conc: 1.06 ng/ml



#22 AR-1248-2


R.T.: 4.961 min
Delta R.T.: 0.008 min
Response: 632408
Conc: 10.20 ng/ml



#23 AR-1248-3


R.T.: 6.043 min
Delta R.T.: 0.000 min
Response: 112253
Conc: 1.63 ng/ml

Instrument :
ECD_P
ClientSampleId :




#23 AR-1248-3

R.T.: 0.000 min
Exp R.T. : 4.995 min
Response: 0
Conc: N.D.




#24 AR-1248-4

R.T.: 6.460 min
Delta R.T.: 0.010 min
Response: 305787
Conc: 4.85 ng/ml



#24 AR-1248-4


R.T.: 5.168 min
Delta R.T.: 0.000 min
Response: 630015
Conc: 8.15 ng/ml



#25 AR-1248-5


R.T.: 6.495 min
Delta R.T.: 0.006 min
Response: 224638
Conc: 3.52 ng/ml

Instrument :
ECD_P
ClientSampleId :




#25 AR-1248-5

R.T.: 5.550 min
Delta R.T.: -0.016 min
Response: 2182694
Conc: 29.56 ng/ml




#26 AR-1254-1

R.T.: 6.425 min
Delta R.T.: 0.000 min
Response: 770364
Conc: 10.54 ng/ml



#26 AR-1254-1


R.T.: 5.501 min
Delta R.T.: -0.024 min
Response: 378867
Conc: 3.49 ng/ml



#27 AR-1254-2


R.T.: 6.624 min
Delta R.T.: -0.021 min
Response: 161040
Conc: 1.57 ng/ml

Instrument :
ECD_P
ClientSampleId :




#27 AR-1254-2

R.T.: 5.674 min
Delta R.T.: 0.000 min
Response: 459305
Conc: 4.73 ng/ml




#28 AR-1254-3

R.T.: 7.015 min
Delta R.T.: 0.000 min
Response: 1446489
Conc: 14.67 ng/ml



#28 AR-1254-3


R.T.: 6.077 min
Delta R.T.: -0.004 min
Response: 637512
Conc: 4.12 ng/ml



#29 AR-1254-4


R.T.: 7.311 min
Delta R.T.: 0.009 min
Response: 401113
Conc: 6.05 ng/ml

Instrument :
ECD_P
ClientSampleId :




#29 AR-1254-4

R.T.: 6.305 min
Delta R.T.: -0.006 min
Response: 336848
Conc: 3.59 ng/ml




#30 AR-1254-5

R.T.: 7.730 min
Delta R.T.: 0.003 min
Response: 388346
Conc: 5.31 ng/ml



#30 AR-1254-5


R.T.: 6.727 min
Delta R.T.: -0.006 min
Response: 325931
Conc: 2.24 ng/ml



#31 AR-1260-1


R.T.: 7.194 min
Delta R.T.: 0.014 min
Response: 153480
Conc: 1.83 ng/ml

Instrument :
ECD_P
ClientSampleId :




#31 AR-1260-1

R.T.: 6.217 min
Delta R.T.: 0.006 min
Response: 311695
Conc: 2.86 ng/ml




#32 AR-1260-2

R.T.: 7.426 min
Delta R.T.: -0.013 min
Response: 45377
Conc: 0.54 ng/ml



#32 AR-1260-2


R.T.: 6.388 min
Delta R.T.: -0.013 min
Response: 1462878
Conc: 11.36 ng/ml



#33 AR-1260-3


R.T.: 7.827 min
Delta R.T.: 0.024 min
Response: 227750
Conc: 3.97 ng/ml

Instrument :
ECD_P
ClientSampleId :




#33 AR-1260-3

R.T.: 6.538 min
Delta R.T.: -0.018 min
Response: 339981
Conc: 2.76 ng/ml




#34 AR-1260-4

R.T.: 8.034 min
Delta R.T.: 0.004 min
Response: 105125
Conc: 1.56 ng/ml



#34 AR-1260-4


R.T.: 7.013 min
Delta R.T.: -0.020 min
Response: 126798
Conc: 1.40 ng/ml



#35 AR-1260-5


R.T.: 0.000 min
Exp R.T.: 8.353 min
Response: 0
Conc: N.D.

Instrument :
ECD_P
ClientSampleId :




#35 AR-1260-5

R.T.: 7.270 min
Delta R.T.: -0.006 min
Response: 61497
Conc: 0.30 ng/ml




#36 AR-1262-1

R.T.: 7.827 min
Delta R.T.: 0.024 min
Response: 227750
Conc: 2.48 ng/ml



#36 AR-1262-1


R.T.: 6.840 min
Delta R.T.: 0.016 min
Response: 390110
Conc: 6.23 ng/ml



#37 AR-1262-2


R.T.: 0.000 min
Exp R.T.: 8.354 min
Response: 0
Conc: N.D.

Instrument :
ECD_P
ClientSampleId :




#37 AR-1262-2

R.T.: 7.013 min
Delta R.T.: -0.019 min
Response: 126798
Conc: 1.01 ng/ml




#38 AR-1262-3

R.T.: 8.677 min
Delta R.T.: 0.005 min
Response: 32572
Conc: 0.35 ng/ml



#38 AR-1262-3


R.T.: 7.571 min
Delta R.T.: 0.010 min
Response: 459203
Conc: 4.63 ng/ml



#39 AR-1262-4


R.T.: 8.775 min
Delta R.T.: 0.013 min
Response: 129616
Conc: 1.77 ng/ml

Instrument :
ECD_P
ClientSampleId :




#39 AR-1262-4

R.T.: 7.631 min
Delta R.T.: 0.006 min
Response: 81892
Conc: 0.45 ng/ml




#40 AR-1262-5

R.T.: 9.431 min
Delta R.T.: -0.001 min
Response: 57795
Conc: 1.30 ng/ml



#40 AR-1262-5


R.T.: 8.141 min
Delta R.T.: 0.017 min
Response: 14998
Conc: 0.19 ng/ml



#41 AR-1268-1


R.T.: 8.677 min
Delta R.T.: 0.007 min
Response: 32572
Conc: 0.20 ng/ml

Instrument :
ECD_P
ClientSampleId :




#41 AR-1268-1

R.T.: 7.571 min
Delta R.T.: 0.010 min
Response: 459203
Conc: 1.66 ng/ml




#42 AR-1268-2

R.T.: 8.775 min
Delta R.T.: 0.009 min
Response: 129616
Conc: 0.93 ng/ml



#42 AR-1268-2


R.T.: 7.631 min
Delta R.T.: 0.004 min
Response: 81892
Conc: 0.32 ng/ml



#43 AR-1268-3


R.T.: 8.987 min
Delta R.T.: -0.010 min
Response: 171118
Conc: 1.32 ng/ml

Instrument :
ECD_P
ClientSampleId :




#43 AR-1268-3

R.T.: 7.833 min
Delta R.T.: 0.000 min
Response: 369664
Conc: 1.73 ng/ml




#44 AR-1268-4

R.T.: 9.431 min
Delta R.T.: -0.001 min
Response: 57795
Conc: 1.22 ng/ml



#44 AR-1268-4


R.T.: 8.141 min
Delta R.T.: 0.017 min
Response: 14998
Conc: 0.17 ng/ml



#45 AR-1268-5

R.T.: 9.858 min
Delta R.T.: 0.000 min
Response: 68696
Conc: 0.21 ng/ml

Instrument :
ECD_P
ClientSampleId :



#45 AR-1268-5

R.T.: 8.417 min
Delta R.T.: -0.002 min
Response: 157351
Conc: 0.27 ng/ml