

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP061025\
 Data File : PP072804.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 10 Jun 2025 23:57
 Operator : YP\AJ
 Sample : I.BLK
 Misc :
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 ECD_P
 ClientSampleId :
 I.BLK

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Jun 11 02:45:53 2025
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP051925.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Sat May 24 03:32:20 2025
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	4.497	3.791	37765261	32741413	18.781	20.484
2)	SA Decachlor...	10.195	8.804	30428856	21845850	18.678	20.637
Target Compounds							
3)	L1 AR-1016-1	5.644	4.876	286103	84049	3.810	1.368 #
4)	L1 AR-1016-2	5.688	4.876	566479	84049	5.295	0.957 #
5)	L1 AR-1016-3	5.752	5.056	480244	656011	7.325	13.766 #
6)	L1 AR-1016-4	5.831	5.119	79232	659683	1.487	17.339 #
7)	L1 AR-1016-5	6.118	5.339	202202	528370	4.134	10.605 #
8)	L2 AR-1221-1	4.697	3.998	150670	52266	5.763	1.949 #
9)	L2 AR-1221-2	4.800	4.093	699310	668260	34.281	32.543
10)	L2 AR-1221-3	4.859	4.169	299492	138559	4.950	2.353 #
11)	L3 AR-1232-1	4.859	4.169	299492	138559	6.357	3.197 #
12)	L3 AR-1232-2	5.371	4.876	199884	84049	8.585	1.902 #
13)	L3 AR-1232-3	5.688	5.056	566479	656011	11.315	28.055 #
14)	L3 AR-1232-4	5.831	5.157	79232	290670	3.157	14.028 #
15)	L3 AR-1232-5	5.923	5.339	120771	528370	6.894	22.819 #
16)	L4 AR-1242-1	5.644	4.876	286103	84049	4.571	1.613 #
17)	L4 AR-1242-2	5.688	4.876	566479	84049	6.528	1.144 #
18)	L4 AR-1242-3	5.752	5.056	480244	656011	8.721	16.767 #
19)	L4 AR-1242-4	5.831	5.157	79232	290670	1.787	7.734 #
20)	L4 AR-1242-5	6.553	5.695	3703155	4349692	72.633	90.135
21)	L5 AR-1248-1	5.644	4.876	286103	84049	5.912	1.940 #
22)	L5 AR-1248-2	5.923	5.119	120771	659683	1.992	11.680 #
23)	L5 AR-1248-3	6.145	5.157	98895	290670	1.494	4.918 #
24)	L5 AR-1248-4	6.553	5.339	3703155	528370	42.374	7.586 #
25)	L5 AR-1248-5	6.553	5.734	3703155	458181	44.603	6.570 #
26)	L6 AR-1254-1	6.500	5.695	3938473	4349692	45.794	43.517
27)	L6 AR-1254-2	6.718	5.822	3204451	1414167	24.522	16.385 #
28)	L6 AR-1254-3	7.078	6.252	3073690	2131161	23.285	16.569 #
29)	L6 AR-1254-4	7.356	6.465	2578703	1058947	19.759	12.415 #
30)	L6 AR-1254-5	7.775	6.868	41502	39841	0.373	0.351
31)	L7 AR-1260-1	7.249	6.386	1002761	1303060	10.714	16.339 #
32)	L7 AR-1260-2	7.508	6.575	2025878	263382	14.119	2.597 #
33)	L7 AR-1260-3	7.849	6.738	832409	-193100	7.310	N.D. #
34)	L7 AR-1260-4	8.069	7.157	107822	58488	1.005	0.811
35)	L7 AR-1260-5	8.381	7.417	80977	160479	0.342	0.924 #
36)	L8 AR-1262-1	8.069	6.921	107822	30091	0.809	0.266 #
37)	L8 AR-1262-2	8.381	7.157	80977	58488	0.297	0.602 #
38)	L8 AR-1262-3	8.731	7.710	164295	316359	0.886	3.880 #
39)	L8 AR-1262-4	8.810	7.785	200755	288976	1.495	2.055 #
40)	L8 AR-1262-5	9.456	0.000	35158	0	0.380	N.D. #
41)	L9 AR-1268-1	8.714	7.710	601976	316359	1.807	1.351 #

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP061025\
 Data File : PP072804.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 10 Jun 2025 23:57
 Operator : YP\AJ
 Sample : I.BLK
 Misc :
 ALS Vial : 2 Sample Multiplier: 1

Instrument :
 ECD_P
 ClientSampleId :
 I.BLK

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Jun 11 02:45:53 2025
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP051925.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Sat May 24 03:32:20 2025
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml
42) L9	AR-1268-2	8.810	7.785	200755	288976	0.717	1.397 #
43) L9	AR-1268-3	9.047	7.954	118409	184654	0.490	1.090 #
44) L9	AR-1268-4	9.456	0.000	35158	0	0.335	N.D. #
45) L9	AR-1268-5	9.879	8.543	135222	229457	0.200	0.502 #


(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP061025\
Data File : PP072804.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 10 Jun 2025 23:57
Operator : YP\AJ
Sample : I.BLK
Misc :
ALS Vial : 2 Sample Multiplier: 1

Instrument :
ECD_P
ClientSampleId :
I.BLK

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Jun 11 02:45:53 2025
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP051925.M
Quant Title : GC EXTRACTABLES
QLast Update : Sat May 24 03:32:20 2025
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 4.497 min
Delta R.T.: 0.000 min
Response: 37765261
Conc: 18.78 ng/ml

Instrument :
ECD_P
ClientSampleId :
I.BLK




#1 Tetrachloro-m-xylene

R.T.: 3.791 min
Delta R.T.: -0.002 min
Response: 32741413
Conc: 20.48 ng/ml




#2 Decachlorobiphenyl

R.T.: 10.195 min
Delta R.T.: -0.017 min
Response: 30428856
Conc: 18.68 ng/ml



#2 Decachlorobiphenyl


R.T.: 8.804 min
Delta R.T.: -0.017 min
Response: 21845850
Conc: 20.64 ng/ml



#3 AR-1016-1


R.T.: 5.644 min
Delta R.T.: -0.006 min
Response: 286103
Conc: 3.81 ng/ml

Instrument :
ECD_P
ClientSampleId :
I.BLK




#3 AR-1016-1

R.T.: 4.876 min
Delta R.T.: -0.003 min
Response: 84049
Conc: 1.37 ng/ml




#4 AR-1016-2

R.T.: 5.688 min
Delta R.T.: 0.015 min
Response: 566479
Conc: 5.29 ng/ml



#4 AR-1016-2


R.T.: 4.876 min
Delta R.T.: -0.020 min
Response: 84049
Conc: 0.96 ng/ml



#5 AR-1016-3


R.T.: 5.752 min
Delta R.T.: 0.018 min
Response: 480244
Conc: 7.32 ng/ml

Instrument :
ECD_P
ClientSampleId :
I.BLK




#5 AR-1016-3

R.T.: 5.056 min
Delta R.T.: -0.017 min
Response: 656011
Conc: 13.77 ng/ml




#6 AR-1016-4

R.T.: 5.831 min
Delta R.T.: 0.000 min
Response: 79232
Conc: 1.49 ng/ml



#6 AR-1016-4


R.T.: 5.119 min
Delta R.T.: 0.004 min
Response: 659683
Conc: 17.34 ng/ml



#7 AR-1016-5


R.T.: 6.118 min
Delta R.T.: -0.009 min
Response: 202202
Conc: 4.13 ng/ml

Instrument :
ECD_P
ClientSampleId :
I.BLK




#7 AR-1016-5

R.T.: 5.339 min
Delta R.T.: 0.009 min
Response: 528370
Conc: 10.60 ng/ml




#8 AR-1221-1

R.T.: 4.697 min
Delta R.T.: -0.005 min
Response: 150670
Conc: 5.76 ng/ml



#8 AR-1221-1


R.T.: 3.998 min
Delta R.T.: -0.010 min
Response: 52266
Conc: 1.95 ng/ml



#9 AR-1221-2


R.T.: 4.800 min
Delta R.T.: 0.012 min
Response: 699310
Conc: 34.28 ng/ml

Instrument :
ECD_P
ClientSampleId :
I.BLK




#9 AR-1221-2

R.T.: 4.093 min
Delta R.T.: 0.000 min
Response: 668260
Conc: 32.54 ng/ml




#10 AR-1221-3

R.T.: 4.859 min
Delta R.T.: -0.004 min
Response: 299492
Conc: 4.95 ng/ml



#10 AR-1221-3


R.T.: 4.169 min
Delta R.T.: 0.000 min
Response: 138559
Conc: 2.35 ng/ml



#11 AR-1232-1


R.T.: 4.859 min
Delta R.T.: -0.004 min
Response: 299492
Conc: 6.36 ng/ml

Instrument :
ECD_P
ClientSampleId :
I.BLK




#11 AR-1232-1

R.T.: 4.169 min
Delta R.T.: 0.001 min
Response: 138559
Conc: 3.20 ng/ml




#12 AR-1232-2

R.T.: 5.371 min
Delta R.T.: -0.017 min
Response: 199884
Conc: 8.58 ng/ml



#12 AR-1232-2


R.T.: 4.876 min
Delta R.T.: -0.022 min
Response: 84049
Conc: 1.90 ng/ml



#13 AR-1232-3


R.T.: 5.688 min
Delta R.T.: 0.012 min
Response: 566479
Conc: 11.32 ng/ml

Instrument :
ECD_P
ClientSampleId :
I.BLK




#13 AR-1232-3

R.T.: 5.056 min
Delta R.T.: -0.019 min
Response: 656011
Conc: 28.05 ng/ml




#14 AR-1232-4

R.T.: 5.831 min
Delta R.T.: -0.004 min
Response: 79232
Conc: 3.16 ng/ml



#14 AR-1232-4


R.T.: 5.157 min
Delta R.T.: -0.002 min
Response: 290670
Conc: 14.03 ng/ml



#15 AR-1232-5


R.T.: 5.923 min
Delta R.T.: -0.002 min
Response: 120771
Conc: 6.89 ng/ml

Instrument :
ECD_P
ClientSampleId :
I.BLK




#15 AR-1232-5

R.T.: 5.339 min
Delta R.T.: 0.008 min
Response: 528370
Conc: 22.82 ng/ml




#16 AR-1242-1

R.T.: 5.644 min
Delta R.T.: -0.012 min
Response: 286103
Conc: 4.57 ng/ml



#16 AR-1242-1


R.T.: 4.876 min
Delta R.T.: -0.005 min
Response: 84049
Conc: 1.61 ng/ml



#17 AR-1242-2


R.T.: 5.688 min
Delta R.T.: 0.010 min
Response: 566479
Conc: 6.53 ng/ml

Instrument :
ECD_P
ClientSampleId :
I.BLK




#17 AR-1242-2

R.T.: 4.876 min
Delta R.T.: -0.023 min
Response: 84049
Conc: 1.14 ng/ml




#18 AR-1242-3

R.T.: 5.752 min
Delta R.T.: 0.011 min
Response: 480244
Conc: 8.72 ng/ml



#18 AR-1242-3


R.T.: 5.056 min
Delta R.T.: -0.020 min
Response: 656011
Conc: 16.77 ng/ml



#19 AR-1242-4


R.T.: 5.831 min
Delta R.T.: -0.006 min
Response: 79232
Conc: 1.79 ng/ml

Instrument :
ECD_P
ClientSampleId :
I.BLK




#19 AR-1242-4

R.T.: 5.157 min
Delta R.T.: -0.003 min
Response: 290670
Conc: 7.73 ng/ml




#20 AR-1242-5

R.T.: 6.553 min
Delta R.T.: -0.015 min
Response: 3703155
Conc: 72.63 ng/ml



#20 AR-1242-5


R.T.: 5.695 min
Delta R.T.: 0.012 min
Response: 4349692
Conc: 90.13 ng/ml



#21 AR-1248-1


R.T.: 5.644 min
Delta R.T.: -0.014 min
Response: 286103
Conc: 5.91 ng/ml

Instrument :
ECD_P
ClientSampleId :
I.BLK




#21 AR-1248-1

R.T.: 4.876 min
Delta R.T.: -0.005 min
Response: 84049
Conc: 1.94 ng/ml




#22 AR-1248-2

R.T.: 5.923 min
Delta R.T.: -0.008 min
Response: 120771
Conc: 1.99 ng/ml



#22 AR-1248-2


R.T.: 5.119 min
Delta R.T.: 0.000 min
Response: 659683
Conc: 11.68 ng/ml



#23 AR-1248-3


R.T.: 6.145 min
Delta R.T.: 0.011 min
Response: 98895
Conc: 1.49 ng/ml

Instrument :
ECD_P
ClientSampleId :
I.BLK




#23 AR-1248-3

R.T.: 5.157 min
Delta R.T.: -0.004 min
Response: 290670
Conc: 4.92 ng/ml




#24 AR-1248-4

R.T.: 6.553 min
Delta R.T.: 0.020 min
Response: 3703155
Conc: 42.37 ng/ml



#24 AR-1248-4


R.T.: 5.339 min
Delta R.T.: 0.006 min
Response: 528370
Conc: 7.59 ng/ml



#25 AR-1248-5


R.T.: 6.553 min
Delta R.T.: -0.019 min
Response: 3703155
Conc: 44.60 ng/ml

Instrument :
ECD_P
ClientSampleId :
I.BLK




#25 AR-1248-5

R.T.: 5.734 min
Delta R.T.: 0.009 min
Response: 458181
Conc: 6.57 ng/ml




#26 AR-1254-1

R.T.: 6.500 min
Delta R.T.: -0.007 min
Response: 3938473
Conc: 45.79 ng/ml



#26 AR-1254-1


R.T.: 5.695 min
Delta R.T.: 0.010 min
Response: 4349692
Conc: 43.52 ng/ml



#27 AR-1254-2


R.T.: 6.718 min
Delta R.T.: -0.005 min
Response: 3204451
Conc: 24.52 ng/ml

Instrument :
ECD_P
ClientSampleId :
I.BLK




#27 AR-1254-2

R.T.: 5.822 min
Delta R.T.: -0.012 min
Response: 1414167
Conc: 16.39 ng/ml




#28 AR-1254-3

R.T.: 7.078 min
Delta R.T.: -0.010 min
Response: 3073690
Conc: 23.28 ng/ml



#28 AR-1254-3


R.T.: 6.252 min
Delta R.T.: 0.016 min
Response: 2131161
Conc: 16.57 ng/ml



#29 AR-1254-4


R.T.: 7.356 min
Delta R.T.: -0.014 min
Response: 2578703
Conc: 19.76 ng/ml

Instrument :
ECD_P
ClientSampleId :
I.BLK




#29 AR-1254-4

R.T.: 6.465 min
Delta R.T.: 0.000 min
Response: 1058947
Conc: 12.41 ng/ml




#30 AR-1254-5

R.T.: 7.775 min
Delta R.T.: -0.012 min
Response: 41502
Conc: 0.37 ng/ml



#30 AR-1254-5


R.T.: 6.868 min
Delta R.T.: -0.014 min
Response: 39841
Conc: 0.35 ng/ml



#31 AR-1260-1


R.T.: 7.249 min
Delta R.T.: 0.001 min
Response: 1002761
Conc: 10.71 ng/ml

Instrument :
ECD_P
ClientSampleId :
I.BLK




#31 AR-1260-1

R.T.: 6.386 min
Delta R.T.: 0.022 min
Response: 1303060
Conc: 16.34 ng/ml




#32 AR-1260-2

R.T.: 7.508 min
Delta R.T.: 0.008 min
Response: 2025878
Conc: 14.12 ng/ml



#32 AR-1260-2


R.T.: 6.575 min
Delta R.T.: 0.022 min
Response: 263382
Conc: 2.60 ng/ml



#33 AR-1260-3


R.T.: 7.849 min
Delta R.T.: -0.011 min
Response: 832409
Conc: 7.31 ng/ml

Instrument :
ECD_P
ClientSampleId :
I.BLK




#33 AR-1260-3

R.T.: 6.738 min
Delta R.T.: 0.032 min
Response: -193100
Conc: N.D.




#34 AR-1260-4

R.T.: 8.069 min
Delta R.T.: -0.014 min
Response: 107822
Conc: 1.00 ng/ml



#34 AR-1260-4


R.T.: 7.157 min
Delta R.T.: -0.019 min
Response: 58488
Conc: 0.81 ng/ml



#35 AR-1260-5


R.T.: 8.381 min
Delta R.T.: -0.022 min
Response: 80977
Conc: 0.34 ng/ml

Instrument :
ECD_P
ClientSampleId :
I.BLK




#35 AR-1260-5

R.T.: 7.417 min
Delta R.T.: -0.001 min
Response: 160479
Conc: 0.92 ng/ml




#36 AR-1262-1

R.T.: 8.069 min
Delta R.T.: -0.019 min
Response: 107822
Conc: 0.81 ng/ml



#36 AR-1262-1


R.T.: 6.921 min
Delta R.T.: 0.000 min
Response: 30091
Conc: 0.27 ng/ml



#37 AR-1262-2


R.T.: 8.381 min
Delta R.T.: -0.027 min
Response: 80977
Conc: 0.30 ng/ml

Instrument :
ECD_P
ClientSampleId :
I.BLK




#37 AR-1262-2

R.T.: 7.157 min
Delta R.T.: -0.022 min
Response: 58488
Conc: 0.60 ng/ml




#38 AR-1262-3

R.T.: 8.731 min
Delta R.T.: 0.008 min
Response: 164295
Conc: 0.89 ng/ml



#38 AR-1262-3


R.T.: 7.710 min
Delta R.T.: 0.008 min
Response: 316359
Conc: 3.88 ng/ml



#39 AR-1262-4


R.T.: 8.810 min
Delta R.T.: 0.000 min
Response: 200755
Conc: 1.50 ng/ml

Instrument :
ECD_P
ClientSampleId :
I.BLK




#39 AR-1262-4

R.T.: 7.785 min
Delta R.T.: 0.018 min
Response: 288976
Conc: 2.05 ng/ml




#40 AR-1262-5

R.T.: 9.456 min
Delta R.T.: -0.007 min
Response: 35158
Conc: 0.38 ng/ml



#40 AR-1262-5


R.T.: 0.000 min
Exp R.T.: 8.267 min
Response: 0
Conc: N.D.



#41 AR-1268-1


R.T.: 8.714 min
Delta R.T.: -0.004 min
Response: 601976
Conc: 1.81 ng/ml

Instrument :
ECD_P
ClientSampleId :
I.BLK




#41 AR-1268-1

R.T.: 7.710 min
Delta R.T.: 0.009 min
Response: 316359
Conc: 1.35 ng/ml




#42 AR-1268-2

R.T.: 8.810 min
Delta R.T.: 0.000 min
Response: 200755
Conc: 0.72 ng/ml



#42 AR-1268-2


R.T.: 7.785 min
Delta R.T.: 0.017 min
Response: 288976
Conc: 1.40 ng/ml



#43 AR-1268-3


R.T.: 9.047 min
Delta R.T.: 0.006 min
Response: 118409
Conc: 0.49 ng/ml

Instrument :
ECD_P
ClientSampleId :
I.BLK




#43 AR-1268-3

R.T.: 7.954 min
Delta R.T.: -0.018 min
Response: 184654
Conc: 1.09 ng/ml




#44 AR-1268-4

R.T.: 9.456 min
Delta R.T.: -0.004 min
Response: 35158
Conc: 0.34 ng/ml



#44 AR-1268-4


R.T.: 0.000 min
Exp R.T. : 8.265 min
Response: 0
Conc: N.D.



#45 AR-1268-5

R.T.: 9.879 min
Delta R.T.: 0.003 min
Response: 135222
Conc: 0.20 ng/ml

Instrument :
ECD_P
ClientSampleId :
I.BLK



#45 AR-1268-5

R.T.: 8.543 min
Delta R.T.: -0.021 min
Response: 229457
Conc: 0.50 ng/ml