

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP062018\
 Data File : PP062551.D
 Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
 Acq On : 20 Jun 2018 19:33
 Operator : UA/AJ
 Sample : J3529-02
 Misc :
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 ECD_P
 ClientSampleId :
 TPTW-03

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Jun 21 05:24:21 2018
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP062018.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Thu Jun 21 05:10:51 2018
 Response via : Initial Calibration
 Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-CLPEST1 Signal #2 Phase: ZB-CLPEST2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds						
1) SA Tetrachlo...	4.062	4.196	2311157	1546139	25.270	6.745 #
2) SA Decachlor...	8.343	9.017	1263116	1727632	8.363	10.761 #
Target Compounds						
3) L1 Aroclor-1...	4.562	4.552	1199365	2827499	524.229	723.422 #
4) L1 Aroclor-1...	4.990	5.058	1482749	3849991	559.748	1327.998 #
5) L1 Aroclor-1...	5.054	5.263	739439	1587148	407.265	270.376 #
6) L1 Aroclor-1...	5.366	5.338	5374407	6383870	4388.765	1680.158 #
7) L1 Aroclor-1...	5.366	5.618	5374407	3107287	3534.942	777.127 #
8) L2 Aroclor-1...	4.199	4.363	1915108	1319918	4000.767	1838.349 #
9) L2 Aroclor-1...	4.299	4.433	2046557	4497707	2203.664	14235.307 #
10) L2 Aroclor-1...	4.299	4.483	2046557	3297887	586.987	4078.126 #
11) L3 Aroclor-1...	4.562	4.967	1199365	4252885	488.297	2020.768 #
12) L3 Aroclor-1...	4.990	5.209	1482749	2895433	539.526	539.337
13) L3 Aroclor-1...	5.054	5.263	739439	1587148	383.289	6890.816 #
14) L3 Aroclor-1...	5.366	5.577	5374407	6186803	4178.077	1584.850 #
15) L3 Aroclor-1...	5.366	5.816	5374407	10630425	3569.640	7093.140 #
16) L4 Aroclor-1...	4.562	4.788	1199365	2291697	488.297	325.960 #
17) L4 Aroclor-1...	4.893	5.104	795349	3806403	132.867	271.265 #
18) L4 Aroclor-1...	4.990	5.263	1482749	1587148	539.526	6890.816 #
19) L4 Aroclor-1...	5.295	5.577	1250156	6186803	515.462	1584.850 #
20) L4 Aroclor-1...	5.607	5.663	6052337	2195118	10514.077	570.487 #
21) L5 Aroclor-1...	5.295	5.577	1250156	6186803	515.462	1584.850 #
22) L5 Aroclor-1...	5.366	5.663	5374407	2195118	4178.077	570.487 #
23) L5 Aroclor-1...	5.607	5.816	6052337	10630425	8614.041	7093.140
24) L5 Aroclor-1...	5.607	5.816	6052337	10630425	10514.077	7093.140 #
25) L5 Aroclor-1...	5.731	6.052	1117832	7060159	754.456	20476.744 #
26) L6 Aroclor-1...	5.731	5.816	1117832	10630425	754.456	7093.140 #
27) L6 Aroclor-1...	5.968	5.989	1400905	2865143	1340.900	1124.414
28) L6 Aroclor-1...	6.034	6.382	1884978	2066662	2341.545	910.711 #
29) L6 Aroclor-1...	6.295	6.670	2016606	3177675	3365.328	388.116 #
30) L6 Aroclor-1...	6.625	7.011	2329958	6941436	256.354	608.208 #
31) L7 Aroclor-1...	6.207	6.594	1292914	22063533	352.647	2759.799 #
32) L7 Aroclor-1...	6.625	6.716	2329958	2326368	247.837	257.278
33) L7 Aroclor-1...	6.707	7.092	762197	1887125	113.136	295.272 #
34) L7 Aroclor-1...	6.910	7.358	7862332	6096552	1478.726	822.859 #
35) L7 Aroclor-1...	7.161	7.514	3644473	5866565	191.206	364.774 #
36) L8 Aroclor-1...	6.207	6.670	1292914	3177675	367.175	388.116
37) L8 Aroclor-1...	6.409	6.808	22980623	11221191	2841.206	1855.323 #
38) L8 Aroclor-1...	6.707	7.011	762197	6941436	118.465	32210.595 #

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP062018\
 Data File : PP026551.D
 Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
 Acq On : 20 Jun 2018 19:33
 Operator : UA/AJ
 Sample : J3529-02
 Misc :
 ALS Vial : 8 Sample Multiplier: 1

Instrument :
 ECD_P
 ClientSampleId :
 TPTW-03

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Jun 21 05:24:21 2018
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP062018.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Thu Jun 21 05:10:51 2018
 Response via : Initial Calibration
 Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-CLPEST1 Signal #2 Phase: ZB-CLPEST2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml
39) L8	Aroclor-1...	6.910	7.300	7862332	7779421	1479.620	1183.386
40) L8	Aroclor-1...	7.161	7.450	3644473	10252169	189.217	45243.049 #
41) L9	Aroclor-1...	7.441	7.748	8645621	7973615	690.363	33766.852 #
42) L9	Aroclor-1...	7.441	7.813	8645621	5249883	1723.448	460.474 #
43) L9	Aroclor-1...	7.649	8.074	3008794	10050637	13306.610	42091.632 #
44) L9	Aroclor-1...	7.917	8.258	2468156	14560315	479.155	3033.079 #
45) L9	Aroclor-1...	8.178	8.638	1412887	5484763	1128.235	4207.117 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP062018\
Data File : PP026551.D
Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
Acq On : 20 Jun 2018 19:33
Operator : UA/AJ
Sample : J3529-02
Misc :
ALS Vial : 8 Sample Multiplier: 1

Instrument :
ECD_P
ClientSampleId :
TPTW-03

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Jun 21 05:24:21 2018
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP062018.M
Quant Title : GC EXTRACTABLES
QLast Update : Thu Jun 21 05:10:51 2018
Response via : Initial Calibration
Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
Signal #1 Phase : ZB-CLPEST1 Signal #2 Phase: ZB-CLPEST2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 4.062 min
Delta R.T.: 0.000 min
Response: 2311157
Conc: 25.27 ng/ml

Instrument :
ECD_P
ClientSampleId :
TPTW-03




#1 Tetrachloro-m-xylene

R.T.: 4.196 min
Delta R.T.: 0.007 min
Response: 1546139
Conc: 6.74 ng/ml




#2 Decachlorobiphenyl

R.T.: 8.343 min
Delta R.T.: 0.008 min
Response: 1263116
Conc: 8.36 ng/ml



#2 Decachlorobiphenyl


R.T.: 9.017 min
Delta R.T.: -0.026 min
Response: 1727632
Conc: 10.76 ng/ml



#3 Aroclor-1016-1


R.T.: 4.562 min
Delta R.T.: -0.007 min
Response: 1199365
Conc: 524.23 ng/ml

Instrument :
ECD_P
ClientSampleId :
TPTW-03




#3 Aroclor-1016-1

R.T.: 4.552 min
Delta R.T.: 0.007 min
Response: 2827499
Conc: 723.42 ng/ml




#4 Aroclor-1016-2

R.T.: 4.990 min
Delta R.T.: -0.005 min
Response: 1482749
Conc: 559.75 ng/ml



#4 Aroclor-1016-2


R.T.: 5.058 min
Delta R.T.: 0.041 min
Response: 3849991
Conc: 1328.00 ng/ml



#5 Aroclor-1016-3


R.T.: 5.054 min
Delta R.T.: 0.014 min
Response: 739439
Conc: 407.27 ng/ml

Instrument :
ECD_P
ClientSampleId :
TPTW-03




#5 Aroclor-1016-3

R.T.: 5.263 min
Delta R.T.: 0.002 min
Response: 1587148
Conc: 270.38 ng/ml




#6 Aroclor-1016-4

R.T.: 5.366 min
Delta R.T.: 0.016 min
Response: 5374407
Conc: 4388.77 ng/ml



#6 Aroclor-1016-4


R.T.: 5.338 min
Delta R.T.: -0.002 min
Response: 6383870
Conc: 1680.16 ng/ml



#7 Aroclor-1016-5


R.T.: 5.366 min
Delta R.T.: -0.011 min
Response: 5374407
Conc: 3534.94 ng/ml

Instrument :
ECD_P
ClientSampleId :
TPTW-03




#7 Aroclor-1016-5

R.T.: 5.618 min
Delta R.T.: 0.012 min
Response: 3107287
Conc: 777.13 ng/ml




#8 Aroclor-1221-1

R.T.: 4.199 min
Delta R.T.: 0.017 min
Response: 1915108
Conc: 4000.77 ng/ml



#8 Aroclor-1221-1


R.T.: 4.363 min
Delta R.T.: 0.005 min
Response: 1319918
Conc: 1838.35 ng/ml



#9 Aroclor-1221-2


R.T.: 4.299 min
Delta R.T.: 0.009 min
Response: 2046557
Conc: 2203.66 ng/ml

Instrument :
ECD_P
ClientSampleId :
TPTW-03




#9 Aroclor-1221-2

R.T.: 4.433 min
Delta R.T.: 0.007 min
Response: 4497707
Conc: 14235.31 ng/ml




#10 Aroclor-1221-3

R.T.: 4.299 min
Delta R.T.: -0.021 min
Response: 2046557
Conc: 586.99 ng/ml



#10 Aroclor-1221-3


R.T.: 4.483 min
Delta R.T.: 0.023 min
Response: 3297887
Conc: 4078.13 ng/ml



#11 Aroclor-1232-1


R.T.: 4.562 min
Delta R.T.: -0.009 min
Response: 1199365
Conc: 488.30 ng/ml

Instrument :
ECD_P
ClientSampleId :
TPTW-03




#11 Aroclor-1232-1

R.T.: 4.967 min
Delta R.T.: 0.020 min
Response: 4252885
Conc: 2020.77 ng/ml




#12 Aroclor-1232-2

R.T.: 4.990 min
Delta R.T.: -0.006 min
Response: 1482749
Conc: 539.53 ng/ml



#12 Aroclor-1232-2


R.T.: 5.209 min
Delta R.T.: -0.009 min
Response: 2895433
Conc: 539.34 ng/ml



#13 Aroclor-1232-3


R.T.: 5.054 min
Delta R.T.: 0.012 min
Response: 739439
Conc: 383.29 ng/ml

Instrument :
ECD_P
ClientSampleId :
TPTW-03




#13 Aroclor-1232-3

R.T.: 5.263 min
Delta R.T.: 0.008 min
Response: 1587148
Conc: 6890.82 ng/ml




#14 Aroclor-1232-4

R.T.: 5.366 min
Delta R.T.: 0.014 min
Response: 5374407
Conc: 4178.08 ng/ml



#14 Aroclor-1232-4


R.T.: 5.577 min
Delta R.T.: 0.015 min
Response: 6186803
Conc: 1584.85 ng/ml



#15 Aroclor-1232-5


R.T.: 5.366 min
Delta R.T.: -0.012 min
Response: 5374407
Conc: 3569.64 ng/ml

Instrument :
ECD_P
ClientSampleId :
TPTW-03




#15 Aroclor-1232-5

R.T.: 5.816 min
Delta R.T.: -0.021 min
Response: 10630425
Conc: 7093.14 ng/ml




#16 Aroclor-1242-1

R.T.: 4.562 min
Delta R.T.: -0.009 min
Response: 1199365
Conc: 488.30 ng/ml



#16 Aroclor-1242-1


R.T.: 4.788 min
Delta R.T.: -0.004 min
Response: 2291697
Conc: 325.96 ng/ml



#17 Aroclor-1242-2


R.T.: 4.893 min
Delta R.T.: -0.009 min
Response: 795349
Conc: 132.87 ng/ml

Instrument :
ECD_P
ClientSampleId :
TPTW-03




#17 Aroclor-1242-2

R.T.: 5.104 min
Delta R.T.: -0.014 min
Response: 3806403
Conc: 271.27 ng/ml




#18 Aroclor-1242-3

R.T.: 4.990 min
Delta R.T.: -0.006 min
Response: 1482749
Conc: 539.53 ng/ml



#18 Aroclor-1242-3


R.T.: 5.263 min
Delta R.T.: 0.008 min
Response: 1587148
Conc: 6890.82 ng/ml



#19 Aroclor-1242-4


R.T.: 5.295 min
Delta R.T.: 0.007 min
Response: 1250156
Conc: 515.46 ng/ml

Instrument :
ECD_P
ClientSampleId :
TPTW-03




#19 Aroclor-1242-4

R.T.: 5.577 min
Delta R.T.: 0.015 min
Response: 6186803
Conc: 1584.85 ng/ml




#20 Aroclor-1242-5

R.T.: 5.607 min
Delta R.T.: -0.010 min
Response: 6052337
Conc: 10514.08 ng/ml



#20 Aroclor-1242-5


R.T.: 5.663 min
Delta R.T.: 0.006 min
Response: 2195118
Conc: 570.49 ng/ml



#21 Aroclor-1248-1


R.T.: 5.295 min
Delta R.T.: 0.007 min
Response: 1250156
Conc: 515.46 ng/ml

Instrument :
ECD_P
ClientSampleId :
TPTW-03




#21 Aroclor-1248-1

R.T.: 5.577 min
Delta R.T.: 0.015 min
Response: 6186803
Conc: 1584.85 ng/ml




#22 Aroclor-1248-2

R.T.: 5.366 min
Delta R.T.: 0.014 min
Response: 5374407
Conc: 4178.08 ng/ml



#22 Aroclor-1248-2


R.T.: 5.663 min
Delta R.T.: 0.006 min
Response: 2195118
Conc: 570.49 ng/ml



#23 Aroclor-1248-3


R.T.: 5.607 min
Delta R.T.: 0.012 min
Response: 6052337
Conc: 8614.04 ng/ml

Instrument :
ECD_P
ClientSampleId :
TPTW-03




#23 Aroclor-1248-3

R.T.: 5.816 min
Delta R.T.: -0.021 min
Response: 10630425
Conc: 7093.14 ng/ml




#24 Aroclor-1248-4

R.T.: 5.607 min
Delta R.T.: -0.010 min
Response: 6052337
Conc: 10514.08 ng/ml



#24 Aroclor-1248-4


R.T.: 5.816 min
Delta R.T.: -0.021 min
Response: 10630425
Conc: 7093.14 ng/ml



#25 Aroclor-1248-5


R.T.: 5.731 min
Delta R.T.: -0.022 min
Response: 1117832
Conc: 754.46 ng/ml

Instrument :
ECD_P
ClientSampleId :
TPTW-03




#25 Aroclor-1248-5

R.T.: 6.052 min
Delta R.T.: -0.006 min
Response: 7060159
Conc: 20476.74 ng/ml




#26 Aroclor-1254-1

R.T.: 5.731 min
Delta R.T.: -0.022 min
Response: 1117832
Conc: 754.46 ng/ml



#26 Aroclor-1254-1


R.T.: 5.816 min
Delta R.T.: -0.021 min
Response: 10630425
Conc: 7093.14 ng/ml



#27 Aroclor-1254-2


R.T.: 5.968 min
Delta R.T.: 0.005 min
Response: 1400905
Conc: 1340.90 ng/ml

Instrument :
ECD_P
ClientSampleId :
TPTW-03




#27 Aroclor-1254-2

R.T.: 5.989 min
Delta R.T.: -0.020 min
Response: 2865143
Conc: 1124.41 ng/ml




#28 Aroclor-1254-3

R.T.: 6.034 min
Delta R.T.: -0.022 min
Response: 1884978
Conc: 2341.54 ng/ml



#28 Aroclor-1254-3


R.T.: 6.382 min
Delta R.T.: 0.006 min
Response: 2066662
Conc: 910.71 ng/ml



#29 Aroclor-1254-4


R.T.: 6.295 min
Delta R.T.: 0.024 min
Response: 2016606
Conc: 3365.33 ng/ml

Instrument :
ECD_P
ClientSampleId :
TPTW-03




#29 Aroclor-1254-4

R.T.: 6.670 min
Delta R.T.: -0.012 min
Response: 3177675
Conc: 388.12 ng/ml




#30 Aroclor-1254-5

R.T.: 6.625 min
Delta R.T.: -0.005 min
Response: 2329958
Conc: 256.35 ng/ml



#30 Aroclor-1254-5


R.T.: 7.011 min
Delta R.T.: 0.026 min
Response: 6941436
Conc: 608.21 ng/ml



#31 Aroclor-1260-1


R.T.: 6.207 min
Delta R.T.: 0.013 min
Response: 1292914
Conc: 352.65 ng/ml

Instrument :
ECD_P
ClientSampleId :
TPTW-03




#31 Aroclor-1260-1

R.T.: 6.594 min
Delta R.T.: 0.017 min
Response: 22063533
Conc: 2759.80 ng/ml




#32 Aroclor-1260-2

R.T.: 6.625 min
Delta R.T.: -0.004 min
Response: 2329958
Conc: 247.84 ng/ml



#32 Aroclor-1260-2


R.T.: 6.716 min
Delta R.T.: -0.012 min
Response: 2326368
Conc: 257.28 ng/ml



#33 Aroclor-1260-3


R.T.: 6.707 min
Delta R.T.: -0.008 min
Response: 762197
Conc: 113.14 ng/ml

Instrument :
ECD_P
ClientSampleId :
TPTW-03




#33 Aroclor-1260-3

R.T.: 7.092 min
Delta R.T.: -0.005 min
Response: 1887125
Conc: 295.27 ng/ml




#34 Aroclor-1260-4

R.T.: 6.910 min
Delta R.T.: -0.005 min
Response: 7862332
Conc: 1478.73 ng/ml



#34 Aroclor-1260-4


R.T.: 7.358 min
Delta R.T.: 0.007 min
Response: 6096552
Conc: 822.86 ng/ml



#35 Aroclor-1260-5


R.T.: 7.161 min
Delta R.T.: 0.000 min
Response: 3644473
Conc: 191.21 ng/ml

Instrument :
ECD_P
ClientSampleId :
TPTW-03




#35 Aroclor-1260-5

R.T.: 7.514 min
Delta R.T.: -0.029 min
Response: 5866565
Conc: 364.77 ng/ml




#36 Aroclor-1262-1

R.T.: 6.207 min
Delta R.T.: 0.012 min
Response: 1292914
Conc: 367.18 ng/ml



#36 Aroclor-1262-1


R.T.: 6.670 min
Delta R.T.: -0.012 min
Response: 3177675
Conc: 388.12 ng/ml



#37 Aroclor-1262-2


R.T.: 6.409 min
Delta R.T.: 0.003 min
Response: 22980623
Conc: 2841.21 ng/ml

Instrument :
ECD_P
ClientSampleId :
TPTW-03




#37 Aroclor-1262-2

R.T.: 6.808 min
Delta R.T.: -0.015 min
Response: 11221191
Conc: 1855.32 ng/ml




#38 Aroclor-1262-3

R.T.: 6.707 min
Delta R.T.: -0.009 min
Response: 762197
Conc: 118.46 ng/ml



#38 Aroclor-1262-3


R.T.: 7.011 min
Delta R.T.: -0.010 min
Response: 6941436
Conc: 32210.59 ng/ml



#39 Aroclor-1262-4


R.T.: 6.910 min
Delta R.T.: -0.006 min
Response: 7862332
Conc: 1479.62 ng/ml

Instrument :
ECD_P
ClientSampleId :
TPTW-03




#39 Aroclor-1262-4

R.T.: 7.300 min
Delta R.T.: -0.004 min
Response: 7779421
Conc: 1183.39 ng/ml




#40 Aroclor-1262-5

R.T.: 7.161 min
Delta R.T.: -0.001 min
Response: 3644473
Conc: 189.22 ng/ml



#40 Aroclor-1262-5


R.T.: 7.450 min
Delta R.T.: -0.013 min
Response: 10252169
Conc: 45243.05 ng/ml



#41 Aroclor-1268-1


R.T.: 7.441 min
Delta R.T.: 0.042 min
Response: 8645621
Conc: 690.36 ng/ml

Instrument :
ECD_P
ClientSampleId :
TPTW-03




#41 Aroclor-1268-1

R.T.: 7.748 min
Delta R.T.: -0.006 min
Response: 7973615
Conc: 33766.85 ng/ml




#42 Aroclor-1268-2

R.T.: 7.441 min
Delta R.T.: -0.019 min
Response: 8645621
Conc: 1723.45 ng/ml



#42 Aroclor-1268-2


R.T.: 7.813 min
Delta R.T.: -0.005 min
Response: 5249883
Conc: 460.47 ng/ml



#43 Aroclor-1268-3


R.T.: 7.649 min
Delta R.T.: 0.030 min
Response: 3008794
Conc: 13306.61 ng/ml

Instrument :
ECD_P
ClientSampleId :
TPTW-03




#43 Aroclor-1268-3

R.T.: 8.074 min
Delta R.T.: 0.006 min
Response: 10050637
Conc: 42091.63 ng/ml




#44 Aroclor-1268-4

R.T.: 7.917 min
Delta R.T.: 0.011 min
Response: 2468156
Conc: 479.15 ng/ml



#44 Aroclor-1268-4


R.T.: 8.258 min
Delta R.T.: -0.057 min
Response: 14560315
Conc: 3033.08 ng/ml



#45 Aroclor-1268-5

R.T.: 8.178 min
Delta R.T.: 0.023 min
Response: 1412887
Conc: 1128.23 ng/ml

Instrument :
ECD_P
ClientSampleId :
TPTW-03



#45 Aroclor-1268-5

R.T.: 8.638 min
Delta R.T.: -0.024 min
Response: 5484763
Conc: 4207.12 ng/ml