

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP062025\
 Data File : PP073139.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 20 Jun 2025 17:18
 Operator : YP\AJ
 Sample : PB168562BSD
 Misc :
 ALS Vial : 19 Sample Multiplier: 1

Instrument :
 ECD_P
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Jun 20 23:04:24 2025
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP061725.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Wed Jun 18 08:17:15 2025
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	4.491	3.788	42432839	33616653	20.103	18.657
2)	SA Decachlor...	10.184	8.797	38643554	28511725	22.613	21.362
Target Compounds							
3)	L1 AR-1016-1	5.643	4.867	33958992	30857778	467.294	449.051
4)	L1 AR-1016-2	5.664	4.885	52175240	45919885	501.585	456.285
5)	L1 AR-1016-3	5.726	5.062	32002849	25044266	489.727	457.712
6)	L1 AR-1016-4	5.823	5.103	26455426	19982476	506.025	448.544
7)	L1 AR-1016-5	6.116	5.317	23326306	24742275	466.479	447.562
8)	L2 AR-1221-1	4.689	3.996	2888554	3332718	117.139	124.020
9)	L2 AR-1221-2	4.778	4.084	4233302	4181700	209.787	207.164
10)	L2 AR-1221-3	4.854	4.158	18227554	16934066	296.135	288.328
11)	L3 AR-1232-1	4.854	4.158	18227554	16934066	388.182	371.649
12)	L3 AR-1232-2	5.378	4.885	25184257	45919885	1125.811	992.651
13)	L3 AR-1232-3	5.664	5.062	52175240	25044266	1011.195	1019.804
14)	L3 AR-1232-4	5.823	5.146	26455426	24028415	1024.991	1111.132
15)	L3 AR-1232-5	5.913	5.317	20601432	24742275	577.553	1082.392 #
16)	L4 AR-1242-1	5.643	4.867	33958992	30857778	581.119	558.825
17)	L4 AR-1242-2	5.664	4.885	52175240	45919885	602.803	577.707
18)	L4 AR-1242-3	5.726	5.062	32002849	25044266	607.176	578.323
19)	L4 AR-1242-4	5.823	5.146	26455426	24028415	601.831	578.944
20)	L4 AR-1242-5	6.554	5.668	3956909	19960863	79.841	379.581 #
21)	L5 AR-1248-1	5.643	4.867	33958992	30857778	713.897	707.903
22)	L5 AR-1248-2	5.913	5.103	20601432	19982476	351.855	341.023
23)	L5 AR-1248-3	6.116	5.146	23326306	24028415	357.495	396.874
24)	L5 AR-1248-4	6.490	5.317	22794151	24742275	267.963	353.348 #
25)	L5 AR-1248-5	6.554	5.709	3956909	3238829	47.279	45.597
26)	L6 AR-1254-1	6.490	5.668	22794151	19960863	270.798	182.042 #
27)	L6 AR-1254-2	6.705	5.816	20804053	19334786	165.900	204.501
28)	L6 AR-1254-3	7.069	6.232	11140800	33928827	84.908	229.952 #
29)	L6 AR-1254-4	7.352	6.446	8504382	3976954	70.998	40.957 #
30)	L6 AR-1254-5	7.766	6.863	75755404	60969105	663.030	469.128 #
31)	L7 AR-1260-1	7.233	6.348	46204281	45144506	523.779	476.557
32)	L7 AR-1260-2	7.486	6.537	69184494	54337567	509.145	466.672
33)	L7 AR-1260-3	7.844	6.689	49757660	49541323	435.889	475.622
34)	L7 AR-1260-4	8.068	7.158	49104608	36365576	476.533	414.477
35)	L7 AR-1260-5	8.386	7.401	109.2E6	87897715	453.887	411.891
36)	L8 AR-1262-1	8.068	6.899	49104608	40943121	331.736	283.408
37)	L8 AR-1262-2	8.386	7.158	109.2E6	36365576	345.109	297.516
38)	L8 AR-1262-3	8.709	7.681	68619724	18655211	320.694	165.526 #
39)	L8 AR-1262-4	8.769	7.745	38524952	62093126	244.458	338.647 #
40)	L8 AR-1262-5	9.436	8.244	28487828	20559463	254.666	237.448
41)	L9 AR-1268-1	8.709	7.681	68619724	18655211	191.877	64.941 #

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP062025\
Data File : PP073139.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 20 Jun 2025 17:18
Operator : YP\AJ
Sample : PB168562BSD
Misc :
ALS Vial : 19 Sample Multiplier: 1

Instrument :
ECD_P
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Jun 20 23:04:24 2025
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP061725.M
Quant Title : GC EXTRACTABLES
QLast Update : Wed Jun 18 08:17:15 2025
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml
42)	L9 AR-1268-2	8.769	7.745	38524952	62093126	126.286	241.497 #
43)	L9 AR-1268-3	9.017	7.949	5032538	2209528	18.954	10.232 #
44)	L9 AR-1268-4	9.436	8.244	28487828	20559463	243.435	218.287
45)	L9 AR-1268-5	9.849	8.540	7909447	6585392	10.694	11.378



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP062025\
Data File : PP073139.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 20 Jun 2025 17:18
Operator : YP\AJ
Sample : PB168562BSD
Misc :
ALS Vial : 19 Sample Multiplier: 1

Instrument :
ECD_P
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Jun 20 23:04:24 2025
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP061725.M
Quant Title : GC EXTRACTABLES
QLast Update : Wed Jun 18 08:17:15 2025
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 4.491 min
Delta R.T.: -0.003 min
Response: 42432839
Conc: 20.10 ng/ml

Instrument :
ECD_P
ClientSampleId :




#1 Tetrachloro-m-xylene

R.T.: 3.788 min
Delta R.T.: 0.000 min
Response: 33616653
Conc: 18.66 ng/ml




#2 Decachlorobiphenyl

R.T.: 10.184 min
Delta R.T.: -0.003 min
Response: 38643554
Conc: 22.61 ng/ml



#2 Decachlorobiphenyl


R.T.: 8.797 min
Delta R.T.: 0.000 min
Response: 28511725
Conc: 21.36 ng/ml



#3 AR-1016-1


R.T.: 5.643 min
Delta R.T.: -0.003 min
Response: 33958992
Conc: 467.29 ng/ml

Instrument :
ECD_P
ClientSampleId :




#3 AR-1016-1

R.T.: 4.867 min
Delta R.T.: 0.000 min
Response: 30857778
Conc: 449.05 ng/ml




#4 AR-1016-2

R.T.: 5.664 min
Delta R.T.: -0.003 min
Response: 52175240
Conc: 501.59 ng/ml



#4 AR-1016-2


R.T.: 4.885 min
Delta R.T.: 0.000 min
Response: 45919885
Conc: 456.29 ng/ml



#5 AR-1016-3


R.T.: 5.726 min
Delta R.T.: -0.004 min
Response: 32002849
Conc: 489.73 ng/ml

Instrument :
ECD_P
ClientSampleId :




#5 AR-1016-3

R.T.: 5.062 min
Delta R.T.: 0.000 min
Response: 25044266
Conc: 457.71 ng/ml




#6 AR-1016-4

R.T.: 5.823 min
Delta R.T.: -0.003 min
Response: 26455426
Conc: 506.03 ng/ml



#6 AR-1016-4


R.T.: 5.103 min
Delta R.T.: 0.000 min
Response: 19982476
Conc: 448.54 ng/ml



#7 AR-1016-5


R.T.: 6.116 min
Delta R.T.: -0.004 min
Response: 23326306
Conc: 466.48 ng/ml

Instrument :
ECD_P
ClientSampleId :




#7 AR-1016-5

R.T.: 5.317 min
Delta R.T.: 0.000 min
Response: 24742275
Conc: 447.56 ng/ml




#8 AR-1221-1

R.T.: 4.689 min
Delta R.T.: -0.004 min
Response: 2888554
Conc: 117.14 ng/ml



#8 AR-1221-1


R.T.: 3.996 min
Delta R.T.: -0.002 min
Response: 3332718
Conc: 124.02 ng/ml



#9 AR-1221-2


R.T.: 4.778 min
Delta R.T.: 0.000 min
Response: 4233302
Conc: 209.79 ng/ml

Instrument :
ECD_P
ClientSampleId :




#9 AR-1221-2

R.T.: 4.084 min
Delta R.T.: -0.001 min
Response: 4181700
Conc: 207.16 ng/ml




#10 AR-1221-3

R.T.: 4.854 min
Delta R.T.: 0.000 min
Response: 18227554
Conc: 296.14 ng/ml



#10 AR-1221-3


R.T.: 4.158 min
Delta R.T.: -0.002 min
Response: 16934066
Conc: 288.33 ng/ml



#11 AR-1232-1


R.T.: 4.854 min
Delta R.T.: -0.005 min
Response: 18227554
Conc: 388.18 ng/ml

Instrument :
ECD_P
ClientSampleId :




#11 AR-1232-1

R.T.: 4.158 min
Delta R.T.: 0.000 min
Response: 16934066
Conc: 371.65 ng/ml




#12 AR-1232-2

R.T.: 5.378 min
Delta R.T.: -0.005 min
Response: 25184257
Conc: 1125.81 ng/ml



#12 AR-1232-2


R.T.: 4.885 min
Delta R.T.: -0.001 min
Response: 45919885
Conc: 992.65 ng/ml



#13 AR-1232-3


R.T.: 5.664 min
Delta R.T.: -0.005 min
Response: 52175240
Conc: 1011.20 ng/ml

Instrument :
ECD_P
ClientSampleId :




#13 AR-1232-3

R.T.: 5.062 min
Delta R.T.: 0.000 min
Response: 25044266
Conc: 1019.80 ng/ml




#14 AR-1232-4

R.T.: 5.823 min
Delta R.T.: -0.006 min
Response: 26455426
Conc: 1024.99 ng/ml



#14 AR-1232-4


R.T.: 5.146 min
Delta R.T.: 0.000 min
Response: 24028415
Conc: 1111.13 ng/ml



#15 AR-1232-5


R.T.: 5.913 min
Delta R.T.: -0.007 min
Response: 20601432
Conc: 577.55 ng/ml

Instrument :
ECD_P
ClientSampleId :




#15 AR-1232-5

R.T.: 5.317 min
Delta R.T.: -0.001 min
Response: 24742275
Conc: 1082.39 ng/ml




#16 AR-1242-1

R.T.: 5.643 min
Delta R.T.: -0.002 min
Response: 33958992
Conc: 581.12 ng/ml



#16 AR-1242-1


R.T.: 4.867 min
Delta R.T.: 0.000 min
Response: 30857778
Conc: 558.83 ng/ml



#17 AR-1242-2


R.T.: 5.664 min
Delta R.T.: -0.002 min
Response: 52175240
Conc: 602.80 ng/ml

Instrument :
ECD_P
ClientSampleId :




#17 AR-1242-2

R.T.: 4.885 min
Delta R.T.: 0.000 min
Response: 45919885
Conc: 577.71 ng/ml




#18 AR-1242-3

R.T.: 5.726 min
Delta R.T.: -0.003 min
Response: 32002849
Conc: 607.18 ng/ml



#18 AR-1242-3


R.T.: 5.062 min
Delta R.T.: 0.000 min
Response: 25044266
Conc: 578.32 ng/ml



#19 AR-1242-4


R.T.: 5.823 min
Delta R.T.: -0.002 min
Response: 26455426
Conc: 601.83 ng/ml

Instrument :
ECD_P
ClientSampleId :




#19 AR-1242-4

R.T.: 5.146 min
Delta R.T.: 0.000 min
Response: 24028415
Conc: 578.94 ng/ml




#20 AR-1242-5

R.T.: 6.554 min
Delta R.T.: 0.000 min
Response: 3956909
Conc: 79.84 ng/ml



#20 AR-1242-5


R.T.: 5.668 min
Delta R.T.: 0.000 min
Response: 19960863
Conc: 379.58 ng/ml



#21 AR-1248-1


R.T.: 5.643 min
Delta R.T.: -0.003 min
Response: 33958992
Conc: 713.90 ng/ml

Instrument :
ECD_P
ClientSampleId :




#21 AR-1248-1

R.T.: 4.867 min
Delta R.T.: 0.000 min
Response: 30857778
Conc: 707.90 ng/ml




#22 AR-1248-2

R.T.: 5.913 min
Delta R.T.: -0.004 min
Response: 20601432
Conc: 351.85 ng/ml



#22 AR-1248-2


R.T.: 5.103 min
Delta R.T.: 0.000 min
Response: 19982476
Conc: 341.02 ng/ml



#23 AR-1248-3


R.T.: 6.116 min
Delta R.T.: -0.003 min
Response: 23326306
Conc: 357.50 ng/ml

Instrument :
ECD_P
ClientSampleId :




#23 AR-1248-3

R.T.: 5.146 min
Delta R.T.: 0.000 min
Response: 24028415
Conc: 396.87 ng/ml




#24 AR-1248-4

R.T.: 6.490 min
Delta R.T.: -0.027 min
Response: 22794151
Conc: 267.96 ng/ml



#24 AR-1248-4


R.T.: 5.317 min
Delta R.T.: 0.000 min
Response: 24742275
Conc: 353.35 ng/ml



#25 AR-1248-5


R.T.: 6.554 min
Delta R.T.: -0.002 min
Response: 3956909
Conc: 47.28 ng/ml

Instrument :
ECD_P
ClientSampleId :




#25 AR-1248-5

R.T.: 5.709 min
Delta R.T.: 0.000 min
Response: 3238829
Conc: 45.60 ng/ml




#26 AR-1254-1

R.T.: 6.490 min
Delta R.T.: 0.000 min
Response: 22794151
Conc: 270.80 ng/ml



#26 AR-1254-1


R.T.: 5.668 min
Delta R.T.: -0.001 min
Response: 19960863
Conc: 182.04 ng/ml



#27 AR-1254-2


R.T.: 6.705 min
Delta R.T.: -0.001 min
Response: 20804053
Conc: 165.90 ng/ml

Instrument :
ECD_P
ClientSampleId :




#27 AR-1254-2

R.T.: 5.816 min
Delta R.T.: -0.001 min
Response: 19334786
Conc: 204.50 ng/ml




#28 AR-1254-3

R.T.: 7.069 min
Delta R.T.: 0.000 min
Response: 11140800
Conc: 84.91 ng/ml



#28 AR-1254-3


R.T.: 6.232 min
Delta R.T.: 0.013 min
Response: 33928827
Conc: 229.95 ng/ml



#29 AR-1254-4


R.T.: 7.352 min
Delta R.T.: 0.000 min
Response: 8504382
Conc: 71.00 ng/ml

Instrument :
ECD_P
ClientSampleId :




#29 AR-1254-4

R.T.: 6.446 min
Delta R.T.: 0.000 min
Response: 3976954
Conc: 40.96 ng/ml




#30 AR-1254-5

R.T.: 7.766 min
Delta R.T.: -0.002 min
Response: 75755404
Conc: 663.03 ng/ml



#30 AR-1254-5


R.T.: 6.863 min
Delta R.T.: 0.000 min
Response: 60969105
Conc: 469.13 ng/ml



#31 AR-1260-1


R.T.: 7.233 min
Delta R.T.: -0.003 min
Response: 46204281
Conc: 523.78 ng/ml

Instrument :
ECD_P
ClientSampleId :




#31 AR-1260-1

R.T.: 6.348 min
Delta R.T.: -0.001 min
Response: 45144506
Conc: 476.56 ng/ml




#32 AR-1260-2

R.T.: 7.486 min
Delta R.T.: -0.003 min
Response: 69184494
Conc: 509.14 ng/ml



#32 AR-1260-2


R.T.: 6.537 min
Delta R.T.: 0.000 min
Response: 54337567
Conc: 466.67 ng/ml



#33 AR-1260-3


R.T.: 7.844 min
Delta R.T.: -0.003 min
Response: 49757660
Conc: 435.89 ng/ml

Instrument :
ECD_P
ClientSampleId :




#33 AR-1260-3

R.T.: 6.689 min
Delta R.T.: 0.000 min
Response: 49541323
Conc: 475.62 ng/ml




#34 AR-1260-4

R.T.: 8.068 min
Delta R.T.: -0.003 min
Response: 49104608
Conc: 476.53 ng/ml



#34 AR-1260-4


R.T.: 7.158 min
Delta R.T.: -0.002 min
Response: 36365576
Conc: 414.48 ng/ml



#35 AR-1260-5


R.T.: 8.386 min
Delta R.T.: -0.002 min
Response: 109215485
Conc: 453.89 ng/ml

Instrument :
ECD_P
ClientSampleId :




#35 AR-1260-5

R.T.: 7.401 min
Delta R.T.: 0.000 min
Response: 87897715
Conc: 411.89 ng/ml




#36 AR-1262-1

R.T.: 8.068 min
Delta R.T.: -0.002 min
Response: 49104608
Conc: 331.74 ng/ml



#36 AR-1262-1


R.T.: 6.899 min
Delta R.T.: -0.002 min
Response: 40943121
Conc: 283.41 ng/ml



#37 AR-1262-2


R.T.: 8.386 min
Delta R.T.: -0.002 min
Response: 109215485
Conc: 345.11 ng/ml

Instrument :
ECD_P
ClientSampleId :




#37 AR-1262-2

R.T.: 7.158 min
Delta R.T.: 0.000 min
Response: 36365576
Conc: 297.52 ng/ml




#38 AR-1262-3

R.T.: 8.709 min
Delta R.T.: 0.007 min
Response: 68619724
Conc: 320.69 ng/ml



#38 AR-1262-3


R.T.: 7.681 min
Delta R.T.: 0.000 min
Response: 18655211
Conc: 165.53 ng/ml



#39 AR-1262-4


R.T.: 8.769 min
Delta R.T.: -0.018 min
Response: 38524952
Conc: 244.46 ng/ml

Instrument :
ECD_P
ClientSampleId :




#39 AR-1262-4

R.T.: 7.745 min
Delta R.T.: -0.001 min
Response: 62093126
Conc: 338.65 ng/ml




#40 AR-1262-5

R.T.: 9.436 min
Delta R.T.: -0.002 min
Response: 28487828
Conc: 254.67 ng/ml



#40 AR-1262-5


R.T.: 8.244 min
Delta R.T.: 0.000 min
Response: 20559463
Conc: 237.45 ng/ml



#41 AR-1268-1


R.T.: 8.709 min
Delta R.T.: 0.012 min
Response: 68619724
Conc: 191.88 ng/ml

Instrument :
ECD_P
ClientSampleId :




#41 AR-1268-1

R.T.: 7.681 min
Delta R.T.: -0.001 min
Response: 18655211
Conc: 64.94 ng/ml




#42 AR-1268-2

R.T.: 8.769 min
Delta R.T.: -0.021 min
Response: 38524952
Conc: 126.29 ng/ml



#42 AR-1268-2


R.T.: 7.745 min
Delta R.T.: -0.003 min
Response: 62093126
Conc: 241.50 ng/ml



#43 AR-1268-3


R.T.: 9.017 min
Delta R.T.: -0.003 min
Response: 5032538
Conc: 18.95 ng/ml

Instrument :
ECD_P
ClientSampleId :




#43 AR-1268-3

R.T.: 7.949 min
Delta R.T.: -0.001 min
Response: 2209528
Conc: 10.23 ng/ml




#44 AR-1268-4

R.T.: 9.436 min
Delta R.T.: 0.000 min
Response: 28487828
Conc: 243.43 ng/ml



#44 AR-1268-4


R.T.: 8.244 min
Delta R.T.: 0.000 min
Response: 20559463
Conc: 218.29 ng/ml



#45 AR-1268-5

R.T.: 9.849 min
Delta R.T.: 0.000 min
Response: 7909447
Conc: 10.69 ng/ml

Instrument :
ECD_P
ClientSampleId :



#45 AR-1268-5

R.T.: 8.540 min
Delta R.T.: -0.002 min
Response: 6585392
Conc: 11.38 ng/ml