

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP062424\
 Data File : PP065973.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 24 Jun 2024 17:14
 Operator : YP\AJ
 Sample : P3021-10
 Misc :
 ALS Vial : 18 Sample Multiplier: 1

Instrument :
 ECD_P
 ClientSampleId :
 ARS20-0015

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Jun 25 02:22:59 2024
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP060524.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Thu Jun 06 05:25:59 2024
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	4.827	4.065	29247038	39353630	15.418	14.094
2)	SA Decachlor...	10.846	9.246	29001884	33200288	14.745	22.536 #
Target Compounds							
3)	L1 AR-1016-1	6.029f	5.198	9500773	9765570	146.134	114.507
4)	L1 AR-1016-2	6.029	5.198	9500773	9765570	99.200	82.713
5)	L1 AR-1016-3	6.093	5.381	3587947	4414031	58.641	68.780
6)	L1 AR-1016-4	6.174f	5.417	7164306	5466119	145.681	105.924 #
7)	L1 AR-1016-5	6.487	5.639	5284678	3540219	105.430	53.668 #
8)	L2 AR-1221-1	5.005f	4.274f	1689539	3023685	66.206	86.903 #
9)	L2 AR-1221-2	5.140f	4.367	8983283	8204506	465.164	303.933 #
10)	L2 AR-1221-3	5.199	4.447	3880759	3441756	69.060	44.380 #
11)	L3 AR-1232-1	5.199	4.447	3880759	3441756	85.772	54.449 #
12)	L3 AR-1232-2	5.734	5.198	5712586	9765570	219.341	175.037
13)	L3 AR-1232-3	6.029	5.381	9500773	4414031	210.020	146.560 #
14)	L3 AR-1232-4	6.174f	5.460	7164306	2622971	306.716	95.869 #
15)	L3 AR-1232-5	6.283	5.639	3489950	3540219	177.767	121.076 #
16)	L4 AR-1242-1	6.029f	5.198	9500773	9765570	173.743	135.896
17)	L4 AR-1242-2	6.029	5.198	9500773	9765570	119.806	98.199
18)	L4 AR-1242-3	6.093	5.381	3587947	4414031	70.981	82.062
19)	L4 AR-1242-4	6.174f	5.460	7164306	2622971	174.588	49.248 #
20)	L4 AR-1242-5	6.932	5.998	5442312	15930806	124.761	268.113 #
21)	L5 AR-1248-1	6.029f	5.198	9500773	9765570	233.610	182.965
22)	L5 AR-1248-2	6.283	5.417	3489950	5466119	55.998	74.263 #
23)	L5 AR-1248-3	6.487	5.460	5284678	2622971	78.478	34.324 #
24)	L5 AR-1248-4	6.885	5.639	6496337	3540219	91.247	40.269 #
25)	L5 AR-1248-5	6.932	6.036	5442312	5426251	78.509	68.018
26)	L6 AR-1254-1	6.870	5.998	5517057	15930806	70.426	129.291 #
27)	L6 AR-1254-2	7.086	6.143	13445288	10164418	113.816	96.535
28)	L6 AR-1254-3	7.456	6.554	16561497	23800287	135.713	150.403
29)	L6 AR-1254-4	7.738	6.781	11167968	8395519	125.586	90.922 #
30)	L6 AR-1254-5	8.177f	7.202	59954035	51935136	612.037	405.773 #
31)	L7 AR-1260-1	7.617	6.686	9158323	8074580	94.556	76.089
32)	L7 AR-1260-2	7.863	6.870	31544418	11250231	281.345	91.224 #
33)	L7 AR-1260-3	8.237	7.030	5816837	7973255	66.625	68.749
34)	L7 AR-1260-4	8.471	7.504	88840604	6094428	886.534	69.195 #
35)	L7 AR-1260-5	8.829	7.740	10425835	18828075	55.285	98.364 #
36)	L8 AR-1262-1	8.301	7.292	4617172	12289025	86.175	220.954 #
37)	L8 AR-1262-2	8.829	7.504	10425835	6094428	49.148	54.695
38)	L8 AR-1262-3	9.177	8.029	13132460	6720324	85.778	79.108
39)	L8 AR-1262-4	9.272	8.093	10946503	19111933	90.347	124.495 #
40)	L8 AR-1262-5	9.998	8.624	6500977	4569035	80.045	65.055
41)	L9 AR-1268-1	9.177	8.029	13132460	6720324	51.703	29.041 #

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP062424\
Data File : PP065973.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 24 Jun 2024 17:14
Operator : YP\AJ
Sample : P3021-10
Misc :
ALS Vial : 18 Sample Multiplier: 1

Instrument :
ECD_P
ClientSampleId :
ARS20-0015

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Jun 25 02:22:59 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP060524.M
Quant Title : GC EXTRACTABLES
QLast Update : Thu Jun 06 05:25:59 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml
42)	L9 AR-1268-2	9.272	8.093	10946503	19111933	46.338	91.066 #
43)	L9 AR-1268-3	9.530	8.315	3247679	4388732	15.989	25.103 #
44)	L9 AR-1268-4	9.998	8.624	6500977	4569035	78.011	60.263
45)	L9 AR-1268-5	10.462	8.953	18642033	25438186	28.056	48.564 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP062424\
Data File : PP065973.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 24 Jun 2024 17:14
Operator : YP\AJ
Sample : P3021-10
Misc :
ALS Vial : 18 Sample Multiplier: 1

Instrument :
ECD_P
ClientSampleId :
ARS20-0015

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Jun 25 02:22:59 2024
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP060524.M
Quant Title : GC EXTRACTABLES
QLast Update : Thu Jun 06 05:25:59 2024
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 4.827 min
Delta R.T.: 0.001 min
Response: 29247038
Conc: 15.42 ng/ml

Instrument :
ECD_P
ClientSampleId :
ARS20-0015




#1 Tetrachloro-m-xylene

R.T.: 4.065 min
Delta R.T.: -0.006 min
Response: 39353630
Conc: 14.09 ng/ml




#2 Decachlorobiphenyl

R.T.: 10.846 min
Delta R.T.: 0.003 min
Response: 29001884
Conc: 14.75 ng/ml



#2 Decachlorobiphenyl


R.T.: 9.246 min
Delta R.T.: -0.015 min
Response: 33200288
Conc: 22.54 ng/ml



#3 AR-1016-1


R.T.: 6.029 min
Delta R.T.: 0.024 min
Response: 9500773
Conc: 146.13 ng/ml

Instrument :
ECD_P
ClientSampleId :
ARS20-0015




#3 AR-1016-1

R.T.: 5.198 min
Delta R.T.: 0.012 min
Response: 9765570
Conc: 114.51 ng/ml




#4 AR-1016-2

R.T.: 6.029 min
Delta R.T.: 0.000 min
Response: 9500773
Conc: 99.20 ng/ml



#4 AR-1016-2


R.T.: 5.198 min
Delta R.T.: -0.008 min
Response: 9765570
Conc: 82.71 ng/ml



#5 AR-1016-3


R.T.: 6.093 min
Delta R.T.: 0.002 min
Response: 3587947
Conc: 58.64 ng/ml

Instrument :
ECD_P
ClientSampleId :
ARS20-0015




#5 AR-1016-3

R.T.: 5.381 min
Delta R.T.: -0.008 min
Response: 4414031
Conc: 68.78 ng/ml




#6 AR-1016-4

R.T.: 6.174 min
Delta R.T.: -0.017 min
Response: 7164306
Conc: 145.68 ng/ml



#6 AR-1016-4


R.T.: 5.417 min
Delta R.T.: -0.009 min
Response: 5466119
Conc: 105.92 ng/ml



#7 AR-1016-5


R.T.: 6.487 min
Delta R.T.: 0.000 min
Response: 5284678
Conc: 105.43 ng/ml

Instrument :
ECD_P
ClientSampleId :
ARS20-0015




#7 AR-1016-5

R.T.: 5.639 min
Delta R.T.: -0.009 min
Response: 3540219
Conc: 53.67 ng/ml




#8 AR-1221-1

R.T.: 5.005 min
Delta R.T.: -0.028 min
Response: 1689539
Conc: 66.21 ng/ml



#8 AR-1221-1


R.T.: 4.274 min
Delta R.T.: -0.015 min
Response: 3023685
Conc: 86.90 ng/ml



#9 AR-1221-2


R.T.: 5.140 min
Delta R.T.: 0.019 min
Response: 8983283
Conc: 465.16 ng/ml

Instrument :
ECD_P
ClientSampleId :
ARS20-0015




#9 AR-1221-2

R.T.: 4.367 min
Delta R.T.: -0.011 min
Response: 8204506
Conc: 303.93 ng/ml




#10 AR-1221-3

R.T.: 5.199 min
Delta R.T.: 0.000 min
Response: 3880759
Conc: 69.06 ng/ml



#10 AR-1221-3


R.T.: 4.447 min
Delta R.T.: -0.010 min
Response: 3441756
Conc: 44.38 ng/ml



#11 AR-1232-1


R.T.: 5.199 min
Delta R.T.: 0.000 min
Response: 3880759
Conc: 85.77 ng/ml

Instrument :
ECD_P
ClientSampleId :
ARS20-0015




#11 AR-1232-1

R.T.: 4.447 min
Delta R.T.: -0.009 min
Response: 3441756
Conc: 54.45 ng/ml




#12 AR-1232-2

R.T.: 5.734 min
Delta R.T.: -0.002 min
Response: 5712586
Conc: 219.34 ng/ml



#12 AR-1232-2


R.T.: 5.198 min
Delta R.T.: -0.008 min
Response: 9765570
Conc: 175.04 ng/ml



#13 AR-1232-3


R.T.: 6.029 min
Delta R.T.: 0.000 min
Response: 9500773
Conc: 210.02 ng/ml

Instrument :
ECD_P
ClientSampleId :
ARS20-0015




#13 AR-1232-3

R.T.: 5.381 min
Delta R.T.: -0.008 min
Response: 4414031
Conc: 146.56 ng/ml




#14 AR-1232-4

R.T.: 6.174 min
Delta R.T.: -0.017 min
Response: 7164306
Conc: 306.72 ng/ml



#14 AR-1232-4


R.T.: 5.460 min
Delta R.T.: -0.010 min
Response: 2622971
Conc: 95.87 ng/ml



#15 AR-1232-5


R.T.: 6.283 min
Delta R.T.: 0.003 min
Response: 3489950
Conc: 177.77 ng/ml

Instrument :
ECD_P
ClientSampleId :
ARS20-0015




#15 AR-1232-5

R.T.: 5.639 min
Delta R.T.: -0.008 min
Response: 3540219
Conc: 121.08 ng/ml




#16 AR-1242-1

R.T.: 6.029 min
Delta R.T.: 0.024 min
Response: 9500773
Conc: 173.74 ng/ml



#16 AR-1242-1


R.T.: 5.198 min
Delta R.T.: 0.012 min
Response: 9765570
Conc: 135.90 ng/ml



#17 AR-1242-2


R.T.: 6.029 min
Delta R.T.: 0.000 min
Response: 9500773
Conc: 119.81 ng/ml

Instrument :
ECD_P
ClientSampleId :
ARS20-0015




#17 AR-1242-2

R.T.: 5.198 min
Delta R.T.: -0.008 min
Response: 9765570
Conc: 98.20 ng/ml




#18 AR-1242-3

R.T.: 6.093 min
Delta R.T.: 0.002 min
Response: 3587947
Conc: 70.98 ng/ml



#18 AR-1242-3


R.T.: 5.381 min
Delta R.T.: -0.008 min
Response: 4414031
Conc: 82.06 ng/ml



#19 AR-1242-4


R.T.: 6.174 min
Delta R.T.: -0.017 min
Response: 7164306
Conc: 174.59 ng/ml

Instrument :
ECD_P
ClientSampleId :
ARS20-0015




#19 AR-1242-4

R.T.: 5.460 min
Delta R.T.: -0.010 min
Response: 2622971
Conc: 49.25 ng/ml




#20 AR-1242-5

R.T.: 6.932 min
Delta R.T.: 0.001 min
Response: 5442312
Conc: 124.76 ng/ml



#20 AR-1242-5


R.T.: 5.998 min
Delta R.T.: -0.004 min
Response: 15930806
Conc: 268.11 ng/ml



#21 AR-1248-1


R.T.: 6.029 min
Delta R.T.: 0.025 min
Response: 9500773
Conc: 233.61 ng/ml

Instrument :
ECD_P
ClientSampleId :
ARS20-0015




#21 AR-1248-1

R.T.: 5.198 min
Delta R.T.: 0.013 min
Response: 9765570
Conc: 182.96 ng/ml




#22 AR-1248-2

R.T.: 6.283 min
Delta R.T.: 0.005 min
Response: 3489950
Conc: 56.00 ng/ml



#22 AR-1248-2


R.T.: 5.417 min
Delta R.T.: -0.008 min
Response: 5466119
Conc: 74.26 ng/ml



#23 AR-1248-3


R.T.: 6.487 min
Delta R.T.: 0.000 min
Response: 5284678
Conc: 78.48 ng/ml

Instrument :
ECD_P
ClientSampleId :
ARS20-0015




#23 AR-1248-3

R.T.: 5.460 min
Delta R.T.: -0.009 min
Response: 2622971
Conc: 34.32 ng/ml




#24 AR-1248-4

R.T.: 6.885 min
Delta R.T.: -0.005 min
Response: 6496337
Conc: 91.25 ng/ml



#24 AR-1248-4


R.T.: 5.639 min
Delta R.T.: -0.007 min
Response: 3540219
Conc: 40.27 ng/ml



#25 AR-1248-5


R.T.: 6.932 min
Delta R.T.: 0.001 min
Response: 5442312
Conc: 78.51 ng/ml

Instrument :
ECD_P
ClientSampleId :
ARS20-0015




#25 AR-1248-5

R.T.: 6.036 min
Delta R.T.: -0.008 min
Response: 5426251
Conc: 68.02 ng/ml




#26 AR-1254-1

R.T.: 6.870 min
Delta R.T.: 0.005 min
Response: 5517057
Conc: 70.43 ng/ml



#26 AR-1254-1


R.T.: 5.998 min
Delta R.T.: -0.006 min
Response: 15930806
Conc: 129.29 ng/ml



#27 AR-1254-2


R.T.: 7.086 min
Delta R.T.: 0.004 min
Response: 13445288
Conc: 113.82 ng/ml

Instrument :
ECD_P
ClientSampleId :
ARS20-0015




#27 AR-1254-2

R.T.: 6.143 min
Delta R.T.: -0.006 min
Response: 10164418
Conc: 96.54 ng/ml




#28 AR-1254-3

R.T.: 7.456 min
Delta R.T.: 0.005 min
Response: 16561497
Conc: 135.71 ng/ml



#28 AR-1254-3


R.T.: 6.554 min
Delta R.T.: -0.007 min
Response: 23800287
Conc: 150.40 ng/ml



#29 AR-1254-4


R.T.: 7.738 min
Delta R.T.: 0.002 min
Response: 11167968
Conc: 125.59 ng/ml

Instrument :
ECD_P
ClientSampleId :
ARS20-0015




#29 AR-1254-4

R.T.: 6.781 min
Delta R.T.: -0.008 min
Response: 8395519
Conc: 90.92 ng/ml




#30 AR-1254-5

R.T.: 8.177 min
Delta R.T.: 0.020 min
Response: 59954035
Conc: 612.04 ng/ml



#30 AR-1254-5


R.T.: 7.202 min
Delta R.T.: -0.011 min
Response: 51935136
Conc: 405.77 ng/ml



#31 AR-1260-1


R.T.: 7.617 min
Delta R.T.: 0.002 min
Response: 9158323
Conc: 94.56 ng/ml

Instrument :
ECD_P
ClientSampleId :
ARS20-0015




#31 AR-1260-1

R.T.: 6.686 min
Delta R.T.: -0.007 min
Response: 8074580
Conc: 76.09 ng/ml




#32 AR-1260-2

R.T.: 7.863 min
Delta R.T.: -0.006 min
Response: 31544418
Conc: 281.35 ng/ml



#32 AR-1260-2


R.T.: 6.870 min
Delta R.T.: -0.009 min
Response: 11250231
Conc: 91.22 ng/ml



#33 AR-1260-3


R.T.: 8.237 min
Delta R.T.: 0.002 min
Response: 5816837
Conc: 66.62 ng/ml

Instrument :
ECD_P
ClientSampleId :
ARS20-0015




#33 AR-1260-3

R.T.: 7.030 min
Delta R.T.: -0.008 min
Response: 7973255
Conc: 68.75 ng/ml




#34 AR-1260-4

R.T.: 8.471 min
Delta R.T.: -0.009 min
Response: 88840604
Conc: 886.53 ng/ml



#34 AR-1260-4


R.T.: 7.504 min
Delta R.T.: -0.010 min
Response: 6094428
Conc: 69.20 ng/ml



#35 AR-1260-5


R.T.: 8.829 min
Delta R.T.: 0.002 min
Response: 10425835
Conc: 55.28 ng/ml

Instrument :
ECD_P
ClientSampleId :
ARS20-0015




#35 AR-1260-5

R.T.: 7.740 min
Delta R.T.: -0.011 min
Response: 18828075
Conc: 98.36 ng/ml




#36 AR-1262-1

R.T.: 8.301 min
Delta R.T.: 0.004 min
Response: 4617172
Conc: 86.18 ng/ml



#36 AR-1262-1


R.T.: 7.292 min
Delta R.T.: -0.012 min
Response: 12289025
Conc: 220.95 ng/ml



#37 AR-1262-2


R.T.: 8.829 min
Delta R.T.: 0.002 min
Response: 10425835
Conc: 49.15 ng/ml

Instrument :
ECD_P
ClientSampleId :
ARS20-0015




#37 AR-1262-2

R.T.: 7.504 min
Delta R.T.: -0.010 min
Response: 6094428
Conc: 54.69 ng/ml




#38 AR-1262-3

R.T.: 9.177 min
Delta R.T.: 0.006 min
Response: 13132460
Conc: 85.78 ng/ml



#38 AR-1262-3


R.T.: 8.029 min
Delta R.T.: -0.009 min
Response: 6720324
Conc: 79.11 ng/ml



#39 AR-1262-4


R.T.: 9.272 min
Delta R.T.: 0.002 min
Response: 10946503
Conc: 90.35 ng/ml

Instrument :
ECD_P
ClientSampleId :
ARS20-0015




#39 AR-1262-4

R.T.: 8.093 min
Delta R.T.: -0.010 min
Response: 19111933
Conc: 124.50 ng/ml




#40 AR-1262-5

R.T.: 9.998 min
Delta R.T.: 0.002 min
Response: 6500977
Conc: 80.05 ng/ml



#40 AR-1262-5


R.T.: 8.624 min
Delta R.T.: -0.011 min
Response: 4569035
Conc: 65.06 ng/ml



#41 AR-1268-1


R.T.: 9.177 min
Delta R.T.: 0.010 min
Response: 13132460
Conc: 51.70 ng/ml

Instrument :
ECD_P
ClientSampleId :
ARS20-0015




#41 AR-1268-1

R.T.: 8.029 min
Delta R.T.: -0.008 min
Response: 6720324
Conc: 29.04 ng/ml




#42 AR-1268-2

R.T.: 9.272 min
Delta R.T.: 0.000 min
Response: 10946503
Conc: 46.34 ng/ml



#42 AR-1268-2


R.T.: 8.093 min
Delta R.T.: -0.009 min
Response: 19111933
Conc: 91.07 ng/ml



#43 AR-1268-3


R.T.: 9.530 min
Delta R.T.: 0.002 min
Response: 3247679
Conc: 15.99 ng/ml

Instrument :
ECD_P
ClientSampleId :
ARS20-0015




#43 AR-1268-3

R.T.: 8.315 min
Delta R.T.: -0.009 min
Response: 4388732
Conc: 25.10 ng/ml




#44 AR-1268-4

R.T.: 9.998 min
Delta R.T.: 0.005 min
Response: 6500977
Conc: 78.01 ng/ml



#44 AR-1268-4


R.T.: 8.624 min
Delta R.T.: -0.010 min
Response: 4569035
Conc: 60.26 ng/ml



#45 AR-1268-5

R.T.: 10.462 min
Delta R.T.: 0.004 min
Response: 18642033
Conc: 28.06 ng/ml

Instrument :
ECD_P
ClientSampleId :
ARS20-0015



#45 AR-1268-5

R.T.: 8.953 min
Delta R.T.: -0.011 min
Response: 25438186
Conc: 48.56 ng/ml