

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP070622\
 Data File : PP049239.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 06 Jul 2022 22:59
 Operator : YP\AJ
 Sample : N3588-08 10X
 Misc :
 ALS Vial : 26 Sample Multiplier: 1

Instrument :
 ECD_P
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Jul 07 03:20:36 2022
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP062822.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Wed Jun 29 09:37:18 2022
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	4.345	3.596	2594579	4602312	1.825	1.797
2)	SA Decachlor...	10.093	8.567	2562174	2162484	2.089	1.918
Target Compounds							
3)	L1 AR-1016-1	5.544f	0.000	214212	0	4.075	N.D. #
4)	L1 AR-1016-2	5.544	0.000	214212	0	2.843	N.D. #
5)	L1 AR-1016-3	5.629f	0.000	117091	0	2.405	N.D. #
6)	L1 AR-1016-4	5.722	4.907	137300	144984	3.537	2.834
7)	L1 AR-1016-5	6.001	5.116	203915	353389	5.345	4.737
8)	L2 AR-1221-1	4.577f	0.000	28897	0	1.695	N.D. #
9)	L2 AR-1221-2	4.654	0.000	102165	0	7.992	N.D. #
10)	L2 AR-1221-3	4.731	0.000	46870	0	1.184	N.D. #
11)	L3 AR-1232-1	4.731	0.000	46870	0	1.233	N.D. #
12)	L3 AR-1232-2	5.244	0.000	29567	0	1.564	N.D. #
13)	L3 AR-1232-3	5.544	0.000	214212	0	5.796	N.D. #
14)	L3 AR-1232-4	5.722	0.000	137300	0	7.183	N.D. #
15)	L3 AR-1232-5	5.799	5.116	510980	353389	32.765	9.871 #
16)	L4 AR-1242-1	5.544f	0.000	214212	0	5.286	N.D. #
17)	L4 AR-1242-2	5.544	0.000	214212	0	3.719	N.D. #
18)	L4 AR-1242-3	5.629f	0.000	117091	0	3.234	N.D. #
19)	L4 AR-1242-4	5.722	0.000	137300	0	4.667	N.D. #
20)	L4 AR-1242-5	6.445	5.467	102646	864828	3.076	12.422 #
21)	L5 AR-1248-1	5.544f	0.000	214212	0	6.661	N.D. #
22)	L5 AR-1248-2	5.799	4.907	510980	144984	10.992	2.160 #
23)	L5 AR-1248-3	6.001	0.000	203915	0	3.808	N.D. #
24)	L5 AR-1248-4	6.414	5.116	156544	353389	2.533	3.582 #
25)	L5 AR-1248-5	6.445	5.497	102646	652342	1.780	6.503 #
26)	L6 AR-1254-1	6.380	5.467	335847	864828	4.982	5.891
27)	L6 AR-1254-2	6.600	5.614	532323	1025144	5.676	8.217 #
28)	L6 AR-1254-3	6.970	6.017	568231	633460	5.600	3.518 #
29)	L6 AR-1254-4	7.267	6.242	239481	464778	3.192	4.296 #
30)	L6 AR-1254-5	7.678	6.663	1089168	466540	12.910	3.214 #
31)	L7 AR-1260-1	7.130	6.146	169980	257303	2.337	2.233
32)	L7 AR-1260-2	7.392	6.325	198443	539303	2.358	4.021 #
33)	L7 AR-1260-3	7.739	6.487	426860	325756	7.630	2.676 #
34)	L7 AR-1260-4	7.980	6.972f	727769	1348359	10.407	15.981 #
35)	L7 AR-1260-5	8.299	7.200	499978	546648	3.649	2.900
36)	L8 AR-1262-1	7.739	6.691	426860	122417	4.554	0.920 #
37)	L8 AR-1262-2	8.299	6.972f	499978	1348359	2.922	11.899 #
38)	L8 AR-1262-3	8.610	7.481	85365	2614195	1.141	32.085 #
39)	L8 AR-1262-4	8.690	7.542	34054	664073	0.726	4.556 #
40)	L8 AR-1262-5	9.342	0.000	389976	0	6.450	N.D. #
41)	L9 AR-1268-1	8.610	7.481	85365	2614195	0.455	12.152 #

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP070622\
Data File : PP049239.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 06 Jul 2022 22:59
Operator : YP\AJ
Sample : N3588-08 10X
Misc :
ALS Vial : 26 Sample Multiplier: 1

Instrument :
ECD_P
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Jul 07 03:20:36 2022
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP062822.M
Quant Title : GC EXTRACTABLES
QLast Update : Wed Jun 29 09:37:18 2022
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml
42)	L9 AR-1268-2	8.690	7.542	34054	664073	0.195	3.472 #
43)	L9 AR-1268-3	8.906	7.749	111443	54404	0.778	0.357 #
44)	L9 AR-1268-4	9.342	0.000	389976	0	6.088	N.D. #
45)	L9 AR-1268-5	9.776f	0.000	1887884	0	4.093	N.D. #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP070622\
Data File : PP049239.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 06 Jul 2022 22:59
Operator : YP\AJ
Sample : N3588-08 10X
Misc :
ALS Vial : 26 Sample Multiplier: 1

Instrument :
ECD_P
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Jul 07 03:20:36 2022
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP062822.M
Quant Title : GC EXTRACTABLES
QLast Update : Wed Jun 29 09:37:18 2022
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 4.345 min
Delta R.T.: 0.000 min
Response: 2594579
Conc: 1.83 ng/ml

Instrument :
ECD_P
ClientSampleId :




#1 Tetrachloro-m-xylene

R.T.: 3.596 min
Delta R.T.: 0.002 min
Response: 4602312
Conc: 1.80 ng/ml




#2 Decachlorobiphenyl

R.T.: 10.093 min
Delta R.T.: -0.001 min
Response: 2562174
Conc: 2.09 ng/ml



#2 Decachlorobiphenyl


R.T.: 8.567 min
Delta R.T.: 0.000 min
Response: 2162484
Conc: 1.92 ng/ml



#3 AR-1016-1


R.T.: 5.544 min
Delta R.T.: 0.022 min
Response: 214212
Conc: 4.07 ng/ml

Instrument :
ECD_P
ClientSampleId :




#3 AR-1016-1

R.T.: 0.000 min
Exp R.T. : 4.670 min
Response: 0
Conc: N.D.




#4 AR-1016-2

R.T.: 5.544 min
Delta R.T.: -0.001 min
Response: 214212
Conc: 2.84 ng/ml



#4 AR-1016-2


R.T.: 0.000 min
Exp R.T. : 4.689 min
Response: 0
Conc: N.D.



#5 AR-1016-3


R.T.: 5.629 min
Delta R.T.: 0.021 min
Response: 117091
Conc: 2.41 ng/ml

Instrument :
ECD_P
ClientSampleId :




#5 AR-1016-3

R.T.: 0.000 min
Exp R.T. : 4.864 min
Response: 0
Conc: N.D.




#6 AR-1016-4

R.T.: 5.722 min
Delta R.T.: 0.014 min
Response: 137300
Conc: 3.54 ng/ml



#6 AR-1016-4


R.T.: 4.907 min
Delta R.T.: 0.002 min
Response: 144984
Conc: 2.83 ng/ml



#7 AR-1016-5


R.T.: 6.001 min
Delta R.T.: 0.000 min
Response: 203915
Conc: 5.34 ng/ml

Instrument :
ECD_P
ClientSampleId :




#7 AR-1016-5

R.T.: 5.116 min
Delta R.T.: -0.002 min
Response: 353389
Conc: 4.74 ng/ml




#8 AR-1221-1

R.T.: 4.577 min
Delta R.T.: 0.018 min
Response: 28897
Conc: 1.70 ng/ml



#8 AR-1221-1


R.T.: 0.000 min
Exp R.T. : 3.806 min
Response: 0
Conc: N.D.



#9 AR-1221-2


R.T.: 4.654 min
Delta R.T.: 0.007 min
Response: 102165
Conc: 7.99 ng/ml

Instrument :
ECD_P
ClientSampleId :




#9 AR-1221-2

R.T.: 0.000 min
Exp R.T. : 3.891 min
Response: 0
Conc: N.D.




#10 AR-1221-3

R.T.: 4.731 min
Delta R.T.: 0.007 min
Response: 46870
Conc: 1.18 ng/ml



#10 AR-1221-3


R.T.: 0.000 min
Exp R.T. : 3.966 min
Response: 0
Conc: N.D.



#11 AR-1232-1


R.T.: 4.731 min
Delta R.T.: 0.007 min
Response: 46870
Conc: 1.23 ng/ml

Instrument :
ECD_P
ClientSampleId :




#11 AR-1232-1

R.T.: 0.000 min
Exp R.T. : 3.967 min
Response: 0
Conc: N.D.




#12 AR-1232-2

R.T.: 5.244 min
Delta R.T.: -0.009 min
Response: 29567
Conc: 1.56 ng/ml



#12 AR-1232-2


R.T.: 0.000 min
Exp R.T. : 4.689 min
Response: 0
Conc: N.D.



#13 AR-1232-3


R.T.: 5.544 min
Delta R.T.: -0.002 min
Response: 214212
Conc: 5.80 ng/ml

Instrument :
ECD_P
ClientSampleId :




#13 AR-1232-3

R.T.: 0.000 min
Exp R.T. : 4.864 min
Response: 0
Conc: N.D.




#14 AR-1232-4

R.T.: 5.722 min
Delta R.T.: 0.013 min
Response: 137300
Conc: 7.18 ng/ml



#14 AR-1232-4


R.T.: 0.000 min
Exp R.T. : 4.947 min
Response: 0
Conc: N.D.



#15 AR-1232-5


R.T.: 5.799 min
Delta R.T.: 0.003 min
Response: 510980
Conc: 32.77 ng/ml

Instrument :
ECD_P
ClientSampleId :




#15 AR-1232-5

R.T.: 5.116 min
Delta R.T.: -0.002 min
Response: 353389
Conc: 9.87 ng/ml




#16 AR-1242-1

R.T.: 5.544 min
Delta R.T.: 0.022 min
Response: 214212
Conc: 5.29 ng/ml



#16 AR-1242-1


R.T.: 0.000 min
Exp R.T.: 4.670 min
Response: 0
Conc: N.D.



#17 AR-1242-2


R.T.: 5.544 min
Delta R.T.: 0.000 min
Response: 214212
Conc: 3.72 ng/ml

Instrument :
ECD_P
ClientSampleId :




#17 AR-1242-2

R.T.: 0.000 min
Exp R.T. : 4.689 min
Response: 0
Conc: N.D.




#18 AR-1242-3

R.T.: 5.629 min
Delta R.T.: 0.022 min
Response: 117091
Conc: 3.23 ng/ml



#18 AR-1242-3


R.T.: 0.000 min
Exp R.T. : 4.863 min
Response: 0
Conc: N.D.



#19 AR-1242-4


R.T.: 5.722 min
Delta R.T.: 0.014 min
Response: 137300
Conc: 4.67 ng/ml

Instrument :
ECD_P
ClientSampleId :




#19 AR-1242-4

R.T.: 0.000 min
Exp R.T. : 4.946 min
Response: 0
Conc: N.D.




#20 AR-1242-5

R.T.: 6.445 min
Delta R.T.: -0.001 min
Response: 102646
Conc: 3.08 ng/ml



#20 AR-1242-5


R.T.: 5.467 min
Delta R.T.: 0.000 min
Response: 864828
Conc: 12.42 ng/ml



#21 AR-1248-1


R.T.: 5.544 min
Delta R.T.: 0.023 min
Response: 214212
Conc: 6.66 ng/ml

Instrument :
ECD_P
ClientSampleId :




#21 AR-1248-1

R.T.: 0.000 min
Exp R.T. : 4.670 min
Response: 0
Conc: N.D.




#22 AR-1248-2

R.T.: 5.799 min
Delta R.T.: 0.005 min
Response: 510980
Conc: 10.99 ng/ml



#22 AR-1248-2


R.T.: 4.907 min
Delta R.T.: 0.002 min
Response: 144984
Conc: 2.16 ng/ml



#23 AR-1248-3


R.T.: 6.001 min
Delta R.T.: 0.000 min
Response: 203915
Conc: 3.81 ng/ml

Instrument :
ECD_P
ClientSampleId :




#23 AR-1248-3

R.T.: 0.000 min
Exp R.T. : 4.946 min
Response: 0
Conc: N.D.




#24 AR-1248-4

R.T.: 6.414 min
Delta R.T.: 0.006 min
Response: 156544
Conc: 2.53 ng/ml



#24 AR-1248-4


R.T.: 5.116 min
Delta R.T.: -0.001 min
Response: 353389
Conc: 3.58 ng/ml



#25 AR-1248-5


R.T.: 6.445 min
Delta R.T.: -0.001 min
Response: 102646
Conc: 1.78 ng/ml

Instrument :
ECD_P
ClientSampleId :




#25 AR-1248-5

R.T.: 5.497 min
Delta R.T.: -0.011 min
Response: 652342
Conc: 6.50 ng/ml




#26 AR-1254-1

R.T.: 6.380 min
Delta R.T.: 0.002 min
Response: 335847
Conc: 4.98 ng/ml



#26 AR-1254-1


R.T.: 5.467 min
Delta R.T.: 0.000 min
Response: 864828
Conc: 5.89 ng/ml



#27 AR-1254-2


R.T.: 6.600 min
Delta R.T.: 0.002 min
Response: 532323
Conc: 5.68 ng/ml

Instrument :
ECD_P
ClientSampleId :




#27 AR-1254-2

R.T.: 5.614 min
Delta R.T.: 0.001 min
Response: 1025144
Conc: 8.22 ng/ml




#28 AR-1254-3

R.T.: 6.970 min
Delta R.T.: 0.002 min
Response: 568231
Conc: 5.60 ng/ml



#28 AR-1254-3


R.T.: 6.017 min
Delta R.T.: 0.001 min
Response: 633460
Conc: 3.52 ng/ml



#29 AR-1254-4


R.T.: 7.267 min
Delta R.T.: 0.012 min
Response: 239481
Conc: 3.19 ng/ml

Instrument :
ECD_P
ClientSampleId :




#29 AR-1254-4

R.T.: 6.242 min
Delta R.T.: -0.001 min
Response: 464778
Conc: 4.30 ng/ml




#30 AR-1254-5

R.T.: 7.678 min
Delta R.T.: 0.003 min
Response: 1089168
Conc: 12.91 ng/ml



#30 AR-1254-5


R.T.: 6.663 min
Delta R.T.: 0.003 min
Response: 466540
Conc: 3.21 ng/ml



#31 AR-1260-1


R.T.: 7.130 min
Delta R.T.: 0.000 min
Response: 169980
Conc: 2.34 ng/ml

Instrument :
ECD_P
ClientSampleId :




#31 AR-1260-1

R.T.: 6.146 min
Delta R.T.: 0.000 min
Response: 257303
Conc: 2.23 ng/ml




#32 AR-1260-2

R.T.: 7.392 min
Delta R.T.: 0.003 min
Response: 198443
Conc: 2.36 ng/ml



#32 AR-1260-2


R.T.: 6.325 min
Delta R.T.: -0.007 min
Response: 539303
Conc: 4.02 ng/ml



#33 AR-1260-3


R.T.: 7.739 min
Delta R.T.: -0.008 min
Response: 426860
Conc: 7.63 ng/ml

Instrument :
ECD_P
ClientSampleId :




#33 AR-1260-3

R.T.: 6.487 min
Delta R.T.: 0.002 min
Response: 325756
Conc: 2.68 ng/ml




#34 AR-1260-4

R.T.: 7.980 min
Delta R.T.: 0.004 min
Response: 727769
Conc: 10.41 ng/ml



#34 AR-1260-4


R.T.: 6.972 min
Delta R.T.: 0.016 min
Response: 1348359
Conc: 15.98 ng/ml



#35 AR-1260-5


R.T.: 8.299 min
Delta R.T.: 0.004 min
Response: 499978
Conc: 3.65 ng/ml

Instrument :
ECD_P
ClientSampleId :




#35 AR-1260-5

R.T.: 7.200 min
Delta R.T.: 0.003 min
Response: 546648
Conc: 2.90 ng/ml




#36 AR-1262-1

R.T.: 7.739 min
Delta R.T.: -0.006 min
Response: 426860
Conc: 4.55 ng/ml



#36 AR-1262-1


R.T.: 6.691 min
Delta R.T.: -0.006 min
Response: 122417
Conc: 0.92 ng/ml



#37 AR-1262-2


R.T.: 8.299 min
Delta R.T.: 0.006 min
Response: 499978
Conc: 2.92 ng/ml

Instrument :
ECD_P
ClientSampleId :




#37 AR-1262-2

R.T.: 6.972 min
Delta R.T.: 0.018 min
Response: 1348359
Conc: 11.90 ng/ml




#38 AR-1262-3

R.T.: 8.610 min
Delta R.T.: 0.011 min
Response: 85365
Conc: 1.14 ng/ml



#38 AR-1262-3


R.T.: 7.481 min
Delta R.T.: 0.003 min
Response: 2614195
Conc: 32.08 ng/ml



#39 AR-1262-4


R.T.: 8.690 min
Delta R.T.: 0.000 min
Response: 34054
Conc: 0.73 ng/ml

Instrument :
ECD_P
ClientSampleId :




#39 AR-1262-4

R.T.: 7.542 min
Delta R.T.: 0.000 min
Response: 664073
Conc: 4.56 ng/ml




#40 AR-1262-5

R.T.: 9.342 min
Delta R.T.: -0.009 min
Response: 389976
Conc: 6.45 ng/ml



#40 AR-1262-5


R.T.: 0.000 min
Exp R.T. : 8.034 min
Response: 0
Conc: N.D.



#41 AR-1268-1


R.T.: 8.610 min
Delta R.T.: 0.012 min
Response: 85365
Conc: 0.45 ng/ml

Instrument :
ECD_P
ClientSampleId :




#41 AR-1268-1

R.T.: 7.481 min
Delta R.T.: 0.003 min
Response: 2614195
Conc: 12.15 ng/ml




#42 AR-1268-2

R.T.: 8.690 min
Delta R.T.: -0.003 min
Response: 34054
Conc: 0.19 ng/ml



#42 AR-1268-2


R.T.: 7.542 min
Delta R.T.: 0.000 min
Response: 664073
Conc: 3.47 ng/ml



#43 AR-1268-3


R.T.: 8.906 min
Delta R.T.: -0.010 min
Response: 111443
Conc: 0.78 ng/ml

Instrument :
ECD_P
ClientSampleId :




#43 AR-1268-3

R.T.: 7.749 min
Delta R.T.: 0.000 min
Response: 54404
Conc: 0.36 ng/ml




#44 AR-1268-4

R.T.: 9.342 min
Delta R.T.: -0.009 min
Response: 389976
Conc: 6.09 ng/ml



#44 AR-1268-4


R.T.: 0.000 min
Exp R.T.: 8.034 min
Response: 0
Conc: N.D.



#45 AR-1268-5

R.T.: 9.776 min
Delta R.T.: 0.017 min
Response: 1887884
Conc: 4.09 ng/ml

Instrument :
ECD_P
ClientSampleId :



#45 AR-1268-5

R.T.: 0.000 min
Exp R.T. : 8.318 min
Response: 0
Conc: N.D.