

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP070722\
 Data File : PP049291.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 07 Jul 2022 17:19
 Operator : YP\AJ
 Sample : N3615-12
 Misc :
 ALS Vial : 29 Sample Multiplier: 1

Instrument :
 ECD_P
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Jul 08 00:04:32 2022
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP062822.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Wed Jun 29 09:37:18 2022
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	4.346	3.597	31044288	56455611	21.838	22.047
2)	SA Decachlor...	10.095	8.567	27785682	22651634	22.653	20.095
Target Compounds							
3)	L1 AR-1016-1	5.519	0.000	439064	0	8.352	N.D. #
4)	L1 AR-1016-2	5.541	0.000	147415	0	1.956	N.D. #
5)	L1 AR-1016-3	5.590f	0.000	287224	0	5.900	N.D. #
6)	L1 AR-1016-4	5.710	4.922f	35996	-4261	0.927	N.D. #
7)	L1 AR-1016-5	6.010	5.104	272207	742240	7.135	9.950 #
8)	L2 AR-1221-1	4.568	0.000	2082221	0	122.144	N.D. #
9)	L2 AR-1221-2	4.654	3.880	497511	2256282	38.916	87.893 #
10)	L2 AR-1221-3	4.718	3.967	19700	128429	0.498	1.747 #
11)	L3 AR-1232-1	4.718	3.967	19700	128429	0.518	1.849 #
12)	L3 AR-1232-2	5.250	0.000	48961	0	2.590	N.D. #
13)	L3 AR-1232-3	5.541	0.000	147415	0	3.988	N.D. #
14)	L3 AR-1232-4	5.710	4.922f	35996	-4261	1.883	N.D. #
15)	L3 AR-1232-5	5.804	5.104	119642	742240	7.672	20.732 #
16)	L4 AR-1242-1	5.519	0.000	439064	0	10.835	N.D. #
17)	L4 AR-1242-2	5.541	0.000	147415	0	2.560	N.D. #
18)	L4 AR-1242-3	5.590f	0.000	287224	0	7.933	N.D. #
19)	L4 AR-1242-4	5.710	4.922f	35996	-4261	1.224	N.D. #
20)	L4 AR-1242-5	6.465f	5.493f	78608	277289	2.356	3.983 #
21)	L5 AR-1248-1	5.519	0.000	439064	0	13.653	N.D. #
22)	L5 AR-1248-2	5.804	4.922f	119642	-4261	2.574	N.D. #
23)	L5 AR-1248-3	6.010	4.922f	272207	-4261	5.083	N.D. #
24)	L5 AR-1248-4	6.406	5.104	45837	742240	0.742	7.524 #
25)	L5 AR-1248-5	6.428f	5.493	110536	277289	1.917	2.764 #
26)	L6 AR-1254-1	6.391	5.493f	322043	277289	4.777	1.889 #
27)	L6 AR-1254-2	6.600	5.639f	559681	295318	5.967	2.367 #
28)	L6 AR-1254-3	6.942f	6.031	123600	219951	1.218	1.222
29)	L6 AR-1254-4	7.240	0.000	29956	0	0.399	N.D. #
30)	L6 AR-1254-5	7.675	6.659	895394	1122271	10.613	7.732 #
31)	L7 AR-1260-1	7.157f	6.147	209166	299551	2.875	2.600
32)	L7 AR-1260-2	7.391	6.333	604545	857491	7.183	6.393
33)	L7 AR-1260-3	7.748	6.488	860022	265822	15.372	2.184 #
34)	L7 AR-1260-4	7.981	6.954	1037318	832648	14.833	9.869 #
35)	L7 AR-1260-5	8.295	7.197	1473877	1704625	10.756	9.042
36)	L8 AR-1262-1	7.748	6.695	860022	529449	9.175	3.980 #
37)	L8 AR-1262-2	8.295	6.954	1473877	832648	8.613	7.348
38)	L8 AR-1262-3	8.599	7.480	1473266	2675894	19.688	32.842 #
39)	L8 AR-1262-4	8.698	7.543	789599	2488891	16.823	17.074
40)	L8 AR-1262-5	9.352	8.035	1689539	560541	27.944	9.293 #
41)	L9 AR-1268-1	8.599	7.480	1473266	2675894	7.845	12.439 #

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP070722\
 Data File : PP049291.D
 Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
 Acq On : 07 Jul 2022 17:19
 Operator : YP\AJ
 Sample : N3615-12
 Misc :
 ALS Vial : 29 Sample Multiplier: 1

Instrument :
 ECD_P
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Jul 08 00:04:32 2022
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP062822.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Wed Jun 29 09:37:18 2022
 Response via : Initial Calibration
 Integrator: ChemStation

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml
42) L9	AR-1268-2	8.698	7.543	789599	2488891	4.513	13.011 #
43) L9	AR-1268-3	8.920	7.749	917977	1654967	6.408	10.866 #
44) L9	AR-1268-4	9.352	8.035	1689539	560541	26.374	8.795 #
45) L9	AR-1268-5	9.766	8.319	2577036	1308792	5.587	3.280 #



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP070722\
Data File : PP049291.D
Signal(s) : Signal #1: ECD1A.ch Signal #2: ECD2B.ch
Acq On : 07 Jul 2022 17:19
Operator : YP\AJ
Sample : N3615-12
Misc :
ALS Vial : 29 Sample Multiplier: 1

Instrument :
ECD_P
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Jul 08 00:04:32 2022
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP062822.M
Quant Title : GC EXTRACTABLES
QLast Update : Wed Jun 29 09:37:18 2022
Response via : Initial Calibration
Integrator: ChemStation

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 4.346 min
Delta R.T.: 0.000 min
Response: 31044288
Conc: 21.84 ng/ml

Instrument :
ECD_P
ClientSampleId :




#1 Tetrachloro-m-xylene

R.T.: 3.597 min
Delta R.T.: 0.002 min
Response: 56455611
Conc: 22.05 ng/ml




#2 Decachlorobiphenyl

R.T.: 10.095 min
Delta R.T.: 0.000 min
Response: 27785682
Conc: 22.65 ng/ml



#2 Decachlorobiphenyl


R.T.: 8.567 min
Delta R.T.: 0.000 min
Response: 22651634
Conc: 20.10 ng/ml



#3 AR-1016-1


R.T.: 5.519 min
Delta R.T.: -0.003 min
Response: 439064
Conc: 8.35 ng/ml

Instrument :
ECD_P
ClientSampleId :




#3 AR-1016-1

R.T.: 0.000 min
Exp R.T. : 4.670 min
Response: 0
Conc: N.D.




#4 AR-1016-2

R.T.: 5.541 min
Delta R.T.: -0.004 min
Response: 147415
Conc: 1.96 ng/ml



#4 AR-1016-2


R.T.: 0.000 min
Exp R.T. : 4.689 min
Response: 0
Conc: N.D.



#5 AR-1016-3


R.T.: 5.590 min
Delta R.T.: -0.017 min
Response: 287224
Conc: 5.90 ng/ml

Instrument :
ECD_P
ClientSampleId :




#5 AR-1016-3

R.T.: 0.000 min
Exp R.T. : 4.864 min
Response: 0
Conc: N.D.




#6 AR-1016-4

R.T.: 5.710 min
Delta R.T.: 0.002 min
Response: 35996
Conc: 0.93 ng/ml



#6 AR-1016-4


R.T.: 4.922 min
Delta R.T.: 0.016 min
Response: -4261
Conc: N.D.



#7 AR-1016-5


R.T.: 6.010 min
Delta R.T.: 0.009 min
Response: 272207
Conc: 7.13 ng/ml

Instrument :
ECD_P
ClientSampleId :




#7 AR-1016-5

R.T.: 5.104 min
Delta R.T.: -0.013 min
Response: 742240
Conc: 9.95 ng/ml




#8 AR-1221-1

R.T.: 4.568 min
Delta R.T.: 0.009 min
Response: 2082221
Conc: 122.14 ng/ml



#8 AR-1221-1


R.T.: 0.000 min
Exp R.T. : 3.806 min
Response: 0
Conc: N.D.



#9 AR-1221-2


R.T.: 4.654 min
Delta R.T.: 0.007 min
Response: 497511
Conc: 38.92 ng/ml

Instrument :
ECD_P
ClientSampleId :




#9 AR-1221-2

R.T.: 3.880 min
Delta R.T.: -0.011 min
Response: 2256282
Conc: 87.89 ng/ml




#10 AR-1221-3

R.T.: 4.718 min
Delta R.T.: -0.006 min
Response: 19700
Conc: 0.50 ng/ml



#10 AR-1221-3


R.T.: 3.967 min
Delta R.T.: 0.001 min
Response: 128429
Conc: 1.75 ng/ml



#11 AR-1232-1


R.T.: 4.718 min
Delta R.T.: -0.006 min
Response: 19700
Conc: 0.52 ng/ml

Instrument :
ECD_P
ClientSampleId :




#11 AR-1232-1

R.T.: 3.967 min
Delta R.T.: 0.000 min
Response: 128429
Conc: 1.85 ng/ml




#12 AR-1232-2

R.T.: 5.250 min
Delta R.T.: -0.003 min
Response: 48961
Conc: 2.59 ng/ml



#12 AR-1232-2


R.T.: 0.000 min
Exp R.T.: 4.689 min
Response: 0
Conc: N.D.



#13 AR-1232-3


R.T.: 5.541 min
Delta R.T.: -0.005 min
Response: 147415
Conc: 3.99 ng/ml

Instrument :
ECD_P
ClientSampleId :




#13 AR-1232-3

R.T.: 0.000 min
Exp R.T. : 4.864 min
Response: 0
Conc: N.D.




#14 AR-1232-4

R.T.: 5.710 min
Delta R.T.: 0.001 min
Response: 35996
Conc: 1.88 ng/ml



#14 AR-1232-4


R.T.: 4.922 min
Delta R.T.: -0.025 min
Response: -4261
Conc: N.D.



#15 AR-1232-5


R.T.: 5.804 min
Delta R.T.: 0.007 min
Response: 119642
Conc: 7.67 ng/ml

Instrument :
ECD_P
ClientSampleId :




#15 AR-1232-5

R.T.: 5.104 min
Delta R.T.: -0.013 min
Response: 742240
Conc: 20.73 ng/ml




#16 AR-1242-1

R.T.: 5.519 min
Delta R.T.: -0.003 min
Response: 439064
Conc: 10.83 ng/ml



#16 AR-1242-1


R.T.: 0.000 min
Exp R.T.: 4.670 min
Response: 0
Conc: N.D.



#17 AR-1242-2


R.T.: 5.541 min
Delta R.T.: -0.003 min
Response: 147415
Conc: 2.56 ng/ml

Instrument :
ECD_P
ClientSampleId :




#17 AR-1242-2

R.T.: 0.000 min
Exp R.T. : 4.689 min
Response: 0
Conc: N.D.




#18 AR-1242-3

R.T.: 5.590 min
Delta R.T.: -0.017 min
Response: 287224
Conc: 7.93 ng/ml



#18 AR-1242-3


R.T.: 0.000 min
Exp R.T. : 4.863 min
Response: 0
Conc: N.D.



#19 AR-1242-4


R.T.: 5.710 min
Delta R.T.: 0.002 min
Response: 35996
Conc: 1.22 ng/ml

Instrument :
ECD_P
ClientSampleId :




#19 AR-1242-4

R.T.: 4.922 min
Delta R.T.: -0.024 min
Response: -4261
Conc: N.D.




#20 AR-1242-5

R.T.: 6.465 min
Delta R.T.: 0.019 min
Response: 78608
Conc: 2.36 ng/ml



#20 AR-1242-5


R.T.: 5.493 min
Delta R.T.: 0.026 min
Response: 277289
Conc: 3.98 ng/ml



#21 AR-1248-1


R.T.: 5.519 min
Delta R.T.: -0.003 min
Response: 439064
Conc: 13.65 ng/ml

Instrument :
ECD_P
ClientSampleId :




#21 AR-1248-1

R.T.: 0.000 min
Exp R.T. : 4.670 min
Response: 0
Conc: N.D.




#22 AR-1248-2

R.T.: 5.804 min
Delta R.T.: 0.009 min
Response: 119642
Conc: 2.57 ng/ml



#22 AR-1248-2


R.T.: 4.922 min
Delta R.T.: 0.017 min
Response: -4261
Conc: N.D.



#23 AR-1248-3


R.T.: 6.010 min
Delta R.T.: 0.009 min
Response: 272207
Conc: 5.08 ng/ml

Instrument :
ECD_P
ClientSampleId :




#23 AR-1248-3

R.T.: 4.922 min
Delta R.T.: -0.024 min
Response: -4261
Conc: N.D.




#24 AR-1248-4

R.T.: 6.406 min
Delta R.T.: -0.002 min
Response: 45837
Conc: 0.74 ng/ml



#24 AR-1248-4


R.T.: 5.104 min
Delta R.T.: -0.013 min
Response: 742240
Conc: 7.52 ng/ml



#25 AR-1248-5


R.T.: 6.428 min
Delta R.T.: -0.019 min
Response: 110536
Conc: 1.92 ng/ml

Instrument :
ECD_P
ClientSampleId :




#25 AR-1248-5

R.T.: 5.493 min
Delta R.T.: -0.015 min
Response: 277289
Conc: 2.76 ng/ml




#26 AR-1254-1

R.T.: 6.391 min
Delta R.T.: 0.012 min
Response: 322043
Conc: 4.78 ng/ml



#26 AR-1254-1


R.T.: 5.493 min
Delta R.T.: 0.026 min
Response: 277289
Conc: 1.89 ng/ml



#27 AR-1254-2


R.T.: 6.600 min
Delta R.T.: 0.002 min
Response: 559681
Conc: 5.97 ng/ml

Instrument :
ECD_P
ClientSampleId :




#27 AR-1254-2

R.T.: 5.639 min
Delta R.T.: 0.026 min
Response: 295318
Conc: 2.37 ng/ml




#28 AR-1254-3

R.T.: 6.942 min
Delta R.T.: -0.026 min
Response: 123600
Conc: 1.22 ng/ml



#28 AR-1254-3


R.T.: 6.031 min
Delta R.T.: 0.015 min
Response: 219951
Conc: 1.22 ng/ml



#29 AR-1254-4


R.T.: 7.240 min
Delta R.T.: -0.015 min
Response: 29956
Conc: 0.40 ng/ml

Instrument :
ECD_P
ClientSampleId :




#29 AR-1254-4

R.T.: 0.000 min
Exp R.T. : 6.244 min
Response: 0
Conc: N.D.




#30 AR-1254-5

R.T.: 7.675 min
Delta R.T.: 0.000 min
Response: 895394
Conc: 10.61 ng/ml



#30 AR-1254-5


R.T.: 6.659 min
Delta R.T.: 0.000 min
Response: 1122271
Conc: 7.73 ng/ml



#31 AR-1260-1


R.T.: 7.157 min
Delta R.T.: 0.027 min
Response: 209166
Conc: 2.88 ng/ml

Instrument :
ECD_P
ClientSampleId :




#31 AR-1260-1

R.T.: 6.147 min
Delta R.T.: 0.001 min
Response: 299551
Conc: 2.60 ng/ml




#32 AR-1260-2

R.T.: 7.391 min
Delta R.T.: 0.002 min
Response: 604545
Conc: 7.18 ng/ml



#32 AR-1260-2


R.T.: 6.333 min
Delta R.T.: 0.000 min
Response: 857491
Conc: 6.39 ng/ml



#33 AR-1260-3


R.T.: 7.748 min
Delta R.T.: 0.000 min
Response: 860022
Conc: 15.37 ng/ml

Instrument :
ECD_P
ClientSampleId :




#33 AR-1260-3

R.T.: 6.488 min
Delta R.T.: 0.002 min
Response: 265822
Conc: 2.18 ng/ml




#34 AR-1260-4

R.T.: 7.981 min
Delta R.T.: 0.006 min
Response: 1037318
Conc: 14.83 ng/ml



#34 AR-1260-4


R.T.: 6.954 min
Delta R.T.: -0.002 min
Response: 832648
Conc: 9.87 ng/ml



#35 AR-1260-5


R.T.: 8.295 min
Delta R.T.: 0.000 min
Response: 1473877
Conc: 10.76 ng/ml

Instrument :
ECD_P
ClientSampleId :




#35 AR-1260-5

R.T.: 7.197 min
Delta R.T.: 0.000 min
Response: 1704625
Conc: 9.04 ng/ml




#36 AR-1262-1

R.T.: 7.748 min
Delta R.T.: 0.003 min
Response: 860022
Conc: 9.18 ng/ml



#36 AR-1262-1


R.T.: 6.695 min
Delta R.T.: 0.000 min
Response: 529449
Conc: 3.98 ng/ml



#37 AR-1262-2


R.T.: 8.295 min
Delta R.T.: 0.002 min
Response: 1473877
Conc: 8.61 ng/ml

Instrument :
ECD_P
ClientSampleId :




#37 AR-1262-2

R.T.: 6.954 min
Delta R.T.: 0.000 min
Response: 832648
Conc: 7.35 ng/ml




#38 AR-1262-3

R.T.: 8.599 min
Delta R.T.: 0.000 min
Response: 1473266
Conc: 19.69 ng/ml



#38 AR-1262-3


R.T.: 7.480 min
Delta R.T.: 0.002 min
Response: 2675894
Conc: 32.84 ng/ml



#39 AR-1262-4


R.T.: 8.698 min
Delta R.T.: 0.007 min
Response: 789599
Conc: 16.82 ng/ml

Instrument :
ECD_P
ClientSampleId :




#39 AR-1262-4

R.T.: 7.543 min
Delta R.T.: 0.001 min
Response: 2488891
Conc: 17.07 ng/ml




#40 AR-1262-5

R.T.: 9.352 min
Delta R.T.: 0.001 min
Response: 1689539
Conc: 27.94 ng/ml



#40 AR-1262-5


R.T.: 8.035 min
Delta R.T.: 0.002 min
Response: 560541
Conc: 9.29 ng/ml



#41 AR-1268-1


R.T.: 8.599 min
Delta R.T.: 0.000 min
Response: 1473266
Conc: 7.84 ng/ml

Instrument :
ECD_P
ClientSampleId :




#41 AR-1268-1

R.T.: 7.480 min
Delta R.T.: 0.002 min
Response: 2675894
Conc: 12.44 ng/ml




#42 AR-1268-2

R.T.: 8.698 min
Delta R.T.: 0.004 min
Response: 789599
Conc: 4.51 ng/ml



#42 AR-1268-2


R.T.: 7.543 min
Delta R.T.: 0.000 min
Response: 2488891
Conc: 13.01 ng/ml



#43 AR-1268-3


R.T.: 8.920 min
Delta R.T.: 0.004 min
Response: 917977
Conc: 6.41 ng/ml

Instrument :
ECD_P
ClientSampleId :




#43 AR-1268-3

R.T.: 7.749 min
Delta R.T.: 0.000 min
Response: 1654967
Conc: 10.87 ng/ml




#44 AR-1268-4

R.T.: 9.352 min
Delta R.T.: 0.002 min
Response: 1689539
Conc: 26.37 ng/ml



#44 AR-1268-4


R.T.: 8.035 min
Delta R.T.: 0.002 min
Response: 560541
Conc: 8.80 ng/ml



#45 AR-1268-5

R.T.: 9.766 min
Delta R.T.: 0.007 min
Response: 2577036
Conc: 5.59 ng/ml

Instrument :
ECD_P
ClientSampleId :



#45 AR-1268-5

R.T.: 8.319 min
Delta R.T.: 0.000 min
Response: 1308792
Conc: 3.28 ng/ml