

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP071221\
 Data File : PP037214.D
 Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
 Acq On : 12 Jul 2021 9:49
 Operator : DD\AJ
 Sample : AR1660CCC500
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 ECD_P
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Jul 12 15:11:15 2021
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP070621.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Wed Jul 07 08:32:32 2021
 Response via : Initial Calibration
 Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml

System Monitoring Compounds							
1)	SA Tetrachlo...	4.957	3.947	2316684	1418805	50.973	51.849
2)	SA Decachlor...	10.986	9.240	2191133	1333569	47.597	47.910
Target Compounds							
3)	L1 AR-1016-1	6.277	5.198	851519	516424	490.023	499.732
4)	L1 AR-1016-2	6.301	5.218	1216808	719625	486.705	502.619
5)	L1 AR-1016-3	6.367	5.408	771114	396878	484.158	507.969
6)	L1 AR-1016-4	6.474	5.461	647716	306655	491.220	508.053
7)	L1 AR-1016-5	6.788	5.688	618288	394585	488.762	510.992
8)	L2 AR-1221-1	5.202	4.201	87676	55159	165.312	180.603
9)	L2 AR-1221-2	5.305	4.301	127083	77535	313.683	329.358
10)	L2 AR-1221-3	5.392	4.389	474697	286726	389.594	385.497
11)	L3 AR-1232-1	5.392	4.389	474697	286726	427.227	422.298
12)	L3 AR-1232-2	5.981	5.218	645477	719625	1082.519	1149.722
13)	L3 AR-1232-3	6.301	5.408	1216808	396878	1111.995	1195.368
14)	L3 AR-1232-4	6.474	5.505	647716	371091	1115.647	1345.945
15)	L3 AR-1232-5	6.571	5.688	515169	394585	1339.539	1327.360
16)	L4 AR-1242-1	6.277	5.198	851519	516424	668.022	685.186
17)	L4 AR-1242-2	6.301	5.218	1216808	719625	671.113	699.363
18)	L4 AR-1242-3	6.367	5.408	771114	396878	670.437	696.989
19)	L4 AR-1242-4	6.474	5.505	647716	371091	676.605	720.038
20)	L4 AR-1242-5	7.257	6.068	89738	281157	86.289	413.055 #
21)	L5 AR-1248-1	6.277	5.198	851519	516424	811.300	818.334
22)	L5 AR-1248-2	6.571	5.461	515169	306655	347.020	373.847
23)	L5 AR-1248-3	6.788	5.505	618288	371091	374.311	433.632
24)	L5 AR-1248-4	7.217	5.688	106728	394585	56.467	387.732 #
25)	L5 AR-1248-5	7.257	6.111	89738	49210	47.947	46.391
26)	L6 AR-1254-1	7.186	6.068	396726	281157	220.834	189.386
27)	L6 AR-1254-2	7.415	6.228	475541	256437	170.955	197.411
28)	L6 AR-1254-3	7.797	6.648	297531	140316	96.507	65.752 #
29)	L6 AR-1254-4	8.092	6.888	208125	75586	91.627	55.712 #
30)	L6 AR-1254-5	8.521	7.317	1490485	923697	595.623	492.734
31)	L7 AR-1260-1	7.963	6.785	1024432	671921	465.347	486.261
32)	L7 AR-1260-2	8.229	6.984	1249542	808876	449.189	481.493
33)	L7 AR-1260-3	8.595	7.137	967734	760030	478.797	443.578
34)	L7 AR-1260-4	8.826	7.621	1159976	648048	471.571	476.671
35)	L7 AR-1260-5	9.154	7.870	2207816	1532837	478.462	475.236
36)	L8 AR-1262-1	8.595	7.317	967734	923697	332.269	889.547 #
37)	L8 AR-1262-2	9.154	7.870	2207816	1532837	420.398	440.642
38)	L8 AR-1262-3	9.468	8.158	490225	357010	127.942	253.567 #
39)	L8 AR-1262-4	9.542f	8.219	970779	1172016	330.375	440.112 #
40)	L8 AR-1262-5	10.230	8.720	723842	448878	340.421	355.125
41)	L9 AR-1268-1	9.468	8.158	490225	357010	80.725	89.586

Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP071221\
 Data File : PP037214.D
 Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
 Acq On : 12 Jul 2021 9:49
 Operator : DD\AJ
 Sample : AR1660CCC500
 Misc :
 ALS Vial : 3 Sample Multiplier: 1

Instrument :
 ECD_P
 ClientSampleId :

Integration File signal 1: autoint1.e
 Integration File signal 2: autoint2.e
 Quant Time: Jul 12 15:11:15 2021
 Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP070621.M
 Quant Title : GC EXTRACTABLES
 QLast Update : Wed Jul 07 08:32:32 2021
 Response via : Initial Calibration
 Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
 Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
 Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm

	Compound	RT#1	RT#2	Resp#1	Resp#2	ng/ml	ng/ml
42) L9	AR-1268-2	9.542f	8.219	970779	1172016	168.903	316.663 #
43) L9	AR-1268-3	9.789	8.429	34141	19897	6.963	6.334
44) L9	AR-1268-4	10.230	8.720	723842	448878	316.405	327.533
45) L9	AR-1268-5	10.646	8.998	223500	125612	14.116	12.204



(f)=RT Delta > 1/2 Window (#)=Amounts differ by > 25% (m)=manual int.


Data Path : Z:\pestpcbsrv\HPCHEM1\ECD_P\Data\PP071221\
Data File : PP037214.D
Signal(s) : Signal #1: ECD1A.CH Signal #2: ECD2B.CH
Acq On : 12 Jul 2021 9:49
Operator : DD\AJ
Sample : AR1660CCC500
Misc :
ALS Vial : 3 Sample Multiplier: 1

Instrument :
ECD_P
ClientSampleId :

Integration File signal 1: autoint1.e
Integration File signal 2: autoint2.e
Quant Time: Jul 12 15:11:15 2021
Quant Method : Z:\pestpcbsrv\HPCHEM1\ECD_P\methods\PP070621.M
Quant Title : GC EXTRACTABLES
QLast Update : Wed Jul 07 08:32:32 2021
Response via : Initial Calibration
Integrator: ChemStation 6890 Scale Mode: Small noise peaks clipped

Volume Inj. : 2 µl
Signal #1 Phase : ZB-MR1 Signal #2 Phase: ZB-MR2
Signal #1 Info : 30Mx0.32mmx 0.50µ Signal #2 Info : 30M x 0.32mm x 0.25µm






#1 Tetrachloro-m-xylene


R.T.: 4.957 min
Delta R.T.: -0.003 min
Response: 2316684
Conc: 50.97 ng/ml

Instrument :
ECD_P
ClientSampleId :




#1 Tetrachloro-m-xylene

R.T.: 3.947 min
Delta R.T.: -0.003 min
Response: 1418805
Conc: 51.85 ng/ml




#2 Decachlorobiphenyl

R.T.: 10.986 min
Delta R.T.: -0.007 min
Response: 2191133
Conc: 47.60 ng/ml



#2 Decachlorobiphenyl


R.T.: 9.240 min
Delta R.T.: -0.008 min
Response: 1333569
Conc: 47.91 ng/ml



#3 AR-1016-1


R.T.: 6.277 min
Delta R.T.: -0.003 min
Response: 851519
Conc: 490.02 ng/ml

Instrument :
ECD_P
ClientSampleId :




#3 AR-1016-1

R.T.: 5.198 min
Delta R.T.: -0.004 min
Response: 516424
Conc: 499.73 ng/ml




#4 AR-1016-2

R.T.: 6.301 min
Delta R.T.: -0.003 min
Response: 1216808
Conc: 486.71 ng/ml



#4 AR-1016-2


R.T.: 5.218 min
Delta R.T.: -0.004 min
Response: 719625
Conc: 502.62 ng/ml



#5 AR-1016-3


R.T.: 6.367 min
Delta R.T.: -0.003 min
Response: 771114
Conc: 484.16 ng/ml

Instrument :
ECD_P
ClientSampleId :




#5 AR-1016-3

R.T.: 5.408 min
Delta R.T.: -0.004 min
Response: 396878
Conc: 507.97 ng/ml




#6 AR-1016-4

R.T.: 6.474 min
Delta R.T.: -0.003 min
Response: 647716
Conc: 491.22 ng/ml



#6 AR-1016-4


R.T.: 5.461 min
Delta R.T.: -0.005 min
Response: 306655
Conc: 508.05 ng/ml



#7 AR-1016-5


R.T.: 6.788 min
Delta R.T.: -0.004 min
Response: 618288
Conc: 488.76 ng/ml

Instrument :
ECD_P
ClientSampleId :




#7 AR-1016-5

R.T.: 5.688 min
Delta R.T.: -0.005 min
Response: 394585
Conc: 510.99 ng/ml




#8 AR-1221-1

R.T.: 5.202 min
Delta R.T.: -0.008 min
Response: 87676
Conc: 165.31 ng/ml



#8 AR-1221-1


R.T.: 4.201 min
Delta R.T.: -0.005 min
Response: 55159
Conc: 180.60 ng/ml



#9 AR-1221-2


R.T.: 5.305 min
Delta R.T.: -0.004 min
Response: 127083
Conc: 313.68 ng/ml

Instrument :
ECD_P
ClientSampleId :




#9 AR-1221-2

R.T.: 4.301 min
Delta R.T.: -0.004 min
Response: 77535
Conc: 329.36 ng/ml




#10 AR-1221-3

R.T.: 5.392 min
Delta R.T.: -0.003 min
Response: 474697
Conc: 389.59 ng/ml



#10 AR-1221-3


R.T.: 4.389 min
Delta R.T.: -0.004 min
Response: 286726
Conc: 385.50 ng/ml



#11 AR-1232-1


R.T.: 5.392 min
Delta R.T.: -0.003 min
Response: 474697
Conc: 427.23 ng/ml

Instrument :
ECD_P
ClientSampleId :




#11 AR-1232-1

R.T.: 4.389 min
Delta R.T.: -0.004 min
Response: 286726
Conc: 422.30 ng/ml




#12 AR-1232-2

R.T.: 5.981 min
Delta R.T.: -0.004 min
Response: 645477
Conc: 1082.52 ng/ml



#12 AR-1232-2


R.T.: 5.218 min
Delta R.T.: -0.005 min
Response: 719625
Conc: 1149.72 ng/ml



#13 AR-1232-3


R.T.: 6.301 min
Delta R.T.: -0.004 min
Response: 1216808
Conc: 1111.99 ng/ml

Instrument :
ECD_P
ClientSampleId :




#13 AR-1232-3

R.T.: 5.408 min
Delta R.T.: -0.005 min
Response: 396878
Conc: 1195.37 ng/ml




#14 AR-1232-4

R.T.: 6.474 min
Delta R.T.: -0.004 min
Response: 647716
Conc: 1115.65 ng/ml



#14 AR-1232-4


R.T.: 5.505 min
Delta R.T.: -0.005 min
Response: 371091
Conc: 1345.95 ng/ml



#15 AR-1232-5


R.T.: 6.571 min
Delta R.T.: -0.004 min
Response: 515169
Conc: 1339.54 ng/ml

Instrument :
ECD_P
ClientSampleId :




#15 AR-1232-5

R.T.: 5.688 min
Delta R.T.: -0.005 min
Response: 394585
Conc: 1327.36 ng/ml




#16 AR-1242-1

R.T.: 6.277 min
Delta R.T.: -0.004 min
Response: 851519
Conc: 668.02 ng/ml



#16 AR-1242-1


R.T.: 5.198 min
Delta R.T.: -0.005 min
Response: 516424
Conc: 685.19 ng/ml



#17 AR-1242-2


R.T.: 6.301 min
Delta R.T.: -0.004 min
Response: 1216808
Conc: 671.11 ng/ml

Instrument :
ECD_P
ClientSampleId :




#17 AR-1242-2

R.T.: 5.218 min
Delta R.T.: -0.005 min
Response: 719625
Conc: 699.36 ng/ml




#18 AR-1242-3

R.T.: 6.367 min
Delta R.T.: -0.003 min
Response: 771114
Conc: 670.44 ng/ml



#18 AR-1242-3


R.T.: 5.408 min
Delta R.T.: -0.005 min
Response: 396878
Conc: 696.99 ng/ml



#19 AR-1242-4


R.T.: 6.474 min
Delta R.T.: -0.004 min
Response: 647716
Conc: 676.61 ng/ml

Instrument :
ECD_P
ClientSampleId :




#19 AR-1242-4

R.T.: 5.505 min
Delta R.T.: -0.005 min
Response: 371091
Conc: 720.04 ng/ml




#20 AR-1242-5

R.T.: 7.257 min
Delta R.T.: -0.003 min
Response: 89738
Conc: 86.29 ng/ml



#20 AR-1242-5


R.T.: 6.068 min
Delta R.T.: -0.006 min
Response: 281157
Conc: 413.06 ng/ml



#21 AR-1248-1


R.T.: 6.277 min
Delta R.T.: -0.003 min
Response: 851519
Conc: 811.30 ng/ml

Instrument :
ECD_P
ClientSampleId :




#21 AR-1248-1

R.T.: 5.198 min
Delta R.T.: -0.004 min
Response: 516424
Conc: 818.33 ng/ml




#22 AR-1248-2

R.T.: 6.571 min
Delta R.T.: -0.003 min
Response: 515169
Conc: 347.02 ng/ml



#22 AR-1248-2


R.T.: 5.461 min
Delta R.T.: -0.004 min
Response: 306655
Conc: 373.85 ng/ml



#23 AR-1248-3


R.T.: 6.788 min
Delta R.T.: -0.003 min
Response: 618288
Conc: 374.31 ng/ml

Instrument :
ECD_P
ClientSampleId :




#23 AR-1248-3

R.T.: 5.505 min
Delta R.T.: -0.004 min
Response: 371091
Conc: 433.63 ng/ml




#24 AR-1248-4

R.T.: 7.217 min
Delta R.T.: -0.003 min
Response: 106728
Conc: 56.47 ng/ml



#24 AR-1248-4


R.T.: 5.688 min
Delta R.T.: -0.004 min
Response: 394585
Conc: 387.73 ng/ml



#25 AR-1248-5


R.T.: 7.257 min
Delta R.T.: -0.002 min
Response: 89738
Conc: 47.95 ng/ml

Instrument :
ECD_P
ClientSampleId :




#25 AR-1248-5

R.T.: 6.111 min
Delta R.T.: -0.004 min
Response: 49210
Conc: 46.39 ng/ml




#26 AR-1254-1

R.T.: 7.186 min
Delta R.T.: -0.004 min
Response: 396726
Conc: 220.83 ng/ml



#26 AR-1254-1


R.T.: 6.068 min
Delta R.T.: -0.005 min
Response: 281157
Conc: 189.39 ng/ml



#27 AR-1254-2


R.T.: 7.415 min
Delta R.T.: -0.004 min
Response: 475541
Conc: 170.95 ng/ml

Instrument :
ECD_P
ClientSampleId :




#27 AR-1254-2

R.T.: 6.228 min
Delta R.T.: -0.005 min
Response: 256437
Conc: 197.41 ng/ml




#28 AR-1254-3

R.T.: 7.797 min
Delta R.T.: -0.003 min
Response: 297531
Conc: 96.51 ng/ml



#28 AR-1254-3


R.T.: 6.648 min
Delta R.T.: -0.004 min
Response: 140316
Conc: 65.75 ng/ml



#29 AR-1254-4


R.T.: 8.092 min
Delta R.T.: -0.004 min
Response: 208125
Conc: 91.63 ng/ml

Instrument :
ECD_P
ClientSampleId :




#29 AR-1254-4

R.T.: 6.888 min
Delta R.T.: -0.005 min
Response: 75586
Conc: 55.71 ng/ml




#30 AR-1254-5

R.T.: 8.521 min
Delta R.T.: -0.004 min
Response: 1490485
Conc: 595.62 ng/ml



#30 AR-1254-5


R.T.: 7.317 min
Delta R.T.: -0.006 min
Response: 923697
Conc: 492.73 ng/ml



#31 AR-1260-1


R.T.: 7.963 min
Delta R.T.: -0.004 min
Response: 1024432
Conc: 465.35 ng/ml

Instrument :
ECD_P
ClientSampleId :




#31 AR-1260-1

R.T.: 6.785 min
Delta R.T.: -0.005 min
Response: 671921
Conc: 486.26 ng/ml




#32 AR-1260-2

R.T.: 8.229 min
Delta R.T.: -0.005 min
Response: 1249542
Conc: 449.19 ng/ml



#32 AR-1260-2


R.T.: 6.984 min
Delta R.T.: -0.005 min
Response: 808876
Conc: 481.49 ng/ml



#33 AR-1260-3


R.T.: 8.595 min
Delta R.T.: -0.004 min
Response: 967734
Conc: 478.80 ng/ml

Instrument :
ECD_P
ClientSampleId :




#33 AR-1260-3

R.T.: 7.137 min
Delta R.T.: -0.005 min
Response: 760030
Conc: 443.58 ng/ml




#34 AR-1260-4

R.T.: 8.826 min
Delta R.T.: -0.004 min
Response: 1159976
Conc: 471.57 ng/ml



#34 AR-1260-4


R.T.: 7.621 min
Delta R.T.: -0.006 min
Response: 648048
Conc: 476.67 ng/ml



#35 AR-1260-5


R.T.: 9.154 min
Delta R.T.: -0.004 min
Response: 2207816
Conc: 478.46 ng/ml

Instrument :
ECD_P
ClientSampleId :




#35 AR-1260-5

R.T.: 7.870 min
Delta R.T.: -0.005 min
Response: 1532837
Conc: 475.24 ng/ml




#36 AR-1262-1

R.T.: 8.595 min
Delta R.T.: -0.003 min
Response: 967734
Conc: 332.27 ng/ml



#36 AR-1262-1


R.T.: 7.317 min
Delta R.T.: -0.004 min
Response: 923697
Conc: 889.55 ng/ml



#37 AR-1262-2


R.T.: 9.154 min
Delta R.T.: -0.002 min
Response: 2207816
Conc: 420.40 ng/ml

Instrument :
ECD_P
ClientSampleId :




#37 AR-1262-2

R.T.: 7.870 min
Delta R.T.: -0.005 min
Response: 1532837
Conc: 440.64 ng/ml




#38 AR-1262-3

R.T.: 9.468 min
Delta R.T.: -0.001 min
Response: 490225
Conc: 127.94 ng/ml



#38 AR-1262-3


R.T.: 8.158 min
Delta R.T.: -0.004 min
Response: 357010
Conc: 253.57 ng/ml



#39 AR-1262-4


R.T.: 9.542 min
Delta R.T.: -0.020 min
Response: 970779
Conc: 330.37 ng/ml

Instrument :
ECD_P
ClientSampleId :




#39 AR-1262-4

R.T.: 8.219 min
Delta R.T.: -0.006 min
Response: 1172016
Conc: 440.11 ng/ml




#40 AR-1262-5

R.T.: 10.230 min
Delta R.T.: -0.004 min
Response: 723842
Conc: 340.42 ng/ml



#40 AR-1262-5


R.T.: 8.720 min
Delta R.T.: -0.004 min
Response: 448878
Conc: 355.13 ng/ml



#41 AR-1268-1


R.T.: 9.468 min
Delta R.T.: -0.003 min
Response: 490225
Conc: 80.72 ng/ml

Instrument :
ECD_P
ClientSampleId :




#41 AR-1268-1

R.T.: 8.158 min
Delta R.T.: -0.005 min
Response: 357010
Conc: 89.59 ng/ml




#42 AR-1268-2

R.T.: 9.542 min
Delta R.T.: -0.025 min
Response: 970779
Conc: 168.90 ng/ml



#42 AR-1268-2


R.T.: 8.219 min
Delta R.T.: -0.008 min
Response: 1172016
Conc: 316.66 ng/ml



#43 AR-1268-3


R.T.: 9.789 min
Delta R.T.: -0.005 min
Response: 34141
Conc: 6.96 ng/ml

Instrument :
ECD_P
ClientSampleId :




#43 AR-1268-3

R.T.: 8.429 min
Delta R.T.: -0.007 min
Response: 19897
Conc: 6.33 ng/ml




#44 AR-1268-4

R.T.: 10.230 min
Delta R.T.: -0.006 min
Response: 723842
Conc: 316.41 ng/ml



#44 AR-1268-4


R.T.: 8.720 min
Delta R.T.: -0.005 min
Response: 448878
Conc: 327.53 ng/ml



#45 AR-1268-5

R.T.: 10.646 min
Delta R.T.: -0.006 min
Response: 223500
Conc: 14.12 ng/ml

Instrument :
ECD_P
ClientSampleId :



#45 AR-1268-5

R.T.: 8.998 min
Delta R.T.: -0.006 min
Response: 125612
Conc: 12.20 ng/ml